

MAS Price List

[JUMP TO PRICING CLICK HERE](#)

TABLES



VERSTEEL

GENERAL SERVICES ADMINISTRATION
Federal Supply Service
Authorized Federal Supply Schedule Price List

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through GSA Advantage!, a menu driven database system. The INTERNET address for GSA Advantage! is: www.GSAAdvantage.gov.

Schedule Title: MAS
Product Services Code:

Contract Number: GS-28F-0009S

For more information on ordering from Federal Supply Schedules go to the internet address: www.gsa.gov Find link to GSA Schedules. Then find link to "For Federal Agency Customers". Next, under "Ordering Procedures and Guidelines", find link to "Ordering Procedures for Services Requiring a Statement of Work and Ordering Procedures for Services not Requiring a Statement of Work".

Contract Period: January 9, 2021 to January 8, 2026

Contractor Name: Ditto Sales, Inc. dba Versteel

Address: 2332 Cathy Lane, Jasper, IN 47546

Phone Number: 800.876.2120

Fax Number: 812.482.9318

Web site: www.versteel.com

Contact: Whitney Strange

Email: wstrange@versteel.com

Business size: Small

Modification PO-0026

Modification PS-0030

Effective Date 1-9-21

Effective Date 7-22-21

5 Year Renewal

Price Increase

VERSTEEL

VERSTEEL

General Services Administration Information

General Services Administration Contract
GS-28F-0009S

FEDERAL SUPPLY SERVICE

General Information:

Schedule Title and FSC Group, part and section:

MAS

FSC Classes: 7125

GSA Contract Number: GS-28F-0009S

Contract Period: January 9, 2021 to January 8, 2026

Business Size: Small

Contractor's Name, Address and Phone Number:

Versteel / Ditto Sales, Inc.
2332 Cathy Lane
Jasper, Indiana 47546
Phone: (800) 876-2120
Fax: (812) 482-9318

Contract Inquiries:

Whitney Strange
Phone: (800) 876-2120
Fax: (812) 482-9318
Email: wstrange@versteel.com

For Assistance and Ordering Information, please refer to the following URL's:

On line access to contract ordering information, terms and conditions, pricing and the option to create an electronic delivery order - GSA Advantage at www.fss.gsa.gov.

For more information on ordering from Federal Supply Schedules - FSS Schedules at www.fss.gsa.gov.

VERSTEEL

To view our Tables Price List: <http://www.versteel.com/contract/gsa/>

To view our Power and Data Price List: <http://www.versteel.com/contract/gsa/>

Customer **Information**

1. Awarded special items/lowest unit price.

1a. Table of awarded special item number(s) with appropriate cross-reference VERSTEEL Commercial Price List(s):

Contract # GS-28F-0009S

SIN 337127TLSB Training Tables Price List 03/15/2021

1b. Identification of the lowest priced model number and lowest unit price for that model for each special item number awarded in the contract:

Contract # GS-28F-0009S

SIN 337127TLSB Brattice Table Self Leveling Glide \$16.81

2. **Maximum Order Limit (All SINS):** \$250,000.00
3. **Minimum Order:** \$100.00
4. **Geographic coverage (delivery area):** 48 contiguous states. All other shipments via US government conveyance and designated US port of departure.
5. **Point of Production:** Jasper, Indiana
6. **Discount from List Prices:** 56.9% from list prices shown
7. **Quantity Discount:**

\$ 50,001 to \$125,000 net = 1%;
\$125,001 to \$250,000 net = 2%;
\$250,001 to \$500,000 net = 3%

VERSTEEL

8. **Prompt Payment Terms:** 1% 10 days, net 30
9. **Government Credit Card Information:**
 - 9a. **Accepted below micro-purchase threshold:** Yes
 - 9b. **Accepted above the micro-purchase threshold:** Yes
10. **Foreign Items:** None
11. **Delivery:**
 - 11a. **Time of Delivery:** 32 to 60 days ARO
 - 11b. **Expedited Delivery:** Quick Ship Program 1-25 tables 5 working days ARO and/or 1-50 chairs 10 working days ARO.
 - 11c. **Overnight and Second Day Delivery:** Additional charges can be quoted upon request.
 - 11d. **Urgent Requirements:** Additional charges can be quoted upon request.
12. **FOB Point:** Destination in 48 Contiguous States
13. **Ordering Address:**

Versteel
Attn: Whitney Strange
2332 Cathy Lane
Jasper, IN 47546
Fax (812) 482-9318
Email: wstrange@versteel.com
14. **Payment Address:**

Versteel
Attn: Accounts Receivable
2332 Cathy Lane
Jasper, IN 47546
15. **Warranty Provisions:** See page 9 of the Tables, Seating & Power and Data Price lists for warranty details.
16. **Export Packing Charges:** N/A
17. **Terms and Conditions of Government Purchase Card Acceptance (any thresholds above the micro-purchase level):** No additional discount.
18. **Terms and Conditions of Rental, Maintenance and Repair:** N/A

19. **Terms and Conditions of Installation:** N/A
20. **Terms and Conditions of Repair Parts (indicating date of parts price list and any discounts from list price):** N/A
21. **List of Service and Distribution Points:** N/A
22. **List of Participating Dealers:** Furnished upon request
23. **Preventative Maintenance:** N/A
24. **Year 2000 (Y2K) Compliant:** Yes
25. **Environmental Attributes:** N/A
26. **Data Universal Number Systems (DUNS Number):** 080957079
27. **CCR Registration:** Currently registered Cage Code 42KH1
28. **Returns/Restocking Policy:** There is a 25% restocking fee. Customer will be required to pay all return freight charges.
29. **Cancellation Policy:** No charge prior to production. After production has begun, only actual costs that the contractor can demonstrate if the items are not sold in a reasonable length of time (6 months).

Product Information

General Information	2
Warranty	4
Care + Maintenance	5
Environmental Policy	6
Base Construction	7
TIM Base Construction	8
Top Construction	9
Modesty Panel Construction	10
Top Shapes	12
Seating Accommodations	13
Linking Configurations	16
Nested Storage	18
Linking Configurations	20
Space Planning	21

How To Order

How To Order Versteel	24
-----------------------	----

Options

Color Finishes	25
Upholstery Options	28
Base Options	32
Top Options	35
Accessories	37
Custom Charges	39
Power & Data Options	40
Power & Data Accessories	51
Wire Management Options	52

Power & Data

Eliga Power Options	55
Planning Guide	56
Henri®	58
Custom Locations	60
Powerlink®	61
Power Source Outlets	64
Planning Guide Configurations	65
Connecting Data/Voice Systems	71

Arvo™ (AOR Series)

Product Information	72
Round	86
Square	88
Rectangle	90

Brattice® (BR Series)

Round	92
Square	94
Rectangle	96
Racetrack	106
Oval	106
Boatshape	108
Split Top	110
Corner	110
Video Wedge	110
Transition	110
Trapezoid	112
Crescent	112
Teardrop	112
Half Round	114
Quarter Round	114
Wedge	116

Curvare® (CU Series)

Round	118
Oval	118
Square	119
Rectangle	119

Deci™ (DE Series)

Product Information	120
Round Top	
Round Column Round Base	140
Round Column Square Base	142
Square Column Round Base	152
Square Column Square Base	154
Square Top	
Round Column Round Base	144
Round Column Square Base	146
Square Column Round Base	156
Square Column Square Base	158
Rectangle Top	
Round Column Round Base	148
Round Column Square Base	150
Square Column Round Base	160
Square Column Square Base	162

Elements Conference® (EC Series)

Round	164
Square	166
Rectangle	168
Arc Rectangle	170
Racetrack	172
Oval	172
Boatshape	174
Arc Boatshape	174
Video Conference	176
Arc Video Conference	176

Eliga™ Collaboration (EG Series)

Wall Mount & Base	178
Specifications	
Video Conference &	179
Media Center Specifications	
Configuration Examples	180
Wall Mount	184
Base	188

Rectangle Benching	192
Video Conference	196
Pedestals	198
Pedestal Cushions	199
Media Center	200
Whiteboard	202

Eliga™ Tables (EG Series)

Round	204
Square	206
Rectangle	208
Rectangle Sliding	214
Rectangle Gathering	216
Racetrack Gathering	218
Boat and Arc Boat Gathering	220
Rectangle Conference	222
Racetrack Conference	224
Boat and Arc Boat Conference	226
Collaborative D	228
Rectangle End-Sit	232
Whiteboard	236

Entourage™ (EN Series)

Cabinet	238
Recycling Cabinet	272
Cart	278
Lectern	280
Wall Board	281

Equip® (EQ Series)

Teaching Station	282
Mobile AV Cabinet	290
AV Cart	291

GeoMetrix™ (OCGM Series)

Product Information	292
Square	306
Rectangle	308
Rhombus	309
Triangle	310

Interplay® (IP Series)

Rover Pup™	312
Rover Utility™	313
Rover Computer™	314
Rover Daddy™	316
Looksee®	318
Wordplay®	319

Model 8® (OCM8 Series)

Product Information	320
Round	328
Square	329
Rectangle	330

ODIS® (OD Series)

ODIS	332
ODIS Youth	333
ODIS ADA	334

Paces® (PA Series)

Round	336
Square	338
Rectangle	340
Large Rectangle	352
Racetrack	354
Boat	356
Arc Boat	356
Video Conference	358
Arc Video Conference	358
Zeta Rectangle	360
Delta Rectangle	362

Parsons Table (PR Series)

Product Information	364
29" Height	380
36" Height	381
42" Height	382
ADA Side Table	383

Performance™ (PE Series)

Round	384
Square	388
Rectangle	392
Racetrack	404
Oval	406
Boatshape	406
Split Top	408
Corner	408
Video Wedge	408
Transition	408
Trapezoid	410
Crescent	410
Teardrop	410
Half Round	412
Quarter Round	412
Wedge	414

Platform™ (PT Series)

Statement of Line	416
Platform Bases	417
Column Shapes	418
Table Top Shapes	419
Round Top	
Single Column Base	420
Two Column Base	438
Three Column Base	460
Four Column Base	470
Square Top	
Single Column Base	424
Two Column Base	442
Three Column Base	462
Four Column Base	474
Rectangle Top	
Single Column Base	428
Two Column Base	446
Three Column Base	464
Four Column Base	478

Skware® (SR Series)

Round	492
Square	494
Rectangle	496
Racetrack	506
Oval	506
Boatshape	508
Split Top	510
Corner	510
Video Wedge	510
Transition	510
Trapezoid	512
Crescent	512
Teardrop	512
Half Round	514
Quarter Round	514
Wedge	516

Sky™ (SK Series)

Product Information	518
Rectangle	
Brattice Style Base	528
Eliga Style Base	530
Performance Style Base	532
Skware Style Base	534
Vela Style Base	536

Somet (AH Series)

Rectangle	
Crank	538
Counter Balance Pneumatic	540

Study Carrels (SC Series)

Performance	544
Vela	548

Tabletop (TT Series)

Lectern	552
---------	-----

Thea® (THC Series)

Product Information	554
Round	566
Square	568
Rectangle	570

The Maker Project™ (MK Series)

Product Information	572
Utility Table	586
Occasional Table	598
Whiteboard	600
Stool	601
Bench & Cushion	602
Maker A Round	604
Maker A Square	607
Maker A Rectangle	610
Maker A Bench	616
Maker Lighting	617

Tier Tables (TR Series)

Information	618
-------------	-----

TIM® (TM Series)

Product Information	620
Rectangle	648
Arc Rectangle	650

TOD® (TD Series)

Rectangle	652
-----------	-----

Training Tables (TT Series)

Brattice (BT Series)	656
Eliga (EG Series)	672
Performance (PT Series)	696
Skware (ST Series)	728
Ty (TY Series)	744
Uno ² (US Series)	756
Vela (VT Series)	774

Ty™ (TY Series)

Round	800
Square	802
Rectangle	804
Split Top	814
Corner	814
Video Wedge	814
Transition	814
Trapezoid	816
Crescent	816
Teardrop	816
Half Round	818
Quarter Round	818
Wedge	820

Uno²™ (US Series)

Rectangle	822
Large Rectangle	832
Racetrack	834
Oval	834
Boat	836
Split Rectangle	838
Trapezoid	840
Crescent	842
Half Round	844
Quarter Round	846
Wedge	848

Vela® (VE Series)

Round	850
Square	852
Rectangle	854
Racetrack	870
Oval	870
Boatshape	872
Split Top	874
Corner	874
Video Wedge	874
Transition	874
Trapezoid	876
Crescent	876
Teardrop	876
Half Round	878
Quarter Round	878
Wedge	880

Wavelink® (WA Series)

Round	882
Square	884
Pipeline	886
Tide	888
Surf	888
Racetrack	890
Oval	890
Breaker	890
Video Wedge	892
Openface	892
Half Round	892
Crossover	892
Vibe	892
Quarter Round	894
Wedge	894
Fin	894
Curl	896
Transition	896
Cutback	896
Corner	898
Trapezoid	898

Bases Only

General Information	900
Brattice	902
Performance	903
Tuscany®	904
Wavelink	905

Intellectual Properties & Affiliations

	906
--	-----

Prices

All prices are list price, delivered (48 contiguous United States), effective with date printed on cover and supersedes all other published price lists. Versteel reserves the right to change prices or specifications without prior notice. Normal delivery is on a dock-to-dock basis. Orders are accepted subject to price prevailing at time of shipment. Additional charges may apply on special requests noted on the customer's purchase order such as inside delivery, "call before," etc. Orders less than \$1000 net will be subject to a \$100 minimum order charge (orders originating from Canada less than \$1125 net will be subject to a \$200 minimum order charge).

Acknowledgement

Orders are accepted, manufactured, and invoiced in accordance with the acknowledgement. Notify Versteel immediately of any discrepancies. Acknowledged orders may not be cancelled or modified without written consent from Versteel.

Orders

All orders must be received in writing, accompanied by final material and finish specifications for order entry.

CONTACT VERSTEEL

EMAIL contact@versteel.com
 TELEPHONE 800 876 2120
 812 634 2120
 FACSIMILE 812 482 9318

MAILING ADDRESS

Versteel
 2332 Cathy Lane
 Jasper, IN 47546

Faxed orders are accepted. Duplicate orders that are received by mail (after having been faxed) and not marked "Confirmation" are the responsibility of the customer.

Telephone orders must be confirmed in writing within 24 hours, marked "Confirmation." Duplicate orders not marked "Confirmation" are the responsibility of the customer.

QS Quickship Program

Available for select products in the Deci, Paces, Performance, Vela and Wavelink table lines along with select products in the Chela, Companion, Kompis, SIMON, Quanta Max and The Maker Project seating lines.

The Versteel Quickship Program consists of up to 50 tables, 25 tables with modesty panels or 100 chairs in 10 working days from time of order (received by 12pm EST).

Orders must be accompanied by final material and finish specifications for order entry. They must be clearly marked "Quickship" and consist of products from the program. Quickship orders cannot be changed or cancelled, and credit approval must be acquired within 24 hours.

For additional information see Versteel.com

Credit

You are requested to enclose one bank reference and three trade references with your initial order.

Credit Cards

Versteel accepts Mastercard, Visa & AMEX credit card payment for invoiced sales. Credit card information must be presented along with the Sales Order (with a signed Credit Card Authorization Form attached). There is no cash discount extended to credit card orders. Credit cards will be charged at time of shipment. A 2.5% processing fee will be applied for all credit card purchases. Processing fee will not be applied to GSA or contract orders. Versteel will not accept credit cards for payment of account balances.

Changes or Cancellation

Any change or cancellation to an order must be submitted in writing and confirmed by Versteel Customer Service before the change or cancellation is effective. Due to short lead times, any change or cancellation may result in charges if materials have entered the production process.

Packaging

Versteel has no crate or packaging charge on standard products. All items are packaged to ensure delivery in excellent condition under normal handling by freight personnel. Versteel reserves the right to bulk pack or skid load tops in large quantities.

Shipping Schedule*Standard Items*

Laminate, Convex T-Mold Edge	3-5 WEEKS
Laminate, PVC Edge	3-5 WEEKS
Laminate, Wood Edge	3-5 WEEKS
Laminate, Urethane Edge	6-8 WEEKS
Veneer, Wood Edge	6-8 WEEKS

Contact Versteel for special lead time requests.

Shipping

Normal delivery is on a dock-to-dock basis. Special requests such as inside delivery, "call before," etc. should be noted on the customer's purchase order and are subject to additional charges.

Tables are shipped disassembled unless Assembled Folding Table option is selected; tops and base(s) ship simultaneously. ODIS, TIM and tilt-fold tables are shipped assembled. TIM fixed tables are cartoned separately.

Orders shipping outside of the contiguous 48 United States will have shipping quoted as a separate item.

FOB ORIGIN, FREIGHT PREPAID

Versteel
2332 Cathy Lane
Jasper, IN 47546

Shipping Damage Claims or Shortages

Legal title of merchandise passes to the buyer upon acceptance of the carrier. All cartons must be carefully inspected upon delivery. Visibly damaged product should not be accepted from the carrier until the damage is noted on delivery receipt. Versteel will not accept responsibility if the delivery receipt is signed as "clear". Retain any damaged goods and take photos for claim filing purposes. Details of visible damage should be noted on the delivery receipt. Shortages must be noted on the bill of lading prior to accepting the shipment.

Concealed Damage

If concealed damage is discovered, the receiver must notify the freight carrier within 5 business days from receipt of the product(s). For claim consideration the receiver must request an inspection of the damaged goods by the carrier. All damaged product and packaging should be retained and photos taken for claim filing use. Inspections must occur at the original delivery point to be considered for claim submittal. Reports of concealed damage after five business days will not be considered.

Partial Shipments

Versteel makes every attempt to ship orders complete and on schedule. However, we reserve the right to make partial shipments as product is ready, in an effort to get your order to you as quickly as possible. Invoices covering these shipments are to be paid as they become due.

Returns

No return merchandise will be accepted without Versteel's written consent and shipping instructions. Unauthorized returns will not be accepted.

Terms

Terms are 1%, 10 days, net 30 days from date of invoice.

Warranty

All table and seating products manufactured by Versteel are guaranteed by a Lifetime Warranty against defects in materials and workmanship from the date of purchase. Products manufactured/adapted for use in a Pavilion or Pop-Up setting are covered under a three (3) year warranty against defects in materials and workmanship from date of purchase.

Electrical items manufactured by Versteel are guaranteed against defect for a period of five (5) years from date of purchase.

Electrical items not manufactured by Versteel are covered by the manufacturers under their specified warranty.

Consumables such as gas cylinders, casters and glides are covered for a period of one (1) year. Adjustable height bases with crank and counterbalanced components, are covered under a two (2) year warranty. Versteel will not cover labor costs associated with replacing the casters or glides.

Wood veneer is warranted for a period of ten (10) years. Natural variations in grain, color or texture of wood should not be construed as defects under this warranty.

Versteel will replace or repair (at our discretion) without cost to our customers any item manufactured by Versteel found to be defective as a result of defective material or workmanship and is still owned by the original purchaser. We will not, however, repair any item which is not properly installed, abused or subject to any use other than that which was originally intended. Warranty does not cover normal wear and tear of the product, which is expected over the course of ownership. Any repairs by the customer must receive specific written authorization from Versteel before being executed on location to receive proper reimbursement for associated costs. In no event shall liability under this warranty exceed the original purchase price.

Pavilion and Pop-Up products must be covered and out of direct sunlight. Use location must be a minimum of 100 miles from saltwater

Warranty on plastic laminates, Corian® and upholstery is not covered by Versteel but is covered by laminate, Corian® and textile manufacturers under their specified warranty only. All foams, fabrics and vinyls are prone to stretch and loosen over time through normal use. This natural effect, called puddling is covered for a period of one (1) year from the date of purchase.

There are no other warranties expressed or implied.

Care of Laminate Surfaces, T-Mold, Bumper, PVC Edges and Urethane

Clean with a mild soap solution and rinse with clean, clear water. Wipe the entire surface, moving with the pattern and follow with a clean, dry soft cloth. When a wood edge exists, follow instructions found under "Care of Wood Edges and Veneer Surfaces" for edge.

Care of Wood Edges and Veneer Surfaces

Clean all surfaces frequently with water-dampened soft cloth, moving the cloth with the grain direction. Quickly buff dry. Immediately remove any liquids that come in contact with wood surfaces using a blotting action to absorb liquid. Lift objects to move them. Never pull them across the finished surface.

For an additional safeguard, use a protective surface pad. Doing so could ensure a lasting finish by protecting your furniture from possible damage caused by pens and sharp objects.

Avoid exposing furniture to extreme heat and cold or to wide humidity variances. Avoid exposing furniture to strong sunlight. Do not use soaps, commercial cleaners or harsh solvents (nail polish remover, acetates, etc.) as they will cause finish deterioration. If using a protective glass top, place spacer pads under the glass top to allow the wood to breathe.

Care of Corian® Surfaces

Clean regularly with a cloth or sponge wrung out in warm soapy water. You can also use ammonia-based cleaners or commercial cleaners recommended for use on Corian® surfaces. Wipe up any water spills immediately so as not to leave a film that makes the finish look blotchy.

Care of Powder Coat and Nickel Surfaces

Clean with a mild soap solution and rinse with clean, clear water. Wipe the entire surface and follow with a clean, dry cloth to buff dry.

Care of Chrome Bases

Clean with a wet cloth or window cleaner. For scuff marks or heavy soiling, a non-abrasive automotive chrome polish can be applied as directed.

Maintenance of Mechanical Parts

Clean any lint or debris from the moving parts of the E-Z install tilt or folding base mechanisms. Do not apply lubricant. Mechanisms have been designed and tested to not require lubrication under normal conditions.

Care of Upholstered Tack Panels

For Versteel standard fabrics and vinyls, consult the back of the appropriate swatch card for cleaning codes and any specific instructions. For COM materials, consult with the individual textile manufacturer for cleaning codes and any specific instructions pertaining to your particular fabric.

Objective

It is the objective of Versteel to adhere to Federal, State and local laws and codes, ordinances and regulations as may be applicable to control environmental risks, prevent harm to the public health and welfare, and to preserve our natural resources. Versteel acknowledges the necessity of commitment and hereby commits its resources of all levels of its management and all employees of the company to accomplish this objective.

Policy Statement

Each Versteel facility has the responsibility to:

Develop environmental policies which implement regulatory compliance requirements and provide management guidance and support with applicable environmental laws.

Train and motivate personnel to work in an environmentally acceptable manner and to understand and comply with government regulations within the scope of Versteel operations.

Communicate the importance of personal responsibility protection to all employees through formal training. Each employee will be aware of the environmental regulations applicable to their job functions, including limitations and functional restrictions of permits, spill control, emergency response actions, proper waste handling procedures, etc.

Communicate and continually assess relevant environmental developments on operations of the facilities and personnel.

Require sub-contractors or contractors (third parties working for, with, or on behalf of Versteel) to follow Versteel's environmental procedures while working within their facilities.

Make responsible personnel available at all times to carry out environmental procedures, especially under emergency situations.

Apply sound management practices and operating procedures.

Implement appropriate control technologies and process guidelines for preventive and corrective maintenance systems to minimize actual and potential environmental harm and exposures.

Communicate effectively with government and the public regarding serious environmental incidents should they ever occur.

Minimize the generation, emission or discharge of waste, and harmful or regulated substances and pollutants from operations to the extent most practical with laws and regulations. Ensure proper disposal of all waste.

Substitute materials or processes to allow the use of less hazardous substances where feasible.

Secure and maintain all environmental permits required for operation. Maintain up-to-date files of all environmental reporting requirements and make this information available for easy access at each operating facility.

Evaluate the causes behind any serious environmental incidents and establish procedures to avoid recurrence.

There is a sincere effort at Versteel to maintain our responsibility to the environment and to our employees. We are mindful of the effectiveness and improvements required to ensure environmentally safe conditions and to preserve our natural resources.

We pride ourselves on exceeding the standards set forth by federal, state and local codes.

Our electroplating plant consistently earns local annual environmental awards, and all of our products have met the requirements for Intertek Green Leaf VOC/VOC+ certification.



At Versteel, we feel it is our responsibility as a manufacturer to build products in a manner that promotes a safe and healthy environment for everyone. We maintain detailed information regarding the environmental impact of all Versteel products. If you have questions regarding our environmental policy or would like more information, please contact Versteel Customer Service at 800.876.2120.

Base Construction

Versteel bases are constructed of a column, base and a mounting top plate in many styles and sizes.

- 1) **Mounting top plates** attach to the column to allow attachment to the top.

FIXED BASES

Fixed bases feature a heavy gauge plate and are field installed into marked pre-drilled positions on the top with hardware provided.

TILT BASES

The 10 gauge upper plate is factory installed on the table top. The 7 gauge lower formed plate is attached to the base column.

FOLDING BASES

Folding bases feature a formed pan with welded construction that is connected to a wire formed frame. The wire formed frame acts as stacking bumpers and carrying handles for the table. Bases can be field installed into marked pre-drilled positions with provided hardware or request the option for factory installation.

- 2) **Columns** are constructed of 16 or 14 gauge tubular steel in a variety of shapes and diameters appropriate to the series and base styles.
- 3) **Base rails, feet or discs** attach to the column and are heavy gauge steel to create a very stable table with glides to provide $\frac{3}{4}$ " vertical adjustment for leveling the table.

Base Shipping Specifications

All Series TC, T1, T2 bases, W2, P3, P4 columns and D1 disc base ship assembled from the factory. Brattice, Uno and Vela Series X1 and X4 bases and Vela Y3 base also ship assembled from the factory. Performance and Tuscany Series X1 and X4 bases ship unassembled for field assembly.

Quality Standards

All Versteel table bases are constructed to pass the industry test standards set forth by BIFMA. For more detailed specifications by series and base style, contact Versteel Customer Service at 800.876.2120.

1)
Mounting Top Plate
Folding Top Plate Shown

2)
Column

3)
Base Rail with Glides

**Reference Table Heights**

Tables can be specified at many different heights based on your application needs. Standard Versteel tables are 29" from the floor to the table surface. The Interplay Rover™ Pup is 26 $\frac{3}{4}$ " from the floor to the surface for use as a pull-up typing surface or can roll under most surfaces to store out of the way.

Suggested typing height table is 26 $\frac{3}{4}$ "
Suggested wheelchair height table is 32"
Suggested counter height table is 36"
Suggested stand up height table is 42"



Manufacturer certifies
that products meet or
exceed applicable
ANSI/BIFMA standards
and testing.

**TIM Base Construction**

TIM table bases are constructed of 14 gauge round tube upper legs with 16 gauge round tube telescoping height adjustment lower leg sections. Guide bushings inside the legs are molded from nylon bushing materials to provide smooth, quiet operation of the height adjustment feature. The height adjustment button is made of solid steel with a spring actuated movement. A Height Adjustment Lock Out Kit is available if you wish to lock out the push-button height adjustment feature.

FIXED BASES

Fixed bases feature a 1/4" thick mounting top plate and are field installed into pre-drilled holes with hardware provided. TIM tables with fixed bases include the push-button height adjustment feature.

***NOTE** FIXED BASES ARE SHIPPED SEPARATE FROM THE TOP AND ONLY REQUIRE SCREW ATTACHMENT TO ASSEMBLE*

TILT-NEST-FOLD BASES

Tilt feature is cable actuated with the pull of a release handle located under the table top on the end of the surface. The cable operates two brake control mechanisms mounted on each end of the table to support the top. Nest-fold features are constructed of die cast metal components and 14 gauge round tube, fully enclosed in reinforced plastic housings for smooth, quiet operation.

***NOTE** THE TABLE IS SHIPPED FACTORY ASSEMBLED FOR IMMEDIATE USE AFTER UNCARTONING*

Reference Table Heights

TIM tables are constructed with push-button height adjustment to provide five inches of vertical movement. The top leg hole position will set the surface height at 27" with the third from the top hole for 29" standard seated task, and the bottom round hole providing the 32" surface height required for wheelchair applications. The adjustment holes are at 1" spacing increments.



Manufacturer certifies that products conform to UL Std 962 and are certified to Canadian standard CSA T.I.L No. A-30.



Manufacturer certifies that products meet or exceed applicable ANSI/BIFMA standards and testing.

Laminate and Veneer, Standard Core Construction

The standard top construction consists of a 45-50 pound particleboard, surfaced with a high pressure laminate or veneer face. A backer sheet is laminated to the under side of the top. Tops are shipped pre-drilled for field installation of bases and accessories.

Laminate, Lightweight Core Construction - 1 1/4"

Lightweight core is a multi-ply birch plywood, with a density of around 28 lbs. per cubic ft., offering a 30%–35% weight reduction for a typical table vs. standard core. The tops are surfaced with a high pressure laminate face. A backer sheet is laminated to the under side of the top, and tops are shipped pre-drilled for field installation of bases and accessories. Lightweight core is only available on 1 1/4" thick tops.

The lightweight plywood construction allows for mounting of bases or other accessories at any location under the top.

Lightweight core is available as an option for tops that are no larger than 48" x 96".

NOTE LIGHTWEIGHT TOPS LARGER THAN 48" X 96" REQUIRE A SPECIAL QUOTE. CONTACT VERSTEEL FOR PRICING AND AVAILABILITY

NOTE LIGHTWEIGHT CORE ONLY AVAILABLE ON LAMINATE TOPS

Alternate Core Construction

Alternate core constructions are available, including medium density fiberboard (MDF), honeycomb cores, and cores that contain no urea formaldehyde. Contact Versteel for pricing and availability.

PVC Flat or Fluted Edge



Edge of 2mm PVC hot melt banded to the top with 1/8" radius at the top and bottom. Corners with 1 1/2" radius or square corners are available on 7/8", 1 1/4" or 1 3/4" edge thicknesses.

Offered in twenty-one (21) standard colors.


Convex T-Mold Edge



Edge of 5/16" thick solid vinyl convex t-mold with 1 1/2" radius corners on 7/8", 1 1/4" or 1 3/4" edge thicknesses.

Offered in four (4) standard colors.

Wood Flat or Fluted Edge



Wood banding hot melt banded to the top with 1/8" radius at the top and bottom. Corners with 1 1/2" radius or square corners are available on 7/8" and 1 1/4" edge thicknesses.

Offered in Maple, Walnut or Cherry materials.

Bumper Edge



Exposed ply core banding with rubberized 5/8" width bumper in the center of profile. Corners with 1 1/2" radius are available on 7/8" and 1 1/4" edge thicknesses. Offered in black bumper standard color.

Reverse Bevel Acrylic



Edge of 2mm acrylic edge banding hot melt banded to MDF core. A reverse bevel is then cut into the edge exposing the MDF on the reverse bevel. The MDF is then clear coated.

Wood Square or Fluted Edge - 1 1/4"



Edge of 1 1/4" wide solid wood with softened top and bottom edges, and square, softened mitered corners. Available on 7/8", 1 1/4" and 1 3/4" edge thicknesses. Offered in Maple, Walnut or Cherry materials.

Wood Bullnose Edge - 1 1/4"



Edge of 1 1/4" wide solid wood with a full bullnose edge, and 1" radius mitered corners. Available on 7/8", 1 1/4" and 1 3/4" edge thicknesses. Offered in Maple, Walnut or Cherry materials.

Wood Reverse Bevel Edge - 2"



Edge of 2" wide solid wood designed with a reverse sloped edge on one side and a flat wood edge on the remaining three sides for all Entourage cabinets. When specified on Elements Conference the reverse bevel detail will be on all four sides with mitered corners. Available on 1 1/4" edge thicknesses. Offered in Maple, Walnut or Cherry materials.

Wood Ergo Edge - 1 3/4" or 2 1/2"



Edge of 1 3/4" wide (on 7/8" thick tops) or 2 1/2" wide (on 1 1/4" thick tops) solid wood designed with a sloped edge for added comfort with softened, mitered corners. Offered in Maple, Walnut or Cherry materials.

Urethane Ergo Edge (User Side) - 1 3/4"



Edge of 1 3/4" wide molded urethane designed with a sloped ergonomic edge on one side and a 1/4" wide square urethane edge on the remaining three sides. Corners are square. Available on 7/8" edge thicknesses. Offered in five (5) standard colors.

Urethane/PVC Ergo Edge (User Side) - 1 3/4" & PVC



Edge of 1 3/4" wide molded urethane designed with a sloped ergonomic edge on one side and a 2mm PVC flat edge on the remaining sides. PVC corners are available in square or radius on 7/8" and 1 1/4" edge thicknesses. Urethane offered in five (5) colors with matching PVC colors. When specifying Chicory contact Customer Service for availability.

Laminate Modesty, General Core Construction

The modesty panel is constructed of 3/4" thick, 45-50 lb. medium density particle board surfaced with high pressure laminate face on both sides. The modesty panel is 8" high on Vela and 10" high on Brattice and Performance series and extends the length of the top. The modesty panel is located along the front edge of the table for maximum leg and knee clearance.

Fixed Modesty (FixMod XM)

The Fixed Modesty panel is mounted to the top with screws through steel brackets and must be field installed into pre-drilled positions in the top. All mounting hardware is packed with the modesty panel. Finish details match the top unless specified differently.

Removable Modesty (RemMod RM)

The Removable Modesty panel slides into heavy duty steel brackets that are mounted to the top. Simply tighten the handwheels to keep the modesty panel in position or loosen to remove the panel. For storage, the modesty attachment pins can be rotated 90° to prevent marring of the top surfaces. Finish details match the top unless specified differently.

Folding Modesty (FoldMod FM)

The Folding Modesty panel is mounted to the top with heavy duty hinge assemblies. A sliding brace supports the modesty panel in the set-up position and also holds the modesty panel in place in the stored position. Finish details match the top unless specified differently.

**Form Metal Modesty, General Construction**

The modesty panel is constructed with an aluminum extruded back panel and a perforated hinged steel door. There are three (3) separate unobstructed channels that allow the routing of power and data cables, with a wire exit on the back for the top and middle channel. The Form Modesty panel is 10" high and extends the length of the top on Brattice, Performance and Vela. The Form Modesty panel is located along the front edge of the table for maximum leg and knee clearance. Accessory end cap trim kit available.

NOTE RADIUS CORNERS ARE NOT RECOMMENDED ON THE TABLE TOP WHEN A FORM MODESTY IS SPECIFIED

Fixed Form Modesty (FixFormMod XF or XFS)

The Fixed Form Modesty panel is mounted to the top with screws through steel brackets. The fixed modesty panel must be field installed into pre-drilled positions in the top. All mounting hardware is packed with the modesty panel. Extruded back panel is black with powder coat options for the perforated steel door. Powder coat finish on perforated door matches the base finish unless specified differently. Transparent powder coat finishes are not available.

NOTE RADIUS CORNERS ARE NOT RECOMMENDED ON THE TABLE TOP WHEN A FORM MODESTY IS SPECIFIED

NOTE XFS INDICATES SQUARE MODESTY CONSTRUCTION WITH SQUARE HOLES

Folding Form Modesty (FoldFormMod FF)

The Folding Form Modesty panel is mounted to the top with heavy duty steel hinge assemblies. A sliding brace supports the modesty panel in the set-up position and also holds the modesty panel in place in the stored position. Extruded back panel is black with powder coat options for the perforated steel door. Powder coat finish on perforated door matches the base finish unless specified differently. Transparent powder coat finishes are not available.

NOTE RADIUS CORNERS ARE NOT RECOMMENDED ON THE TABLE TOP WHEN A FORM MODESTY IS SPECIFIED



**Fixed Lightweight Form Modesty
(FixLightweightFormMod XL or XLS)**

The Fixed Lightweight Form Modesty panel is a lightweight version of the Versteel Form Modesty. It is a formed steel perforated panel that is mounted to the top with screws through steel brackets. It must be field installed into pre-drilled positions in the top. A deep channel in the back of the panel allows for the routing of power and data cables inside of the modesty. Mounting hardware is packed with the modesty panel. Powder coat finish on the perforated panel matches the base finish unless specified differently. Transparent powder coat finishes are not available.

NOTE RADIUS CORNERS ARE NOT RECOMMENDED ON THE TABLE TOP WHEN A FORM MODESTY IS SPECIFIED

NOTE XLS INDICATES STRAIGHT MODESTY CONSTRUCTION W/SQUARE HOLES

**Hanging Modesty
(HangMod HM)**

The hanging modesty is mounted to the top with a metal hinge that is factory installed. This mechanism pivots if the table is tilted to allow for a 90 degree slim-tilt. Finish details match the top unless specified differently.



**Removable Lightweight Form Modesty
(RemLightweightFormMod RL or RLS)**

The Removable Lightweight Form Modesty panel slides into heavy duty steel brackets that are mounted to the top. Simply tighten the handwheels to secure the modesty in position, or loosen them to remove the panel. Powder coat finish on the perforated panel matches the base finish unless specified differently. Transparent powder coat finishes are not available.

NOTE RADIUS CORNERS ARE NOT RECOMMENDED ON THE TABLE TOP WHEN A FORM MODESTY IS SPECIFIED

NOTE RLS INDICATES SQUARE MODESTY CONSTRUCTION WITH SQUARE HOLES



Panel Modesty (MPL and MPV)

The Panel Modesty is constructed of 1/8" hardboard core with laminate or veneer face and back surfaces, machined with exposed edges. Panel Modesty can be specified on both fixed and tilt-nest-fold base tables and will swing out to nest on the table. The 8 1/2" high Panel Modesty is field mounted with hook brackets, installed with handwheels under the table top. Threaded inserts are installed in the top when Panel Modesty is specified with the table. Panel Modesty shapes complement the rectangle and arc rectangle top shapes. Finish details match the top unless specified differently.



Rectangle



Arc Rectangle


Sail Modesty (MS__)

AVAILABLE ON
TIM ONLY

The Sail Modesty panel is constructed of Lycra® fabric hooked into slotted holes on the table legs then stretched and hooked over pegs on the under surface of the table top. Sail Modesty panels can be specified on both fixed and tilt-nest-fold base tables and can be stored on table when tilted, nested or folded on table transport. All TIM tables are pre-drilled for the field installation of the Sail Modesty. Top pegs are installed when Sail Modesty is specified with the table. Sail Modesty is available in coordinating colors of Alabaster, Alloy, Ebony and Frost.



Grain Direction:
The stripe indicates the direction of the woodgrain for a standard order. If an alternative grain direction is desired, or nontraditional shapes or sizes are required, contact Versteel Customer Service with your request. We will engineer and produce the product to meet your needs for stability and long-term serviceability.



Seating Accommodations

The following seating accommodations are based on average chair widths of 30". These figures may vary dependent on end users' chair width and style.



Round

SIZE OFFERING	SEATING ACCOMMODATIONS
24"	2
30"	2
36"	3-4
42"	4
48"	4
54"	4-6
60"	6



Square

SIZE OFFERING	SEATING ACCOMMODATIONS
24"	2
30"	2
36"	4
42"	4
48"	4
54"	4-8
60"	8



Rectangle

SIZE OFFERING	SEATING ACCOMMODATIONS
18" x 48"	1
18" x 60"	2
18" x 72"	3
18" x 84"	4
18" x 90"	4
18" x 96"	4-5
24" x 30"	2
24" x 36"	2
24" x 42"	2, TIM 1, TOD 1
24" x 48"	2, TIM 1, TOD 1
24" x 60"	2-3, TIM 2, TOD 2
24" x 72"	3, TIM 2, TOD 2
24" x 84"	4, TOD 2-3
24" x 90"	4, TOD 2-3
24" x 96"	4-5, TOD 3-4
30" x 36"	2
30" x 42"	2, TIM 1, TOD 1
30" x 48"	2-4, TIM 1, TOD 1
30" x 60"	4, TIM 2, TOD 2
30" x 72"	6, TIM 2, TOD 2
30" x 84"	6, TOD 2-3
30" x 90"	6, TOD 2-3
30" x 96"	8, TOD 3-4
30" x 120"	8
36" x 48"	2-4
36" x 60"	4-6
36" x 72"	6-8
36" x 84"	6-8
36" x 90"	8
36" x 96"	8-10
36" x 120"	8-10
42" x 72"	6-8



Rectangle (continued)

SIZE OFFERING	SEATING ACCOMMODATIONS
42" x 84"	6-8
42" x 96"	8-10
48" x 96"	8-10
48" x 120"	8-10
48" x 144"	10
48" x 168"	10
48" x 192"	10-12
60" x 120"	10-12
60" x 144"	10-12
60" x 168"	12
60" x 192"	12-14
60" x 240"	16-18



Pipeline

SIZE OFFERING	SEATING ACCOMMODATIONS
22" x 48"	1-2
22" x 60"	2-4
22" x 72"	2-4
24" x 48"	1-2
24" x 60"	2-4
24" x 72"	2-4
28" x 48"	1-2
28" x 60"	2-4
28" x 72"	2-4
30" x 48"	1-2
30" x 60"	2-4
30" x 72"	2-4
34" x 48"	1-2
34" x 60"	2-4
34" x 72"	2-4
36" x 48"	1-2
36" x 60"	2-4
36" x 72"	2-4



Tide

SIZE OFFERING	SEATING ACCOMMODATIONS
22" x 48"	1-2
24" x 48"	1-2
28" x 48"	1-2
30" x 48"	1-2
34" x 48"	1-2
36" x 48"	1-2



Surf

SIZE OFFERING	SEATING ACCOMMODATIONS
22" x 60"	2-4
22" x 72"	2-4
24" x 60"	2-4
24" x 72"	2-4
28" x 60"	2-4
28" x 72"	2-4
30" x 60"	2-4
30" x 72"	2-4
34" x 60"	2-4
34" x 72"	2-4
36" x 60"	2-4
36" x 72"	2-4

Seating Accommodations (continued)

The following seating accommodations are based on average chair widths of 30". These figures may vary dependent on end users' chair width and style.



Arc Rectangle

SIZE OFFERING	SEATING ACCOMMODATIONS
36" x 72"	6-8
36" x 84"	6-8
36" x 96"	8-10
42" x 72"	6-8
42" x 84"	6-8
42" x 96"	8-10
48" x 96"	8-10
48" x 120"	8-10
48" x 144"	10
48" x 192"	10-12
60" x 120"	10-12
60" x 144"	10-12
60" x 192"	12-14
60" x 240"	16-18



Racetrack

SIZE OFFERING	SEATING ACCOMMODATIONS
36" x 72"	4
42" x 84"	6
42" x 96"	8
48" x 96"	8
48" x 120"	8-10
48" x 144"	10
48" x 192"	10-12
60" x 120"	10-12
60" x 144"	10-12
60" x 192"	12-14
60" x 240"	16-18



Oval

SIZE OFFERING	SEATING ACCOMMODATIONS
36" x 72"	4-6
42" x 84"	6
42" x 96"	8
48" x 84"	6
48" x 96"	8
48" x 120"	10
48" x 144"	10
60" x 120"	10-12
60" x 144"	10-12



Breaker

SIZE OFFERING	SEATING ACCOMMODATIONS
36" x 54"	1



Boatshape

SIZE OFFERING	SEATING ACCOMMODATIONS
30" x 42" x 84"	6
30" x 42" x 96"	8
36" x 48" x 96"	8
36" x 48" x 120"	8-10
36" x 48" x 144"	10



Boatshape (continued)

SIZE OFFERING	SEATING ACCOMMODATIONS
42" x 48" x 96"	8
42" x 48" x 120"	8-10
42" x 48" x 144"	10
48" x 60" x 192"	12-14
48" x 60" x 240"	16-18



Arc Boatshape

SIZE OFFERING	SEATING ACCOMMODATIONS
42" x 48" x 96"	8
42" x 48" x 120"	8-10
42" x 48" x 144"	10
48" x 60" x 192"	12-14
48" x 60" x 240"	16-18



Video Conference

SIZE OFFERING	SEATING ACCOMMODATIONS
36" x 48" x 96"	8-10
36" x 48" x 120"	8-10
36" x 48" x 144"	10
48" x 60" x 120"	8-10
48" x 60" x 144"	10
48" x 60" x 192"	10-12
48" x 60" x 240"	16-18



Arc Video Conference

SIZE OFFERING	SEATING ACCOMMODATIONS
36" x 48" x 96"	8-10
36" x 48" x 120"	8-10
36" x 48" x 144"	10
48" x 60" x 120"	8-10
48" x 60" x 144"	10
48" x 60" x 192"	10-12
48" x 60" x 240"	16-18



Split Ellipse

SIZE OFFERING	SEATING ACCOMMODATIONS
36" x 60"	1
36" x 72"	1



Split Rectangle

SIZE OFFERING	SEATING ACCOMMODATIONS
36" x 48"	1
36" x 60"	2
36" x 72"	2



Corner

SIZE OFFERING	SEATING ACCOMMODATIONS
24" x 42"	1
30" x 48"	1



Video Wedge

SIZE OFFERING	SEATING ACCOMMODATIONS
24" x 48"	2
30" x 60"	2
36" x 72"	2

Seating Accommodations (continued)

The following seating accommodations are based on average chair widths of 30". These figures may vary dependent on end users' chair width and style.



Openface

SIZE OFFERING	SEATING ACCOMMODATIONS
24" x 48"	2
30" x 60"	2
36" x 72"	2



Stern Rectangle

SIZE OFFERING	SEATING ACCOMMODATIONS
42" x 30"	2
48" x 35"	2



Stern Arc

SIZE OFFERING	SEATING ACCOMMODATIONS
42" x 26"	2
48" x 30"	2



Transition

SIZE OFFERING	SEATING ACCOMMODATIONS
24" x 30"	1
30" x 30"	1
36" x 30"	1



Cutback

SIZE OFFERING	SEATING ACCOMMODATIONS
24" x 30"	1
30" x 30"	1
36" x 30"	1



Trapezoid

SIZE OFFERING	SEATING ACCOMMODATIONS
24" x 48"	4-5
24" x 72"	4-5
30" x 60"	4-5
36" x 72"	4-5



Crescent

SIZE OFFERING	SEATING ACCOMMODATIONS
24" x 75"	4-5
24" x 94"	4-6
30" x 94"	5-7
36" x 113"	7-8



Teardrop

SIZE OFFERING	SEATING ACCOMMODATIONS
42" x 24"	4
52" x 30"	4-5



Half Round

SIZE OFFERING	SEATING ACCOMMODATIONS
24" x 48"	2-4
30" x 60"	2-4
36" x 72"	2-4



Crossover

SIZE OFFERING	SEATING ACCOMMODATIONS
24" x 48"	2



Vibe

SIZE OFFERING	SEATING ACCOMMODATIONS
30" x 60"	3



Quarter Round

SIZE OFFERING	SEATING ACCOMMODATIONS
24"	1*
30"	1
36"	1

* Linking top, not recommended for seating if top is not supported by a base.



18° Wedge

SIZE OFFERING	SEATING ACCOMMODATIONS
18° 24"	LINKING TOP*
18° 30"	LINKING TOP*
18° 36"	LINKING TOP*

* Linking top, not recommended for seating if top is not supported by a base.



30° Wedge

SIZE OFFERING	SEATING ACCOMMODATIONS
30° 24"	LINKING TOP*
30° 30"	LINKING TOP*
30° 36"	LINKING TOP*

* Linking top, not recommended for seating if top is not supported by a base.



45° Wedge

SIZE OFFERING	SEATING ACCOMMODATIONS
45° 24"	LINKING TOP*
45° 30"	LINKING TOP*
45° 36"	LINKING TOP*

* Linking top, not recommended for seating if top is not supported by a base.



60° Wedge

SIZE OFFERING	SEATING ACCOMMODATIONS
60° 24"	LINKING TOP*
60° 30"	LINKING TOP*
60° 36"	LINKING TOP*

* Linking top, not recommended for seating if top is not supported by a base.



90° Wedge

SIZE OFFERING	SEATING ACCOMMODATIONS
90° 24"	LINKING TOP*
90° 30"	LINKING TOP*
90° 36"	LINKING TOP*

* Linking top, not recommended for seating if top is not supported by a base.



Fin

SIZE OFFERING	SEATING ACCOMMODATIONS
24"	1
30"	1
36"	1




Curl












SIZE OFFERING	SEATING ACCOMMODATIONS
30"	2
36"	2

These linking configurations suggest some of the possible configurations that can be created with standard table shapes.

If you specify table link for a specific configuration and/or table size, please provide us with a sketch or reference one of the following configurations to allow us to verify your layout.




VERSTEEL



TIM Tilted & Nested




20 1/4"




29 3/4"

26"

TIM on Table Transport



32 1/2"




49 3/8" high

VERSTEEL

TOD 20" x 60"



18 1/2"



32 1/2"

26 3/4"




39 1/4" high

TOD 24" x 60"




22 3/4"




37"

31 1/4"




42 3/4" high

TOD 30" x 72"



27"



41"

35 1/4"



47 3/4" high

Fixed Configuration Conference Tops

Conference tops may use fixed configurations to achieve larger than normal sizing and seating accommodations, but there are some specific items that must be considered. These large conference tops are generally greater than 60" wide and 240" long.

By contacting Versteel with your vision we can help you engineer and produce your table. Below is a list of important points we will address.

MATERIAL YIELD

Most laminate is available in a maximum sheet size of 60" x 144". Versteel can design shapes and linking configurations that will maximize material yield.


LAMINATE PATTERNS

Versteel can minimize seam lines by designing and positioning the linking configuration to take full advantage of your laminate pattern.

BASES AND JOINTS

Larger sections can be produced to limit the number of bases and joints required.

At right is a typical Versteel drawing of a large, fixed configuration conference table. The extremely large size (504" x 132") required nine (9) sections and twenty-seven (27) bases. Power and data options have been incorporated into the drawing.



Configuration Guidelines

Often we receive requests to assemble room configurations that one would assume are very easy. But without the proper input, it is not so simple. Below are some common questions that will help to define your needs as well as enable us to help you specify your tables.

Define Your Space

Start by asking yourself what you really want to accomplish in your room.

How will your room be used? Will you need breakout groups, is it a classroom with rows, or a boardroom? Do you need a T-shape, U-shape, or hollow square table group? Are there any special modifications that are specific to your application?

Besides the size of your room, here are some other items that you should take into consideration:

- instructor or speaker area
- wall with boards and/or audiovisual equipment
- door and window locations
- anything else which may interfere (columns, steps, ramps, HVAC, etc.)

Define Your Needs

Your table considerations should begin by thinking about the need for the following items:

- modesty panels
- linking
- power and data
- wire management and grommets
- keyboard trays
- fixed, folding or tilt bases
- special needs (alternate or adjustable height)

Your seating considerations should begin by thinking about the need for the following items:

- assume a 30" width per person
- mobility (casters)
- stacking or storage issues
- usage and wear (upholstery or wood)
- adjustable height
- function (task specific or multiple)

The following are general guidelines only. Always refer to local codes for restrictions and requirements.

Common Room Layout Guidelines

By using the guidelines below and the information that you supply (from answering the previous questions), Versteel can help you specify the tables and seating you need to make your space function at its maximum potential.

Between Rows Allow Four Feet (4')

If rows are used, four feet (4') between rows is considered adequate in order to provide space for movement.

Instructor Allowance of Eight - Ten Feet (8'-10')

A minimum of eight to ten feet (8' -10') should be allowed for the instructor's space, from the wall to the approach side of the first table row.

Back Wall Allowance of Seven Feet (7')

Space consideration for the back wall is necessary. A minimum of seven feet (7') from the back wall to the user's side of the last table is suggested.


Side Wall Allowance of Four Feet (4')

A minimum of four feet (4') from a side wall to the edge of a table should be incorporated into your configuration. Increase the distance for larger rooms.

Aisle Allowance of Four Feet (4')

If an aisle is needed, allow a minimum of four feet (4'). This dimension should increase with your room size.

The drawing below illustrates the guidelines above.



The following are general guidelines only. Always refer to local codes for restrictions and requirements.

Reference information here originally appeared in *Architectural Graphic Standards*, published by John Wiley and Sons; and in US Government publications for compliance with the ADA (Americans with Disabilities Act).

Also, be sure to check US Government publications for compliance with the ADA (Americans with Disabilities Act).

Common Seating Dimension Requirements

General spacing of thirty inches (30") of lateral space per chair at a table is standard. A minimum of twenty-four inches (24") may work, but will depend upon your chair style and table dimensions. Allow a minimum of thirty to thirty-six inches (30"-36") for wheelchair space at a table.

Most wheelchairs are designed to fit beneath a standard table with a twenty-nine inch (29") table top height. However, some wheelchairs require tables with tops at thirty-two inches (32") in height. Allow an additional twelve to eighteen inches (12"-18") in aisles where wheelchairs may be situated back to back.

A rule of thumb for cafeteria style seating is to allow a minimum of twelve square feet (12 ft²) for each seat.

Below

- A** Wheelchair, Double Passage
- B** Wheelchair, Single Passage
- C** Wheelchair, Turning Diameter




Table Seating Capacities by Size and Shape

Rectangular Tables

SIZE	CHAIRS	WHEELCHAIRS
24" x 48"	4	Not Recommended
30" x 48"	4	2
30" x 60"	4-6	4
36" x 72"	4-6	4-6
42" x 96"	6-8	8


Square Tables

SIZE	CHAIRS	WHEELCHAIRS
30" x 30"	2	Not Recommended
36" x 36"	2-4	Not Recommended
42" x 42"	4	2 (tight)
48" x 48"	4-8	2
54" x 54"	4-8	4
60" x 60"	4-8	4

Round Tables

SIZE	CHAIRS	WHEELCHAIRS
30" DIAMETER	2	Not Recommended
36" DIAMETER	2-4	Not Recommended
42" DIAMETER	4-5	Not Recommended
48" DIAMETER	5-6	2
54" DIAMETER	6-7	4

NOTE
A round table with a column base is often preferred for wheelchair disabled.




The following are general guidelines only. Always refer to local codes for restrictions and requirements.

Also, be sure to check US Government publications for compliance with the ADA (Americans with Disabilities Act).

Minimum Table and Chair Space Allotments

Below

- A** 36" minimum, 44" preferred
54" minimum handicapped, 60" preferred
- B** 24" minimum
- C** 24" minimum per chair, 30" preferred
- D** 14" minimum




Dining Room Plan

Below

- A** 6" minimum (with no passage)
- B** 2' 6" to 3' minimum (for passage)
- C** 1' 6" minimum (for limited passage)
- D** 3' minimum

If using square tables and seating, there should be a minimum of sixty-six inches (66") between tables. This allows for a thirty inch (30") aisle and two (2) chairs. Diagonal seating requires a thirty-six inch (36") minimum between table corners.




Sample Space Use

Below

- A** Conference Room
- B** Small Team Planning
- C** Large Team Planning
- D** Round Table Discussion
- E** Individual Work Areas
- F** Breakout Areas

Since every space has its own unique size and function, it is important that you consider the aforementioned guidelines when planning your space. Be sure to allow adequate space for aisles and plan your rooms around walls and other permanent fixtures such as doors or windows. Anticipate the type of activity that will be going on and plan enough space at the table for easy movement of personnel when seated.

Don't forget to consider power and data needs also. For help planning and selecting the power and data options that are right for your space, see pages 56-71.



To Order, Specify...

- 1 Model Number, Include top and edge style
- 2 Top Material
 - a. Laminate
 - 1. Laminate manufacturer and color
 - b. Veneer
 - 1. Veneer species and finish color
 - c. Corian®
 - 1. Corian® color
- 3 Edge color or finish
- 4 Base color
- 5 Additional options




A **VTTC 2460REFD FM LP2R** is a Vela series 24" x 60" rectangle training table with folding TC bases, a folding modesty and a laminate 1 1/4" thick top with a PVC edge and radius corners.

The codes **TN S 6001-T / CEBO / PALY** specify a Nevamar S 6001-T laminate, Ebony PVC edge and an Alloy base.

BMV / TLL / PHE / WML PALY adds a mix of Vela wheel casters and glides, a lightweight laminate core, 2 Henris installed in location E and a pair of wire mesh legways in Alloy finish.

Base Model VTTC 2460REFD FM LP2R



Sample Order Form

Quantity	Model # & Description	List Each	Extended List
21	<p>VTTC 2460REFD FM LP2R / TN S 6001-T / CEBO / PALY / BMV / TLL / WML PALY</p> <p>Vela series 24" x 60" rectangle training table, folding cantilevered bases, folding modesty panel, laminate top with flat PVC edge, 1 1/4" thick and radius corners / Nevamar S 6001-T laminate top / Ebony PVC edge / Alloy bases / mix of casters and glides / lightweight core / Alloy wire mesh legways</p>	\$2,233	\$46,893

Orders may be sent via:

MAILING ADDRESS
Versteel
2332 Cathy Lane
Jasper, IN 47546

CONTACT VERSTEEL

EMAIL contact@versteel.com
TELEPHONE 800 876 2120
812 634 2120
FACSIMILE 812 482 9318

VERSTEEL

Studio Steel®

Versteel’s “urban fabrication” process leaves the telltale signs of welding and assembly on the surface, highlighting a manufacturing aesthetic. Choosing a clear or transparent powder coat is recommended, allowing tonal striations (created as a result of extreme heat), natural textures, and the inherent qualities of raw steel to show through.

Studio Steel Process \$133

Powder Coat Finishes

All powder coat finishes in the Versteel offering have been formulated with the use of epoxy, polyester or epoxy and polyester blends to maximize the finish durability.

Powder Coat Finish Options

Powder Coat - Standard n/c
 Powder Coat - Premium \$133*

Powder Coat Colors

Alloy PALLY	Navy PNAV
Amethyst PAME	Nimbus PNIM
Anthracite PANT	Nutmeg PNUT
Black Anodized PBLA	Obsidian POBS
Bronze PBRO	Pacific PPAC
Calypso PCAL	Pearl PPEA
Carbon PCAR	Pebble PPEB
Champagne PCHA	Platinum PPLA
Coconut PCOC	Poppy PPOP
Copper PCOP	Raven PRAV
Crimson PCRI	Royal PROY
Crystal PCRY	Satin PSAT
Daffodil PDAF	Seaside PSEA
Ebony PEBO	Shipyard PSHI
Forest PFOR	Silver PSIL
Fossil PFOS	Snow PSNO
Garnet PGAR	Stone PSTO
Gold PGOL	Storm PSTM
Graphite PGRA	Terra Cotta PTEC
Hope PHOP	Whisper PWHI
Kelly Green PKEG	White Linen PWHL
Matte PMAT	Powder Coat
Mica PMIC	Alternative OPA
Mint PMNT	

*Platinum Powder Coat is available, see individual series for upcharge

Transparent Powder Coats (indicated by ⚡)

Please note that the transparent characteristics of these powders allow all natural welds and textures inherent to raw steel to be visible. Not available for application on flat sheet metal surfaces found on Elements Conference, Entourage, Interplay, Platform, Form Modesty products or on Brattice disc bases and TOD.

Premium Powder Coats (indicated by Ⓢ)

Versteel’s premium process uses specially formulated powder coats for a truly unique color palette.

Powder Coat Alternatives

You must forward a color sample or an RAL number for each alternate powder coat color with order placement. Call Versteel Customer Service for pricing and availability.

NOTE ALTERNATIVE POWDER COAT COLOR APPROVAL MAY AFFECT STANDARD PRODUCTION SCHEDULES

Chrome

Versteel applies a deep luster nickel chrome plated finish available on most products. Chrome is the most durable finish available.

Chrome ECHR

For Chrome, an upcharge applies (see product price list for upcharge).

NOTE DISC BASES, INTERPLAY, ODIS, PLATFORM, THE MAKER PROJECT AND VELA PRODUCTS ARE NOT AVAILABLE IN CHROME

Nickel

Available on most products, Versteel applies a nickel plated finish with a clear coat applied for durability.

Nickel ENKL

For Nickel, an upcharge applies (see product price list for upcharge).

NOTE DISC BASES, INTERPLAY, ODIS, PLATFORM, THE MAKER PROJECT, TOD AND VELA PRODUCTS ARE NOT AVAILABLE IN NICKEL

Edges

Versteel table edges are available in a variety of standard materials, from PVC, Urethane, and T-mold, to wood.

- PVC provides hot melt applied in a continuous band around the surface.
- Reverse bevel acrylic edge banding is hot melt banded to MDF core.
- Urethane is a molded on material encapsulating the surface edge.
- Convex T-mold is a bumper edge driven into the surface grooved edge.
- Wood banding is a multi-ply wood band or miter-cornered solid in cherry, maple or walnut.
- ABS is an available alternate edge similar to PVC. Call Versteel Customer Service for pricing and availability.

Edge Colors, Codes & Availability

Color	PVC	Urethane	T-mold
Absolute Acajou . . .	CABA		
Alloy	CALY		
Carbon	CCAR		
Champagne	CCHA		
Chicory		UCHI	
Coconut	CCOC		
Ebony	CEBO	UEBO	TEBO
Florence Walnut . . .	CFLW		
Fossil	CFOS		
Graphite	CGRA	UGRA	TGRA
Grey	CGRE		
Kensington Maple . .	CKEM		
Nimbus	CNIM	UNIM	TNIM
Pearl	CPEA		
Platinum	CPLA		
Pralines & Cream . .	CPRC		
Shadow	CSHA		
Snow	CSNO		
Stone	CSTO		
Storm	CSTM	USTM	TSTM
Whisper	CWHI		
White Linen	CWHL		

Custom PVC Color Match

You must forward a sample for each PVC color match with order placement. A color matched sample will be provided for approval.

NOTE CUSTOM PVC COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

Custom T-Mold Color Match

You must forward a sample for each t-mold color match with order placement. A color matched sample will be provided for approval.

NOTE CUSTOM T-MOLD COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

Resin Edge Material Alternatives

For resin edge material alternatives contact Versteel Customer Service with the specifications of the materials you would like to specify. Resin edges are available in gloss, satin or satin soft materials and are quoted per project.

NOTE RESIN EDGE MATERIAL ALTERNATIVES WILL BE QUOTED PRODUCTION SCHEDULES BASED ON DETAIL

Custom Urethane

You must forward a sample for each Urethane color match with order placement. A color matched sample will be provided for approval.

NOTE CUSTOM URETHANE COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

Veneer & Wood Species

Versteel tables are available with standard Ash, Cherry, Maple and Walnut veneers and solid edges.

Veneer and Wood Finishes

Ash	Veneer Edge	Wood Edge
Beach	VBEA	WBEA
Chestnut	VCHE	WCHE
Drift	VDRI	WDRI
Fawn	VFAW	WFAW
Fog	VFOG	WFOG
Forest	VFOR	WFOR
Pebble	VPEB	WPEB
Seaside	VSEA	WSEA
Terra Cotta	VTEC	WTEC
Whisper	VWHI	WWHI
Cherry		
Blossom Cherry	VBLC	WBLC
Cordovan Cherry	VCNC	WCNC
Golden Cherry	VGNC	WGNC
Java Cherry	VJAC	WJAC
Millwork Cherry	VMWC	WMWC
Maple		
Caramel Maple	VCMM	WCMM
Solar Maple	VSLM	WSLM
Sugar Maple	VSUM	WSUM
Walnut		
Brighton Walnut	VBRW	WBRW
Espresso Walnut	VESW	WESW
Natural Walnut	VNAW	WNAW
Stain Finish Match		OSM

Veneer or Wood Edge Alternatives

For veneer or wood edge requirements other than our standard sliced Ash, Cherry, Maple or Walnut, contact Versteel Customer Service with the specifications of the materials you would like to specify.

NOTE VENEER OR WOOD EDGE ALTERNATIVES APPROVAL MAY AFFECT STANDARD PRODUCTION SCHEDULES

Stain Finish Match

You must forward two 4" x 4" samples for each custom stain finish color match with order placement. Upcharge of \$810 list will apply for each stain color match.

NOTE STAIN FINISH MATCH COLOR APPROVAL MAY AFFECT STANDARD PRODUCTION SCHEDULES

Wood Finish Alternatives

For veneer tables with wood finish alternative fill levels, contact Versteel Customer Service. Finish fill levels of semi-filled or full-filled are available on most species (oak veneer's natural pore grain does not allow the application of full-fill finish).

NOTE WOOD FINISH ALTERNATIVE APPROVAL MAY AFFECT STANDARD PRODUCTION SCHEDULES

Standard Laminates

Versteel's standard offering of laminates includes over 900 laminates from Wilsonart, Formica, Nevamar and Pionite. Eight (8) of these have been selected as Quickship.

Laminate manufacturers change standard offerings frequently, and it is possible that a standard product can become unavailable. Versteel cannot be responsible for any inconvenience this may cause.

Glass Top Table Alternatives

For glass top table alternatives contact Versteel Customer Service with the specifications of the top you would like to order.

NOTE GLASS TOP TABLE ALTERNATIVES WILL BE QUOTED PRODUCTION SCHEDULES BASED ON DETAIL

Finish Reference & Samples

For finish color reference, please refer to Versteel's finish card. Contact Versteel to receive actual color samples for color matches and final color approval.

3form® Material

Available on Entourage lectern, cabinet and wall board. Standard 3form patterns are Solo (a grainless frost finish) and Aero (a random directional material also with a frost finish). The material is 3/16" thick and incorporates raw materials made of renewable material from natural landscapes all over the globe. The manufacturing process produces no VOC's or other harmful gases. 3form material is GREENGUARD Certified.

Upholstery Grades

Grade 2	Grade 3	Grade 4	Grade 5	Grade 6
Fedora	Boom II	Faux Mo	Fabric Grade-In	Fabric Grade-In
Graph	Cover Cloth	Oath		
Habit	Faux Felt	Fabric Grade-In		
Parenthesis	Flock			
Skip	Hobnob			
Tradition	Keynote			
Fabric Grade-In	Kit			
Customer's Own Material	Odessa			
	Polygon			
	Solitaire			
	Sport			
	Synergy			
	Fabric Grade-In			

Upholstery Details**QS Fedora (Mayer)** **FFE__ Grade 2**

Width 54" Content: 100% Polyester

Aegean	Eucalyptus	Plum
Aquamarine	Fawn	Purple
Bitumen	Indigo	Ruby
Cactus	Light Grey	Tangelo
Charcoal	Midnight	Tomato
Citron	Mink	Topaz
Dapper	Opal	Winter
Dew	Persimmon	
Espresso	Pewter	

Graph (Momentum) **FGR__ Grade 2**

Width 54" Content: 75% Repreve® Post-Consumer Recycled Polyester, 25% Polyester

Alloy	Coal	Ruby
Alpine	Cork	Tidal
Anchor	Lapis	Wave
Bark	Parrot	
Chalice	Poppy	

Habit (Momentum) **FHB__ Grade 2**

Width 54" Content: 100% Post-Consumer Recycled Polyester

Aspen	Kindle	Tailor
Blueprint	Pier	
Dune	Salt	

Parenthesis (Momentum) **FPA__ Grade 2**

Width 54" Content: 50% Repreve® Post-Consumer Recycled Polyester, 50% Polyester

Capri	Lime	Violet
Charcoal	Mercury	
Ink	Steel	

Skip (Momentum) **FSK__ Grade 2**

Width: 54" Content: 55% Post-Consumer Recycled Polyester, 45% Polyester

Alloy	Flint	Ruby
Captain	Fuchsia	Saffron
Chalk	Keylime	Sparrow
Clementine	Mushroom	Sprite
Cobalt	Nickel	Straw
Deep	Onyx	Terrain
Elm	Pewter	Vanilla
Flax	Pool	Yacht

Tradition (Momentum) **FTR__ Grade 2**

Width: 56" Content: 72% Post-Consumer Recycled Polyester, 28% Polyester

Ash	Jazz	Soar
Branch	Kelly	Soy
Class	Latte	Spiced
Distant	Malbec	Sprout
Flirt	Miller	Sterling
Fron	Mist	Sun
Grain	Peel	Tango
Hedge	Plated	Theater
Hidden	Regal	Wash
Isle	Sly	Weld

Fabric Grade-In **FG2__ Grade 2****Fabric Customer's Own Material** **FCM__ Grade 2****Boom II (Momentum)** **FBM__ Grade 3**

Width 54" Content: 71% Post Consumer Recycled Polyester, 29% Polyester

Black Ice	Klein	Sapphire
Butterscotch	Living	Slate
Cloud	Mirror	Spruce
Foliage	Mushroom	Stout
Frothe	Mystic	Toucan
Heather	Pewter	Wall Street
Honeycomb	Poppy	Zeal

Cover Cloth (Momentum) **FCL__ Grade 3**

Width: 59" Content: 100% Polyester

Antique	Graphite	Savor
Bouquet	Heirloom	Shire
Coffee	Hickory	Sorrel
Cyan	Indigo	Taiga
Delft	Jet	Taupe
Electric	Navel	Vesper
Flame	Oat	Vessel
Fuchsia	Platinum	Zest

Faux Felt (Momentum) FFF__ Grade 3

Width 54" Content: 62% Repreve® Post-Consumer Recycled Polyester, 38% Polyester

Bark	Graphite	Quail
Berry	Lagoon	Sprout
Camel	Path	Stone
Charcoal	Pebble	Vibrant
Coral	Pool	
Flannel	Pumice	

Flock (Momentum) FFL__ Grade 3

Width 56" Content: 53% Recycled Polyester, 47% Polyester

Agave	Flint	Nickel
Amber	Harbor	Paprika
Baltic	Harp	Ruby
Cayman	Hearth	Surf
Crocus	Heather	Twine
Demure	Ivy	Walnut
Dusk	Lapis	Wheat
Fern	Nautical	
Flannel	Nettle	

Hobnob (Momentum) FHO__ Grade 3

Width 56" Content: 51% Recycled Polyester, 49% Polyester

Adobe	Deck	Shale
Alarm	Depth	Smith
Armor	Dew	Tangelo
Ash	Forest	Teal
Bay	Ginger	Tide
Beyond	Henna	Timber
Cannon	Iris	Zebra
Carbon	Limon	
Carob	Maple	

Keynote (Momentum) FKE__ Grade 3

Width 54" Content: 100% Repreve® Post Consumer Recycled Polyester

Aquarian	Linen	Sangria
Chai	Menthe	Simmer
Chicory	Mesa	Wicker
Curry	Palmetto	
Granite	Reflect	

Kit (Momentum) FKI__ Grade 3

Width 54" Content: 57% Recycled Polyester, 43% Polyester

Aqua	Ebony	Paradise
Blazer	Fiesta	Pebble
Dover	Mocha	Quartz
Dune	Moonstone	
Earth	Pacific	

OS Odessa (Mayer) FOD__ Grade 3

Width 54" Content: 64% Acrylic, 36% Polyester

Bark	Mandarin	Ruby
Grass	Marigold	Sea
Gravel	Oyster	Turquoise
Indigo		

OS Polygon (Mayer) FPO__ Grade 3

Width 54" Content: 60% Post-Consumer Recycled Polyester, 40% Rayon

Citron	Navy	Sable
Grass	Ocean	Smoke
Jute	Onyx	Stone
Mulberry		

Solitaire (Momentum) FSL__ Grade 3

Width 57" Content: 50% Repreve® Post Consumer Recycled Polyester, 50% Polyester

Aztec	Galena	Onyx
Cadet	Garnet	Peel
Currant	Graphite	Poppy
Cyan	Griffin	Pumice
Derby	Jubilee	Smith
Dove	Lapis	Tinsel
Emerald	Midnight	Tobacco
Flax	Mist	Violet

Sport (Momentum) FSP__ Grade 3

Width 56" Content: 98% Post Consumer Recycled Polyester, 2% Polyester

Alarm	Curry	Pewter
Aloe	Dayglow	Port
Apple	Downpour	Pumice
Brick	Flax	Sage
Cadet	Koi	Spa
Cobalt	Mercury	Turquoise
Cocoa	Onyx	

Synergy (Momentum) FSN__ Grade 3

Width 53" Content: 71% Repreve® Post Consumer Recycled Polyester, 29% Polyester

Aegean	Denim	Sandstone
Balsamic	Lichen	Seaglass
Barley	Meadow	Tango
Bedrock	Otter	
Carbon	Pecan	

Fabric Grade-In FG3__ Grade 3

Faux Mo (Momentum) FFM__ Grade 4

Width 55" Content: 58% Repreve® Post Consumer Recycled Polyester, 42% Polyester

Bark	Moss	Rust
Black	Nickel	Sapphire
Charcoal	Oat	Shadow
Crimson	Ochre	Shale
Delta	Path	Shell
Grass	Persimmon	Sienna
Lapis	Pine	Sky
Limon	Poppy	Spa
Marine	Putty	Stone
Merlot	Ruby	Wheat

Oath (Momentum) **FOA__Grade 4**

Width 55" Content: 50% Repreve® Post Consumer Recycled Polyester, 50% Polyester

Anise	Chocolate	Lodestone
Azure	Cordovan	Madder
Balsam	Crocus	Mineral
Burlwood	Driftwood	Nectar
Cane	Ecru	Sandbar
Carnelian	Fieldstone	Tango
Celadon	Foothill	Taupe
Charcoal	Juniper	Verbena

Fabric Grade-In **FG4__Grade 4**

Fabric Grade-In **FG5__Grade 5**

Fabric Grade-In **FG6__Grade 6**

Swatch cards for all Versteel upholstery are available upon request.

Fabric Reference & Samples

For fabric reference, please refer to Versteel's fabric cards.

MOMENTUM
T E X T I L E S



Study Carrel Tack Panel COM Yardage Requirements

COM yardage requirement of one yard of fabric for each Study Carrel tack panel is based on a material width of 54" with no consideration for repeat. For material other than 54" wide, contact Versteel for yardage requirements.

NOTE ALL FABRICS ARE CUT UP THE ROLL TO MAXIMIZE YIELD AND WEAR PERFORMANCE. CONTACT VERSTEEL CUSTOMER SERVICE FOR YARDAGE REQUIREMENTS IF RAILROADED FABRIC OR SAME CENTER POINT IS REQUIRED.



VERSTEEL

Adjustable Height - Motorized
\$1960 / tableAVAILABLE ON
PERFORMANCE
VELASpecify code **BAM** (Adjustable Height - Motorized),
add \$1960.00 list per table

Motorized tables adjust electrically from 26 3/4" to 42" table height by operating the keypad control. Motorized height adjustment is available for tables with regular T1 or cantilevered TC bases. Top shapes include: rectangle, split rectangle, oval, split ellipse, boatshape or racetrack up to 36" x 96". (Shown with split ellipse.) Motorized bases include stretcher rails.

**NOTE** CABLE COIL AND CABLE HOOKS ARE THE ONLY TWO LEGWAY OPTIONS AVAILABLE**ADJUSTABILITY WITH FOUR PROGRAMMABLE HEIGHT SETTINGS**

(Travel time between lowest and highest position: 18 secs.)

NOTE REQUIRES STANDARD 110V/120V AC ELECTRICAL OUTLET**Adjustable Height - Pin**
\$179 / tableAVAILABLE ON
PERFORMANCE
TIM
WAVELINKSpecify code **BAP** (Adjustable Height - Pin),
add \$179.00 list per table or \$91.00 per base

Pin Adjustable height bases adjust from 27" to 32" table height in 1" increments by depressing the spring loaded pins in each column. Available on Performance T1 and TC fixed or tilt bases and Wavelink WA fixed bases.

**Adjustable Height - Counter Balance Pneumatic**
T Base, Cantilever Base and H BaseAVAILABLE ON
SOMET

See pages 540-543 for detailed availability and pricing

Counter balance pneumatic adjustable height bases are only available on a square or radius foot with a rectangle top. They are only available in an Ebony finish.

Adjustment Range: 19.5"
Table Height: 27.25"-45"**Adjustable Height - Crank T Base**AVAILABLE ON
SOMET

See pages 538-539 for detailed availability and pricing

Crank adjustable height bases are only available on a square or radius foot with a rectangle top. They are only available in an Ebony finish.

Crank Ratio: 8 cranks per 1 inch
Adjustment Range: 17.75"
Table Height: 26 1/8"-36 3/4"**Adjustable Height - Pneumatic T1 or TC Bases**
\$999 / tableAVAILABLE ON
BRATTICE
PERFORMANCE
TUSCANY
VELASpecify code **BAT** (Adjustable Height - Pneumatic T1 or TC),
add \$999.00 list per table

Pneumatic adjustable height bases cover the most common ergonomic table heights of 26 3/4", 29" and 32" with a simple turn of a handwheel. Pneumatic height bases are designed for field serviceability, if ever needed. Available on T1 or TC fixed or tilt bases.

**ADJUSTABILITY WITH THREE PRESET TABLE HEIGHT STOPS**

TYPING HEIGHT	26 3/4"
STANDARD HEIGHT	29"
WHEELCHAIR HEIGHT	32"

NOTE FOR OTHER TABLE HEIGHT REQUIREMENTS CONTACT VERSTEEL FOR STRUCTURAL DETAILS, PRICING AND AVAILABILITY **ALSO** VELA WIRE MESH LEGWAY MANAGERS ARE NOT AVAILABLE**Adjustable Height - Pneumatic X1 or D1 Bases**
\$600 / tableAVAILABLE ON
BRATTICE
PERFORMANCE
TUSCANY
UNO?
VELASpecify code **BAX** (Adjustable Height - Pneumatic X1 or D1),
add \$600.00 list per table or base

Pneumatic adjustable height bases cover the most common ergonomic table heights of 26 3/4", 29" and 32" with a simple turn of a handwheel. Pneumatic height bases are designed for field serviceability, if ever needed. Available on X1 or D1 fixed or tilt bases.

**ADJUSTABILITY WITH THREE PRESET TABLE HEIGHT STOPS**

TYPING HEIGHT	26 3/4"
STANDARD HEIGHT	29"
WHEELCHAIR HEIGHT	32"

NOTE FOR OTHER TABLE HEIGHT REQUIREMENTS CONTACT VERSTEEL FOR STRUCTURAL DETAILS, PRICING AND AVAILABILITY**Alternate Table Height 32" and under**
\$80 / tableAVAILABLE ON
BRATTICE
INTERPLAY
PERFORMANCE
PLATFORM
TUSCANY
UNO?
VELA
WAVELINKSpecify code **BAH** (Alternate Height 32" and under), indicate
desired table height (32" or less), add \$80.00 list per tableSuggested typing height table is 26 3/4"
Suggested wheelchair height table is 32"
Suggested stand up height table is 42"**NOTE** FOR ALTERNATE HEIGHTS OVER 32", CONTACT VERSTEEL FOR STRUCTURAL DETAILS, PRICING AND AVAILABILITY.**NOTE** ELIGA \$144 LIST (T BASE TABLES)

**Alternate Black Caster
No Charge**

AVAILABLE ON
ENTOURAGE
EQUIP

Specify code **CAS44** (Alternate Black Caster) no additional charge

Available on all Entourage units that have casters (carts, lecterns, 48" and 60" cabinets) where the standard soft wheel two-tone silver/black caster is replaced with an all black caster. This 3" diameter caster is standard locking and does not change the overall height of the unit.



**Base Glides
Subtract \$30**

AVAILABLE ON
TIM

Specify code **GLD02** (Glides), subtract \$30.00 list per table

Base Glides replace standard casters. This option reduces the overall table cost and keeps the tables in position without the need to lock the casters. Base glides reduce the overall table height by 1/8".



Casters - Dual Wheel

Dual Wheel, black, 2" diameter, standard locking casters are available for most base styles. Each is fitted into a reinforced caster receiver and must be specified at time of order. Caster option does not change the overall height of the table. See individual product pages for availability and ordering code.



NOTE NOT AVAILABLE ON D1 BASES

**Casters - Vela Wheel
\$138 / set of 4**

AVAILABLE ON
VELA

Specify code **CAS29** (Casters - Vela Wheel), add \$138.00 list per table

Unique, Vela-profile 3" diameter, standard locking casters are available on most Interplay and Vela base styles. Each is fitted into a reinforced caster receiver and must be specified at time of order. Caster option does not change the overall height of the table.



**Mix - Dual Wheel Casters & Glides
\$131 / table**

AVAILABLE ON
BRATTICE
PERFORMANCE
TUSCANY
UNO²
WAVELINK

Specify code **BMD** (Mix - Dual Wheel Casters & Glides), add \$131.00 list per table

Tables can be specified with dual wheel, black, 2" diameter, standard locking casters on half of the table, with glides on the other half. Each caster is fitted into a reinforced receiver and must be specified at time of order. Mix option does not change the overall height of the table.

NOTE NOT AVAILABLE ON X1, X4 OR D1 BASES

**Mix - Vela Wheel Casters & Glides
\$131 / table**

AVAILABLE ON
VELA

Specify code **BMV** (Mix - Vela Wheel Casters & Glides), add \$131.00 list per table

Tables can be specified with the unique, Vela-profile 3" diameter, standard locking casters on half of the table, with glides on the other half. Each is fitted into a reinforced caster receiver and must be specified at time of order. Mix option does not change the overall height of the table.

NOTE NOT AVAILABLE ON X1, X4 OR Y3 BASES

**Self-Leveling Glides
\$39 / table**

Specify code **GLD04** (Self-Leveling Glides), add \$39.00 list per table

Self-Leveling Glides replace standard glides. This option allows the table to automatically compensate up to 1/2" for floors that are not level. Self-leveling glides increase overall table height by 3/4". See individual product pages for availability.



**Table Floor Mount
\$45 / table**

AVAILABLE ON
BRATTICE
PERFORMANCE
TUSCANY
UNO²
VELA
WAVELINK

Specify code **BFB** (Table Floor Mount Bracket Set), add \$45.00 list per table

Bracket to slip over the standard table glide and fasten to the floor with fasteners supplied by the installer. Set of four (4) brackets will securely mount the table to the floor to prevent movement.



NOTE NOT AVAILABLE ON BASES WITH CASTERS OR SELF-LEVELING GLIDES

Chrome Finish

See individual series for availability and pricing.

AVAILABLE ON
BRATTICE
PACES
PERFORMANCE
TIM
TOD
TUSCANY
TY
WAVELINK

Pricing for all tables includes standard powder coat colors.

NOTE DISC BASES, INTERPLAY, ODIS, PLATFORM AND VELA PRODUCTS ARE NOT AVAILABLE IN CHROME

Nickel Finish**\$181 / table**

Specify Nickel Finish, add \$181.00 list per table

AVAILABLE ON
BRATTICE
PACES
PERFORMANCE
TIM
TUSCANY
WAVELINK

Pricing for all tables includes standard powder coat colors.

NOTE DISC BASES, INTERPLAY, ODIS, PLATFORM, TOD AND VELA PRODUCTS ARE NOT AVAILABLE IN NICKEL

Premium Powder Coats**\$133 / table**

When a premium powder coat is specified, add \$133.00 list per table

AVAILABLE ON
BRATTICE
ELEMENTS CONFERENCE
ENTOURAGE
INTERPLAY
ODIS
PACES
PERFORMANCE
TIM
TOD
TUSCANY
TY
UNO[®]
WAVELINK

Pricing for all tables includes standard powder coat colors.


NOTE PLATINUM UPCHARGE VARIES, SEE INDIVIDUAL PRODUCT PAGES.

Coloration**No Charge**

AVAILABLE ON
TUSCANY

Specify code **BCO** (Coloration), required finish selection for: (Tuscany Two-Tone) the column ____ / the base rail ____

The unique construction and assembly of the Tuscany bases allows different colors to be applied to different base components at no additional charge.



NOTE REFER TO THE DRAWING ABOVE FOR LABELING REFERENCES

Assembled Folding Table**\$62 / table**

Specify code **BAF** (Assembled Folding Table), add \$62.00 list per table

AVAILABLE ON
BRATTICE
PERFORMANCE
TUSCANY
UNO[®]
VELA
WAVELINK

Folding bases can be attached to tops at the factory.

NOTE RECTANGLE TABLES WITH FOLDING BASE AND FOLDING MODESTY PANELS ARE SHIPPED ASSEMBLED WITHOUT ADDITIONAL CHARGE

**Bullet End Caps****\$104 / table**

Specify code **BBE** (Bullet End Caps), add \$104.00 list per table

AVAILABLE ON
PERFORMANCE

Bullet End Caps are welded in place of the standard welded rail blunt ends.

**Height Adjustment Lock Out Kit****\$39 / kit**

Specify code **BHL** (Height Adjustment Lock Out Kit), add \$39.00 list per table

AVAILABLE ON
TIM


All TIM tables have the height adjustment feature but can be locked into the desired height position easily. The Height Adjustment Lock Out Kit provides a stop and screw for each table leg. The stop fits into the round height position hole above or below the push-button and secures with the screw. The screw and stop can easily be removed to allow resetting table height as needed.

**Stretcher Rail****\$196**

Specify code **BSR** (Stretcher Rail), required finish selection ____, add \$196.00 list per table

AVAILABLE ON
BRATTICE
PERFORMANCE
TUSCANY
VELA

Available for T1, TC and T2 style, fixed and tilt bases to increase table rigidity. Necessary tools are provided to install the stretcher.



NOTE A STRETCHER IS NOT A RETROFIT ITEM, IT MUST BE SPECIFIED AT TIME OF ORDER

VERSTEEL

AVAILABLE ON
BRATTICE
ELEMENTS CONFERENCE
PACES
PERFORMANCE
TY
UNO³
VELA
WAVELINK

**Lightweight Laminate Core to 96" Length
\$194 / table**

Specify code **TLL** (Lightweight Laminate Core to 96" Length), add \$194.00 list per table

Lightweight Laminate Core is available for 1 1/4" tops that are of a dimension no larger than 48" x 96". The core is made of a multi-ply material that will allow the mounting of bases or other accessories at any location under the top.

NOTE TOPS WITH LENGTHS LONGER THAN 96" REQUIRE A SPECIAL QUOTE.
CONTACT VERSTEEL FOR PRICING AND AVAILABILITY

NOTE NOT AVAILABLE ON VENEER TOPS

**Special Laminate
Call for Quote**

Specify code **TSP** (Special Laminate), indicate the quoted charges per table

Special laminates and patterns can be specified as an option on Versteel products. To specify, contact Versteel for availability and pricing.

NOTE LAMINATES IN STANDARD COLORS AND TEXTURES FROM FORMICA, NEVAMAR, PIONITE, AND WILSONART ARE STANDARD

CAUTION Laminate manufacturers change standard offerings frequently, and it is possible that a standard product can become unavailable. Versteel cannot be responsible for any inconvenience this may cause

AVAILABLE ON
BRATTICE
ELEMENTS CONFERENCE
ELIGA
ENTOURAGE
INTERPLAY
ODIS
PACES
PERFORMANCE
PLATFORM
TIM
TOD
TY
UNO³
VELA
WAVELINK

**Two-Piece Top (120")
\$511/ table**

Specify code **T2P** (Two-Piece Top), add \$511.00 list per table

Standard Versteel tables in lengths up to 120" are a seamless, single piece top. When the two-piece top option is specified, the splice joint edge is unfinished, table shipped with necessary hardware. Any table over 120" long will be produced as a two-piece top.

AVAILABLE ON
BRATTICE
ELEMENTS CONFERENCE
ELIGA
PACES CONFERENCE
PERFORMANCE
VELA

**Ergo Wood Profile - One Side
No Charge**

Specify code **TEO** (Ergo Wood Profile - One Side), no additional charge

The Ergo Edge Profile is applied to the user's side of the table only, with flat banding on all additional sides.



**Ergo Wood Profile - Two Sides
No Charge**

Specify code **TET** (Ergo Wood Profile - Two Sides), no additional charge

The Ergo Edge Profile is applied to the user's and the opposite side of the table only, with flat banding on all additional sides.



**Ergo Wood Profile - All Sides
No Charge**

Specify code **TEA** (Ergo Wood Profile - All Sides), no additional charge

The Ergo Edge Profile is applied to all sides of the table.



Manufacturer certifies that products meet applicable Underwriter's Laboratory and Intertek standards and testing.

AVAILABLE ON
ALL SERIES

**Top Custom Cutout
\$97 / cutout**

Specify code **TCC** (Top Custom Cutout), add \$97.00 list per cutout

Top Custom Cutout requires a drawing for production and is subject to approvals.

**Sail Modesty
\$231 / each**

Specify code **MS** (Sail Modesty), add \$231.00 list per table.

Lycra® fabric Sail Modesty is stretched and hooked on screw pegs under table top and slotted holes in the table approach side legs. All TIM tables are pre-drilled for field installation of the Sail Modesty. Sail Modesty is available in coordinating colors of Alabaster, Alloy, Ebony and Frost. Can be stored on table when tilted, nested or folded on table transport.



**Panel Modesty, Laminate
\$335 / each**

Specify code **MPL** (Panel Modesty, Laminate), add \$335.00 list per table.

Panel Modesty, Laminate is specified with the table and the length and shape is determined by the table top selection of rectangle or arc rectangle. Inserts are included in the table top with hook brackets and handwheels factory installed. Panel is hung from hook brackets in the field after table set up. Panel Modesty finishes match table top finish selections. When table is tilted or nested the Panel Modesty tilts against the leg but must be removed when folded on the table transport.



AVAILABLE ON
PACES
TIM
TY

**Panel Modesty, Veneer
\$831 / each**

Specify code **MPV** (Panel Modesty, Veneer), add \$831.00 list per table.

Panel Modesty, Veneer is specified with the table and the length and shape is determined by the table top selection of rectangle or arc rectangle. Inserts are included in the table top with hook brackets and handwheels factory installed. Panel is hung from hook brackets in the field after table set up. Panel Modesty finishes match table top finish selections. When table is tilted or nested the Panel Modesty tilts against the leg but must be removed when folded on the table transport.



AVAILABLE ON
PACES
TIM
TY

AVAILABLE ON
BRATTICE
PERFORMANCE
TY
UNO²
VELA

Laptop Locker
\$1120 / locker

*Fixed tables only (not available on tilt, slim-tilt or folding tables)

Specify code **TLA1** (One Laptop Locker) or code **TLA2** (Two Laptop Lockers) add \$1120.00 list per Laptop Locker.

Indicate Manual Locking Keyed Individually **TMKI**, Manual Locking Keyed Alike **TMKA** or Electronic Locking **TLEL**. Add \$292 list per Laptop Locker when Electronic Locking is specified AND **TLPV** (Laptop Locker power unit) which is required for the electronic locking option, add \$461 list (Power unit sequences up to 10 lockers, includes 1 key).

The minimum table width available with Laptop Locker is 24".

The minimum table length available with Laptop Locker is 36". The maximum table length available is 96".

2 Laptop Lockers can be installed starting at a table length of 60" or greater (table subject to additional base and/or support base when more than one unit is installed in top greater than or equal to 72").

All lockers to have urethane edge on locker door and top opening.

NOTE LAPTOP LOCKER IS NOT AVAILABLE ON VENEER TOP SURFACES, WOODGRAIN OR DIRECTIONAL PATTERN LAMINATES OR TABLES WITH LIGHTWEIGHT LAMINATE CORE

For additional questions contact Versteel Customer Service at 800.876.2120.



AVAILABLE ON
BRATTICE
ELIGA
PACES
PERFORMANCE
TIM
TOD
TY
UNO²
VELA

Table Link
\$204 / table

Specify code **TLK** (Table Link), add \$204.00 list per table

Table Link is for linking Versteel table configurations in typical room situations. Table link will prevent the accidental disconnection of power supply to adjacent tables. Available on tables with PVC, 3mm Wood, Wood Square, Wood Fluted and Ergo user side edge details.

Closed end link brackets are provided for the following applications:

- o Tops without bases.
- o Tables with a base that does not allow the table to stand alone.



AVAILABLE ON
BRATTICE
ELIGA
PACES
PERFORMANCE
TIM
TOD
TY
UNO²
VELA

Table Link - Ends Only
\$108 / table

Specify code **TLE** (Table Link - Ends Only), add \$108.00 list per table

Table Link is for linking Versteel table configurations in typical room situations. Specify Table Link - Ends Only when your configuration requires linking on the table ends only. Available on tables with PVC, 3mm Wood, Wood Square, Wood Fluted and Ergo user side edge details. Table Link - Ends Only is included with electrical package options. This will prevent the accidental disconnection of power supply to adjacent tables.



AVAILABLE ON
TIM

Leash - TIM Table Link
\$77 / table

Specify code **TLS** (TIM Table Leash), add \$77.00 list per table

The Leash table link is available on all TIM tables as a casual, quick link that simply holds the tables in position to each other. The Leash is mounted to the underside of the table top, rotating from under the top to latch into the adjacent table Leash.



AVAILABLE ON
WAVELINK

Leash - Wavelink Table Link
\$107 / table

Specify code **TWL** (Wavelink Table Leash), add \$107.00 list per table

The Leash table link is a casual, quick link that simply holds the tables in position to each other. The Leash is mounted to the W2 bases, rotating from under the table top to latch into the adjacent table leg Leash. Available on all linkable Wavelink tables.



NOTE CANNOT BE FIELD INSTALLED

AVAILABLE ON
ELIGA BENCHING

Privacy Screen

Specify code **PSCR1S**, **PSCR1L**, **PSCR2S** or **PSCR2L** depending on material choice and size.

Privacy screens are available as an option to the Eliga Benching product and consists of 1/2" thick nominal panel running horizontal in the center of the table. The panel is 18" tall and sits 15.5" above the worksurface with a laser edge all around. Order privacy panel 12" shorter than the length of the table. One privacy panel per table.

Dry Erase Markerboard

36" - 48" (each).....	PSCR1S	\$ 427
60" - 84" (each).....	PSCR1L	\$ 807

Available in all Formica solid laminate colors.

Rauvisio Crystal Markerboard

36" - 48" (each).....	PSCR2S	\$1667
60" - 84" (each).....	PSCR2L	\$3099

Available in color Bianca.

These products can be written on with dry erase markers.

**Form Modesty Panel End Cap Trim Kit
\$41 / set of 2**

AVAILABLE ON
FORM MODESTY

Specify code **AFE2EB** (Form Modesty Panel End Cap Trim Kit), add \$41.00 list for set of 2

SPECIFICATIONS

- Metal plate attached with screws
- Black powder coat finish
- Attached to back panel to close end of channels
- Set of 2 will cover both ends of a single or run of Form Modesty Panels



**Metal Modesty Panel End Cap Trim Kit
\$41 / set of 2**

AVAILABLE ON
FORM MODESTY
SQUARE METAL MODESTY

Specify code **APE2EBSQ** for square powered modesty

Specify code **AFE2EBSQ** for square non-powered modesty

Specify code **APE2EB** for form powered modesty

Specify code **AFE2EB** for form non-powered modesty



**Storage Pouch - ODIS
\$120 / pouch**

AVAILABLE ON
ODIS

Specify code **AOPAY** (Storage Pouch, Alloy) or **AOPEB** (Storage Pouch, Ebony), add \$120.00 list per pouch

Accessory Pouches are available on the 29" tall ODIS tables. The pouch which is made of a durable gray or black mesh material has a 2" opening, is 12" long and 6" deep. Files, folders, laptops and books can all be stored in the pouch. The 3/16" solid wire frame is held in place by a solid aluminum extrusion. The frame and extrusion colors match the color of pouch specified. Since no tools are required for installation this item can be ordered with the table or may be ordered for field installation.



**Acrylic Tray - Entourage Cabinet
48" Cabinet**

AVAILABLE ON
ENTOURAGE

Specify code **AAT48O** (Acrylic Outer Tray - 48" Entourage Cabinet), add \$122.00 list each.

Specify code **AAT48C** (Acrylic Center Tray - 48" Entourage Cabinet), add \$136.00 list each.

60"/72" Cabinet

AVAILABLE ON
ENTOURAGE

Specify code **AAT60** (Acrylic Tray - 60" Entourage Cabinet), add \$122.00 list each.

Specify code **AAT72** (Acrylic Tray - 72" Entourage Cabinet), add \$136.00 list each.

NOTE CENTER ACCESS SHELF CAN ACCOMMODATE TWO TRAYS ON 60" AND 72" CABINETS



84" Cabinet

AVAILABLE ON
ENTOURAGE

Specify code **AAT84O** (Acrylic Outer Tray - 84" Entourage Cabinet), add \$136.00 list each.

Specify code **AAT84C** (Acrylic Center Tray - 84" Entourage Cabinet), add \$186.00 list each.

NOTE CENTER ACCESS SHELF CAN ACCOMMODATE TWO TRAYS ON 84" CABINETS

Acrylic Trays may be added to Entourage Cabinet Models.

**Acrylic Tray - Entourage Cart
16" Wide Cart.**

AVAILABLE ON
ENTOURAGE

Specify code **AAT16** (Acrylic Tray - 16" Entourage Cart), add \$171.00 list each.

20" Wide Cart.

Specify code **AAT20** (Acrylic Tray - 20" Entourage Cart), add \$181.00 list each.

Acrylic Trays may be added to Entourage Carts.



Table Transport \$1511 / each

AVAILABLE ON
BRATTICE
PERFORMANCE
VELA
WAVELINK

Specify code **ATT3054** (Table Transport), add \$1511.00 list each

The transport saves time and labor. Its 31" width can move tables of any length through doorways with ease.



SPECIFICATIONS

- Weight: 61 lbs.
- 31" x 54" overall footprint
- Black powder coat finish
- Two (2) swivel and two (2) non-swivel casters
- 5" casters are non-marking wheel material

TRANSPORT CAPACITY

FOLDED TABLES WITHOUT MODESTY PANEL	6 ON EDGE
	8 STACKED FLAT
FOLDED TABLES WITH MODESTY	5 STACKED FLAT
OVERLAPPING FOLDED TABLES	4 ON EDGE

NOTE MAXIMUM LOAD WEIGHT: 1,000 LBS

NOTE TABLES GREATER THAN 27" IN WIDTH DO NOT STACK HORIZONTALLY ON THE TRANSPORT

Table Transport - TIM \$1511 / each

AVAILABLE ON
TIM

Specify code **ATT3020** (Table Transport) for 42"- 72" length tables, add \$1511.00 list each

The transport saves time and labor. Its 30" width can move tables of specified lengths through doorways with ease.



SPECIFICATIONS

- Weight: 37 lbs.
- 30" overall depth
- Alloy powder coat finish
- Two (2) locking and two (2) non-locking casters
- Casters are non-marking wheel material

TRANSPORT CAPACITY

5 ON EDGE
FOLDED TABLES WITHOUT PANEL MODESTY
OR FOLDED TABLES WITH SAIL MODESTY

NOTE MAXIMUM LOAD WEIGHT: 1,000 LBS

NOTE TABLE LEGS EXTENDED HIGHER THAN 29" STANDARD HEIGHT WILL NOT STORE ON THE TRANSPORT. THE LEGS WILL EXCEED THE TRANSPORT HEIGHT AND DRAG ON THE FLOOR WHEN ROLLING THE CART

Table Transport - ODIS \$540 / each

AVAILABLE ON
ODIS

Specify code **ATT2824** (Table Transport - ODIS), add \$540.00 list each

Stacks 20 ODIS tables high. Cart with 20 tables measures approximately 28" w x 24" d x 50" h.



SPECIFICATIONS

- Weight: 21 lbs.
- 28" x 24" overall footprint
- Alloy powder coat finish
- Two (2) swivel, two (2) non-swivel casters
- 5" casters are non-marking wheel material

Table Transport Handle & Strap - ODIS \$391 / each

AVAILABLE ON
ODIS

Specify code **AOTTHS** (Table Transport Handle & Strap - ODIS), add \$391 list each

SPECIFICATIONS

- Table Transport Handle and Strap may be added to the Table Transport for ODIS to secure tables when using the cart on rough or incline surfaces.

Table Transport Tray - ODIS \$157 / each

AVAILABLE ON
ODIS

Specify code **AOTTT1718** (Table Transport Tray - ODIS), add \$157.00 list each

Table Transport Tray may be added to the Table Transport for ODIS for the storage of the accessory pouch.



SPECIFICATIONS

- Weight: 13 lbs.
- 18" w x 20" l x 4" d
- Alloy powder coat finish

Table Transport - ODIS ADA \$770 / each

AVAILABLE ON
ODIS ADA

Specify code **ATT3058** (Table Transport - ODIS ADA), add \$770.00 list each

Stacks 10 ODIS ADA tables high. Cart with 10 tables measures approximately 32½" w x 58" d x 42" h



SPECIFICATIONS

- Weight: 35 lbs.
- 30" x 58" overall footprint (with handle)
- Alloy powder coat finish
- Two (2) swivel, two (2) non-swivel casters
- 5" casters are non-marking wheel material

Table Transport - ODIS Youth \$540 / each

AVAILABLE ON
ODIS YOUTH

Specify code **ATT2321** (Table Transport - ODIS Youth), add \$540.00 list each

Stacks 20 ODIS tables high. Cart with 20 tables measures approximately 23" w x 21" d x 44" h



SPECIFICATIONS

- Weight: 19 lbs.
- 23" x 21" overall footprint
- Alloy powder coat finish
- Two (2) swivel, two (2) non-swivel casters
- 5" casters are non-marking wheel material

Custom PVC Color Match**Call for quotation / one time charge per color, per order**

Specify code **OCF** (Custom PVC Color Match), add cost from Versteel quotation

PVC Color Match can be the selection of a color that is available from a Versteel supplier or a new custom color developed for the order. Minimum footage requirements mean that the amount of material needed for your order will effect the cost.

For PVC Color Matching you must supply a color reference sample. Versteel will review the sample for possible existing colors available and send a sample for customer approval. If no color match exists, a custom match will be developed and sampled for customer approval before a production schedule is established.

NOTE CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

Custom T-Mold Color Match**Call for quotation / one time charge per color, per order**

Specify code **OCT** (Custom T-Mold Color Match), add cost from Versteel quotation

T-Mold Color Match can be the selection of a color that is available from a Versteel supplier or a new custom color developed for the order. Minimum footage requirements mean that the amount of material needed for your order will effect the cost.

For T-Mold Color Matching you must supply a color reference sample. Versteel will review the sample for possible existing colors available and send a sample for customer approval. If no color match exists, a custom match will be developed and sampled for customer approval before a production schedule is established.

NOTE CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

Powder Coat Alternative**Call for quotation**

Specify code **OPA** (Powder Coat Alternative), add cost from Versteel quotation

Powder Coat Alternative is available from Versteel. The entire RAL color reference along with hundreds of other colors and finishes are available.

For Powder Coat Alternative matching, you must supply a color reference sample, or an RAL number. Versteel will review the sample for possible existing colors available and send a sample for customer approval. If no color match exists, a custom match can be developed. Call Versteel Customer Service for associated upcharges on custom color development.

NOTE CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

Stain Finish Match**\$810 / one time charge per finish, per order**

Specify code **OSM** (Stain Finish Match), add \$810.00 list per finish, per order

Alternative Stain Finishes are available for veneer and wood edged tops.

For Stain Finish Matching you must supply a 4" x 4" finish color and grain reference sample. An expertly finish matched sample will be provided for customer approval.

NOTE CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

Veneer and Wood Solids Alternative**Call for quotation**

For veneer and wood requirements other than the standard cherry, maple and walnut, contact Versteel Customer Service. Versteel is adept at working with a host of domestic and exotic materials. From inlays, figures, pie cuts and special edge profiles, to custom fill levels and sheens, each top is created using the best of technology and old world craftsmanship. The items you only imagined or expected to only be available from a millwork shop are now just another part of your Versteel order. Call Versteel Customer Service for availability and quotation.

Wood Finish Alternative**Call for quotation**

When veneer tables are required to have a finish other than the standard open pore level, semi-filled or full-filled finishes are available by requesting a quote from Versteel. Call Versteel Customer Service for availability and quotation.

Resin Edge Material Alternative**Call for quotation****GLOSS**

Seamless, rigid, blended resin edge with a hand polished high gloss finish.

SATIN

Seamless, semi-rigid, blended resin edge with a hand sanded satin finish. Scuffs, scratches and surface damage to the edge are field repairable.

SATIN-SOFT

Seamless, pliable, blended resin edge with a hand sanded finish. The features are memory and pliability. Scuffs, scratches and surface damage to the edge are field repairable.

Call Versteel Customer Service for availability and quotation.

Glass Top Table Alternative**Call for quotation**

Versteel glass top tables meet or exceed government specification DDG-451d, which regulates the quality standards of all glass manufacturing. This specification takes into consideration certain imperfections inherent in glass production. Call Versteel Customer Service for availability and quotation on series not priced with glass tops.

Henri - \$279 / unit

Specify code **PH_** (Henri - Location_),
add \$279.00 list per Henri

The pop-up Henri electrical unit(s) is factory installed in the specified location. Perfect for single table applications.

SPECIFICATIONS

- One 9' cord, one 15 amp circuit
- Standard grounded plug
- Surge protection
- Two electrical outlets per unit

NOTE FOR MORE PLANNING AND ORDERING DETAIL INFORMATION SEE ELECTRICAL PLANNING SECTION PAGES 56-71

NOTE FOR HENRI VOICE AND DATA JACK OPTIONS SEE PAGE 51



Location A

**1 Henri - Location A
\$279 / table**

Specify code **PHA** (1 Henri - Location A),
add \$279.00 list per table

One pop-up Henri electrical unit is factory installed in the front center location of the top.

NOTE LOCATION A HENRI UNITS NOT AVAILABLE ON 7' LENGTH TABLES AND ARC RECTANGLES



Location D

**2 Henris - Location D
\$558 / table**

Specify code **PHD** (2 Henris - Location D),
add \$558.00 list per table

Two pop-up Henri electrical units are factory installed in the front corner locations of the top.

NOTE LOCATION D HENRI UNITS NOT AVAILABLE ON 42" & 48" LENGTH TABLES AND ARC RECTANGLES



Location F

**1 Henri - Location F
\$279 / table**

Specify code **PHF** (1 Henri - Location F),
add \$279.00 list per table

One pop-up Henri electrical unit is factory installed in the center of the top.



Location E

**2 Henris - Location E
\$558 / table**

Specify code **PHE** (2 Henris - Location E),
add \$558.00 list per table

Two pop-up Henri electrical units are factory installed in the front outer corner locations of the top.



Location K

**1 Henri - Location K
\$279 / table**

Specify code **PHK** (1 Henri - Location K),
add \$279.00 list per table

One pop-up Henri electrical unit is factory installed lengthwise in the center of the top.



Location H

**2 Henris - Location H
\$558 / table**

Specify code **PHH** (2 Henris - Location H),
add \$558.00 list per table

Two pop-up Henri electrical units are factory installed in predetermined positions in the top.



Location R

**1 Henri - Location R
\$279 / table**

Specify code **PHR** (1 Henri - Location R),
add \$279.00 list per table

One pop-up Henri electrical unit is factory installed in a predetermined position in the top.



SEE GSA 08S
POWER AND
DATA PRICE
LIST

VERSTEEL

Henri Now linking systems require an [HNPU](#) power supply unit per each sequence. Specify code HNPU, \$365.00 list each.

- 72" cord length
- 15 amp circuit
- standard grounded plug
- surge protection



Henri Now - \$270 / unit

Specify code [PHN](#) (Henri Now - Location _), add \$270.00 list per Henri Now.

Table link - ends only is included with henri and powerlink electrical package options selection. The table link will prevent the accidental disconnection of power supply to adjacent tables.

The pop-up Henri Now electrical unit(s) is factory installed in the specified location. Recommended for multiple table applications. May be sequenced in any order.

SPECIFICATIONS

- One 10' cord, one 15 amp circuit, standard grounded plug
- Surge protection
- Two electrical outlets per unit



NOTE FOR MORE PLANNING AND ORDERING DETAILS INFORMATION SEE ELECTRICAL PLANNING SECTION PAGES 171-177

NOTE FOR HENRI NOW PRICE AND DATA LINK OPTIONS SEE PAGE 51

NOTE HENRI NOW SOFT WIRED LINKED SYSTEMS DO NOT WORK WITH IFCI RECEPTACLES. CONTACT VERSTEEL FOR ADDITIONAL INFORMATION.



Location A

1 Henri Now - Location A \$270 / table

Specify code [PHNA](#) (1 Henri Now - Location A), add \$270.00 list per table

One pop-up Henri Now electrical unit is factory installed in the front center location of the top.



Location D

2 Henri Nows - Location D \$540 / table

Specify code [PHND](#) (2 Henri Nows - Location D), add \$540.00 list per table

Two pop-up Henri Now electrical units are factory installed in the front corner locations of the top.



Location F

1 Henri Now - Location F \$270 / table

Specify code [PHNF](#) (1 Henri Now - Location F), add \$270.00 list per table

One pop-up Henri Now electrical unit is factory installed in the center of the top.



Location N

2 Henri Nows - Location N \$540 / table

Specify code [PHNN](#) (2 Henri Nows - Location N), add \$540.00 list per table

Two pop-up Henri Now electrical units are factory installed in the front outer corner locations of the top.



Location K

1 Henri Now - Location K \$270 / table

Specify code [PHNK](#) (1 Henri Now - Location K), add \$270.00 list per table

One pop-up Henri Now electrical unit is factory installed lengthwise in the center of the top.



Location H

2 Henri Nows - Location H \$540 / table

Specify code [PHNH](#) (2 Henri Nows - Location H), add \$540.00 list per table

Two pop-up Henri Now electrical units are factory installed in predetermined positions in the top.



Location R

1 Henri Now - Location R \$270 / table

Specify code [PHNR](#) (1 Henri Now - Location R), add \$270.00 list per table

One pop-up Henri Now electrical unit is factory installed in a predetermined position in the top.



SEE GSA 08S POWER AND DATA PRICE LIST

Table link - ends only is included with henri and powerlink electrical package options selection. The table link will prevent the accidental disconnection of power supply to adjacent tables

**Single Circuit Powerlink Package
\$963 or \$1260 / table**

Specify code **PPTL1** (Powerlink Package 72" or less), add \$963.00 list per table

Specify code **PPTG1** (Powerlink Package greater than 72"), add \$1260.00 list per table

One Powerlink electrical unit is shipped with the table for field installation. Mounting Lever Locks are factory installed in the bottom front edge location of the table. Powerlink installs without the use of tools, in the above table top facing user, below table top facing out or below table top facing user positions.

SPECIFICATIONS

- Single Circuit, Soft-wired linking system
- 9' cord, standard grounded plug (custom lengths available)
- 15 Amp circuit w/breaker and Surge Protector
- One duplex outlet (2 simplex outlets) on Powerlinks up to 48" in length, and two duplex outlets on units longer than 48" (custom outlet configurations available)
- One voice, one data jack on Powerlinks up to 48" in length; Two voice, two data jacks on units longer than 48" (custom data configurations available)

NOTE FOR MORE PLANNING AND ORDERING DETAIL INFORMATION SEE ELECTRICAL PLANNING SECTION PAGES 56-71

Table link - ends only is included with henri and powerlink electrical package options selection. The table link will prevent the accidental disconnection of power supply to adjacent tables

**Multiple Circuit Powerlink Package – System 3
\$1360 or \$1640 / table**

Specify code **PPTL3** (Powerlink Package 48" or less), add \$1360.00 list per table

Specify code **PPTG3** (Powerlink Package greater than 48"), add \$1640.00 list per table

One Powerlink electrical unit is shipped with the table for field installation. Mounting Lever Locks are factory installed in the bottom front edge location of the table. Powerlink installs without the use of tools, in the above table top facing user, below table top facing out or below table top facing user positions.

SPECIFICATIONS

- Multi-circuit, hard-wired, linking system
- 6' hard-wired in-feed (custom lengths available)
- Three 20 Amp Circuits (8-wire, 3-circuit)
- Two duplex outlets (Circuits 1 & 2) on Powerlinks up to 48" in length and three duplex outlets (Circuits 1, 2, & 3) on units longer than 48" (custom outlet configurations available)
- One voice, one data jack on Powerlink up to 48" in length; Two voice, two data jacks on units longer than 48" (custom data configurations available)

NOTE FOR MORE PLANNING AND ORDERING DETAIL INFORMATION SEE ELECTRICAL PLANNING SECTION PAGES 56-71

Table link - ends only is included with henri and powerlink electrical package options selection. The table link will prevent the accidental disconnection of power supply to adjacent tables

**Multiple Circuit Powerlink Package – System 2
\$963 or \$1260 / table**

Specify code **PPTL2** (Powerlink Package 72" or less), add \$963.00 list per table

Specify code **PPTG2** (Powerlink Package greater than 72"), add \$1260.00 list per table

One Powerlink electrical unit is shipped with the table for field installation. Mounting Lever Locks are factory installed in the bottom front edge location of the table. Powerlink installs without the use of tools, in the above table top facing user, below table top facing out or below table top facing user positions.

SPECIFICATIONS

- Multi-circuit, hard-wired, linking system
- 6' hard-wired in-feed (custom lengths available)
- Two 20 Amp Circuits (4-wire, 2-circuit)
- Two duplex outlets (Circuits 1 & 2) on Powerlinks up to 48" in length, and four duplex outlets (2 on each circuit) on units longer than 60" (custom outlet configurations available)
- One voice, one data jack on Powerlinks up to 48" in length; Two voice, two data jacks on units longer than 48" (custom data configurations available)

NOTE FOR MORE PLANNING AND ORDERING DETAIL INFORMATION SEE ELECTRICAL PLANNING SECTION PAGES 56-71

**Power Source Outlet
\$158 / power source**

Specify code **PPS** (Power Source Outlets), add \$158.00 list per table

Power Source Outlets supply individual tables surge protected electrical connections. Unit is field installed and controlled by an illuminated On/Off switch.



SPECIFICATIONS

- 10' 14 AWGx3C power cord
- Illuminated On/Off and Reset switch
- 1,000 Joules surge protection
- Six (6) grounded power outlets per unit
- Aluminum housing mounts to underside of top
- Black

NOTE FOR MORE PLANNING AND ORDERING DETAIL INFORMATION SEE ELECTRICAL PLANNING SECTION PAGES 56-71

SEE GSA 08S POWER AND DATA PRICE LIST

VERSTEEL

Power Bay - \$1055 / unit

Specify code **EPB_** (Power Bay - Location_), add \$1055.00 list per Power Bay for first unit per table and \$1055.00 for each additional unit.

For clear anodized aluminum finish, add \$114 list per unit

The flush mount Power Bay electrical unit(s) is factory installed in the specified location. Choose any standard powder coat, or Clear Anodized Aluminum, for bezel and door.

SPECIFICATIONS

- One 10' cord, one 15 amp circuit, standard grounded plug
- Surge protection
- Four electrical outlets per unit
- Data plate with 6 slots

NOTE FOR MORE PLANNING AND ORDERING
 DETAIL INFORMATION SEE ELECTRICAL PLANNING
 SECTION PAGES 56-71

NOTE USE POWER BAY DATA PLATE GUIDELINES TO SPECIFY DATA JACKS

?

**1 Power Bay - Provide Location Print
 \$1055 / table**

Specify code **EPB1** (1 Power Bay - Provide Location Print), add \$1055.00 list per table

One flush mount Power Bay electrical unit is factory installed in the top location indicated by specifier's print.

??

**2 Power Bays - Provide Location Print
 \$2110 / table**

Specify code **EPB2** (2 Power Bays - Provide Location Print), add \$2110.00 list per table

Two flush mount Power Bay electrical units are factory installed in the top locations indicated by specifier's print.

???

**3 Power Bays - Provide Location Print
 \$3165 / table**

Specify code **EPB3** (3 Power Bays - Provide Location Print), add \$3165.00 list per table

Three flush mount Power Bay electrical units are factory installed in the top locations indicated by specifier's print.

????

**4 Power Bays - Provide Location Print
 \$4220 / table**

Specify code **EPB4** (4 Power Bays - Provide Location Print), add \$4220.00 list per table

Four flush mount Power Bay electrical units are factory installed in the top locations indicated by specifier's print.

**Power Bay Data Plate
 Guidelines**

The Power Bay Data Plate has 6 available slots for data jacks listed below and specification codes, number of slots each jack will occupy, and pricing.

Jack Type	Specify Code	Number of Slots	List Price per Jack Type
Data	DA	1	\$36
Voice	VO	1	\$14
Mini Stereo	MS	1	\$17
VGA	VG	2	\$25
HDMI	HD	2	\$84
USB	US	2	\$38
Data Coupler	DD	1	\$116
Voice Coupler	VV	1	\$33

SEE GSA 08S POWER AND DATA PRICE LIST

44 Power & Data Options

V Charge

VERSTEEL

V Charge Wireless Charging

Wireless charging pads for phones and tablets with built-in Qi wireless charging. Pads are surface mounted into the table top.



Option Code

VWC1 \$249 list

SPECIFICATIONS

- 10 Watt fast charge wireless charging unit embedded in table top
- Soft touch cover plate with V Charge logo
- Surface mounted
- 10' power supply included

Unit Color

BLK	Black	n/c
WHT	White	n/c

Option Code

VWC2 \$220 list

SPECIFICATIONS

- 15 watt fast charge wireless charging unit embedded in table top
- Soft touch cover plate with V Charge logo
- Surface mounted
- 10' power supply included

Unit Color

BLK	Black	n/c
WHT	White	n/c

SEE GSA 08S
POWER AND
DATA PRICE
LIST

VERSTEEL

V Power™ (Kwikboost EdgePower)

V Power™ supports diversity and flexibility in a fluid environment. Utilizing cordless, battery-powered charging, the V Power attaches to the edge of each worksurface, giving individuals and teams the freedom to work or learn anywhere. For a more discreet appearance, mount unit under the worksurface with an optional bracket, sold separately.

CHARGING UNIT SPECIFICATIONS


- Adjustable, attaches to 0.7" to 1.5" tops
- Includes 10V AC outlet, USB-A port and USB-C PD port
- Charges laptops, tablets, phones, etc
- Operating temperature: 32 to 113°F (0 to 45°C) while in use, 14 to 131°F (-10 to 55°C) when not in use
- Dimensions (with battery): 8.3"L x 4.9"W x 5.2" to 6"H

RECHARGEABLE BATTERY SPECIFICATIONS

- Easily interchangeable
- Rechargeable using base charging station
- Includes LED charge indicator light
- 146.52 battery capacity
- 18650 Li-Ion battery
- Up to 500 life cycles
- Recharge time: 2 hours
- Dimensions: 9.1"L x 3"W x 2.1"H

CHARGER / CHARGING STATION SPECIFICATIONS

- Single charge 1-3-bay charging station or 9-bay charging station
- Fully recharge batteries in 2 hours
- 3-bay station is stackable and expandable
- Dimensions (with battery):
 - Single 3.25"L x 0.75"W x 2.25"H
 - 3-bay 15"L x 12"W x 6"H
 - 9-bay 15"L x 12"W x 13.5"H



Personal Use Bundle

Model	Description	
VPPUB	Two (2) Rechargeable Batteries One (1) Clamp-on Desktop Charging Unit One (1) Single Battery Charger	\$1,338 list

Light Use Bundle

Model	Description	
VPLUB	Three (3) Rechargeable Batteries Three (3) Clamp-on Desktop Charging Units One (1) 3-Bay Base Charging Station	\$2,698 list

Medium Use Bundle

Model	Description	
VPMUB	Six (6) Rechargeable Batteries Three (3) Clamp-on Desktop Charging Units (1) 3-Bay Base Charging Station	\$3,911 list

Heavy Use Bundle

Model	Description	
VPHUB	Nine (9) Rechargeable Batteries Six (6) Clamp-on Desktop Charging Units One (1) 9-Bay Base Charging Station	\$6,564 list

Constant Use Bundle

Model	Description	
VPCUB	Twelve (12) Rechargeable Batteries Six (6) Clamp-on Desktop Charging Units One (1) 9-Bay Base Charging Station	\$7,774 list

Under Surface Mounting Bracket

Model	Description	
VPUSMB	Under Surface Mounting Bracket	\$ 30 list

SEE GSA 08S POWER AND DATA PRICE LIST

Eclipse

Soft touch finish brings a hint of play to any fashionable work environment. Three port options. Mounts in surface.



SPECIFICATIONS

- Hole mount is 4.5" diameter

Model	Description	Price
ECL-IP3X	Three (3) power	\$355 list
ECL-IP2U	Two (2) power and one (1) dual port USB charger	\$419 list

Unit Color

STB	Soft Touch Black Plastic	n/c
STG	Soft Touch Green Plastic	n/c
STO	Soft Touch Orange Plastic	n/c
STW	Soft Touch White Plastic	n/c

Cord Length

72	72" cord length	n/c
120	120" cord length	\$ 16 list

Model Example: ECL-IP2U-STB-72

Hemisphere

Soft touch finish brings a hint of play to any fashionable work environment. Three port options. Mounts in surface.



SPECIFICATIONS

- Hole mount is 2" diameter

Model	Description	Price
HEM-IP3X	Three (3) power	\$255 list
HEM-IP2U	Two (2) power and one (1) dual port USB charger	\$317 list

Unit Color

STB	Soft Touch Black Plastic	n/c
STG	Soft Touch Green Plastic	n/c
STO	Soft Touch Orange Plastic	n/c
STW	Soft Touch White Plastic	n/c

Cord Length

72	72" cord length	n/c
120	120" cord length	\$ 16 list

Model Example: HEM-IP2U-STB-72

Mini-Tap

Mini-Tap provides 2 outlets that can be mounted, with key slots, so as to put power near the edge of the worksurface. Mini-Tap is black.



SPECIFICATIONS

- Two (2) Simplexes
- Available with spill-proof Simplexes

Model	Description	Price
MTP-IP2X	Two (2) power	\$120 list
MTP-IP2U	One (1) power and one (1) dual port USB charger	\$311 list

Cord Length

72	72" cord length	n/c
120	120" cord length	\$ 16 list

Model Example: MTP-IP2X-72

Node

Flush mount design complements a wide range of aesthetics. Plated or powder coat finishes bely a robust, die-cast construction.



Model	Description	Price
NOD-IP2X	Two (2) power	\$228 list
NOD-IP2U	One (1) power and one (1) dual port USB charger	\$314 list
NOD-IP2O	One (1) power and one (1) open data port	\$215 list

Unit Color (Additional finishes available upon request)

DBP	Dark Bronze Plated	\$110 list
MPC	Midnight Powder Coat	n/c
PPC	Parchment Powder Coat	n/c
SNP	Satin Nickel Plated	\$110 list
SPC	Silver Powder Coat	n/c

Cord Length

72	72" cord length	n/c
120	120" cord length	\$ 16 list

Data Option (Only available with NOD-IP2O)

DA	at6 RJ45 data jack w/ 10' patch cord	\$ 93 list
HD	DMI jack	\$ 8 list
US	USB passive jack	\$ 5 list
VO	Cat3 RJ11 voice jack w/ 7' patch cord	\$ 10 list

Model Example: NOD-IP2U-SPC-72

Salt & Pepper

Individual USB charger or power outlet for easy, quick access applications.



SPECIFICATIONS

- Salt or Pepper hole mount is 1.5" diameter

Model	Description	Price
SLT1	One (1) dual port USB A charger	\$167 list
SLT2	One (1) single port USB C 18 watt charger	\$233 list
SLT3	One (1) single port USB C 60 watt charger	\$353 list
SLT4	One (1) USB A + 18 watt USB C charger	\$212 list
PPR	One (1) power outlet w/ 72" cord	\$ 92 list

Unit Color (Additional finishes available upon request)

BERP	Berry
BLKP	Black
BLUP	Blue
DSKP	Dusk
FOGP	Fog
HNYP	Honey
NVYP	Navy
ORGP	Orange
PCKP	Peacock
PPYP	Poppy
SGRP	Spring Green
SRMP	Storm
WHTP	White

Model Example: SLT-BLKP

Axil Z IP (Individually Powered)

Constructed out of anodized aluminum with a painted, steel faceplate, Axil Z is a robust, scalable and customizable power/data solution.



Tables specified with linked units require table link. The table link will prevent the accidental disconnection of power supply to adjacent tables.

SPECIFICATIONS

- Mounts flat, sitting just above worksurface
- Requires cutout in worksurface
- Includes a voice/data adapter kit to accept couplers and jacks when required
- Fits in tops 3/4" to 1 1/4" thick

Model	Description	Price
AXZ-IP-2-0	Two (2) power and no data	\$348 list
AXZ-IP-2-2	Two (2) power and two (2) open ports	\$357 list
AXZ-IP-2-4	Two (2) power and four (4) open ports	\$353 list
AXZ-IP-2-6	Two (2) power and six (6) open ports	\$361 list
AXZ-IP-3-1	Three (3) power and one (1) open port	\$359 list
AXZ-IP-3-3	Three (3) power and three (3) open ports	\$365 list
AXZ-IP-3-5	Three (3) power and five (5) open ports	\$371 list
AXZ-IP-4-0	Four (4) power and no open ports	\$406 list
AXZ-IP-4-2	Four (4) power and two (2) open ports	\$412 list
AXZ-IP-4-4	Four (4) power and four (4) open ports	\$418 list

Unit Color

Model	Description	Price
MWCA	Matte White Faceplate, Clear Al Trim	n/c
MBCA	Matte Black Faceplate, Clear Al Trim	n/c
MSCA	Matte Storm Faceplate, Clear Al Trim	n/c
MFCA	Matte Fog Faceplate, Clear Al Trim	n/c
GWCA	Gloss White Faceplate, Clear Al Trim	n/c
GBCA	Gloss Black Faceplate, Clear Al Trim	n/c
SVCA	Silver Faceplate, Clear Al Trim	n/c
MWBA	Matte White Faceplate, Black Trim	\$116 list
MBBA	Matte Black Faceplate, Black Trim	\$116 list
MSBA	Matte Storm Faceplate, Black Trim	\$116 list
MFBA	Matte Fog Faceplate, Black Trim	\$116 list
GWBA	Gloss White Faceplate, Black Trim	\$116 list
GBBA	Gloss Black Faceplate, Black Trim	\$116 list
SVBA	Silver Faceplate, Black Trim	\$116 list

Cord Length

72	72" cord length	n/c
120	120" cord length	\$ 16 list

USB Charging Options

UA	One (1) dual port USB A charging module (requires 1 open port)	\$123 list
UA2	Two (2) dual port USB A charging module (requires 2 open ports)	\$243 list
UAC	One (1) USB A + 18 watt USB C charging module (requires 1 open port)	\$123 list
UAC2	Two (2) USB A + 18 watt USB C charging modules (requires 2 open ports)	\$246 list
UC	One (1) 60 watt USB C charging module (requires 2 open ports)	\$263 list

Data Option (Each data jack requires 1 open port)

DA	Cat6 RJ45 data jack w/ 10' patch cord	\$ 78 list
HD	HDMI jack	\$ 88 list
MS	3.5mm mini-stereo audio jack	\$ 25 list
US	USB passive jack	\$ 57 list
VG	VGA jack, 15 pin	\$110 list
VO	Cat3 RJ11 voice jack w/ 7' patch cord	\$ 36 list

Model Example: AXZ-IP-4-2-GWCA-72-DA-DA

Axil Z SL2 (Soft-Wired, Linked)

Constructed out of anodized aluminum with a painted, steel faceplate, Axil Z is a robust, scalable and customizable power/data solution.



SPECIFICATIONS

- Mounts flat, sitting just above worksurface
- Requires cutout in worksurface
- Includes a voice/data adapter kit to accept couplers and jacks when required
- Fits in tops 3/4" to 1 1/4" thick
- Maximum of 8 units in sequence
- Interlink iQ 2.0 (not compatible with units sold prior to 2/1/19)

Model	Description	Price
AXZ-SL2-2-0	Two (2) power and no data	\$348 list
AXZ-SL2-2-2	Two (2) power and two (2) open ports	\$357 list
AXZ-SL2-2-4	Two (2) power and four (4) open ports	\$364 list
AXZ-SL2-2-6	Two (2) power and six (6) open ports	\$371 list
AXZ-SL2-3-1	Three (3) power and one (1) open port	\$369 list
AXZ-SL2-3-3	Three (3) power and three (3) open ports	\$377 list
AXZ-SL2-3-5	Three (3) power and five (5) open ports	\$384 list

NOTE: SOFT-WIRED, LINKED UNITS CAN HAVE A MAXIMUM OF 3 POWER LITLES AND 1 DUAL PORT USB CHARGING MODULE PER UNIT.

Unit Color

Model	Description	Price
MWCA	Matte White Faceplate, Clear Al Trim	n/c
MBCA	Matte Black Faceplate, Clear Al Trim	n/c
MSCA	Matte Storm Faceplate, Clear Al Trim	n/c
MFCA	Matte Fog Faceplate, Clear Al Trim	n/c
GWCA	Gloss White Faceplate, Clear Al Trim	n/c
GBCA	Gloss Black Faceplate, Clear Al Trim	n/c
SVCA	Silver Faceplate, Clear Al Trim	n/c
MWBA	Matte White Faceplate, Black Trim	\$116 list
MBBA	Matte Black Faceplate, Black Trim	\$116 list
MSBA	Matte Storm Faceplate, Black Trim	\$116 list
MFBA	Matte Fog Faceplate, Black Trim	\$116 list
GWBA	Gloss White Faceplate, Black Trim	\$116 list
GBBA	Gloss Black Faceplate, Black Trim	\$116 list
SVBA	Silver Faceplate, Black Trim	\$116 list

Power Infeed

BPS2-72	72" cord length	\$461 list
BPS2-120	120" cord length	\$477 list
BPS2-180	180" cord length	\$504 list

NOTE: 8 UNITS PER 1 BPS.

Jumper

BEJ2	Standard jumper included with tables up to and including 60". BEJ2 jumper required for tables greater than 60".	\$121 list
------	---	------------

USB Charging Options

UA	One (1) dual port USB A charging module (requires 1 open port)	\$123 list
UA2	Two (2) dual port USB A charging module (requires 2 open ports)	\$243 list
UAC	One (1) USB A + 18 watt USB C charging module (requires 1 open port)	\$123 list
UAC2	Two (2) USB A + 18 watt USB C charging modules (requires 2 open ports)	\$246 list
UC	One (1) 60 watt USB C charging module (requires 2 open ports)	\$263 list

Data Option (Each data jack requires 1 open port)

DA	Cat6 RJ45 data jack w/ 10' patch cord	\$ 78 list
HD	HDMI jack	\$ 88 list
MS	3.5mm mini-stereo audio jack	\$ 25 list
US	USB passive jack	\$ 57 list
VG	VGA jack, 15 pin	\$110 list
VO	Cat3 RJ11 voice jack w/ 7' patch cord	\$ 36 list

Model Example: AXZ-SL2-2-0-GWCA

Ellora IP (Individually Powered)

Anodized aluminum construction and smart design keep cable clutter out of sight.

NOTE ELLORA UNITS ARE NOT RECOMMENDED ON TILTING TABLES

SPECIFICATIONS

- Includes a voice/data adapter kit to accept couplers and jacks when required
- Fits in tops 7" to 1 3/4" thick
- Requires cutout in worksurface



Tables specified with linked units require table link. The table link will prevent the accidental disconnection of power supply to adjacent tables.

Ellora SL2 (Soft-Wired, Linked)

Smart design keeps cable clutter out of sight by allowing use while the lid is shut.

SPECIFICATIONS

- Includes a voice/data adapter kit to accept couplers and jacks when required
- Fits in tops 3/4" to 1 3/4" thick
- Requires cutout in worksurface
- Maximum of 8 units in sequence
- Interlink iQ 2.0 (not compatible with units sold prior to 2/1/19)



Model	Description	Price
ELL-IP-2-0	Two (2) power and no data	\$530 list
ELL-IP-2-2	Two (2) power and two (2) open ports	\$541 list
ELL-IP-2-4	Two (2) power and four (4) open ports	\$549 list
ELL-IP-2-6	Two (2) power and six (6) open ports	\$559 list
ELL-IP-3-1	Three (3) power and one (1) open port	\$555 list
ELL-IP-3-3	Three (3) power and three (3) open ports	\$565 list
ELL-IP-3-5	Three (3) power and five (5) open ports	\$571 list
ELL-IP-4-0	Four (4) power and no open ports	\$690 list
ELL-IP-4-2	Four (4) power and two (2) open ports	\$699 list
ELL-IP-4-4	Four (4) power and four (4) open ports	\$709 list

Unit Color

AAWT	Silver Anodized Aluminum with White Trim	n/c
SAABT	Silver Anodized Aluminum with Black Trim	n/c
BAABT	Black Anodized Aluminum with Black Trim	\$166 list

Cord Length

72	72" cord length	n/c
120	120" cord length	\$ 16 list

USB Charging Options

U1	One (1) dual port USB charging module (requires 1 open port)	\$123 list
U2	Two (2) dual port USB charging module (requires 2 open ports)	\$243 list

Data Option (Each data jack requires 1 open port)

DA	Cat6 RJ45 data jack w/ 10' patch cord	\$ 78 list
HD	HDMI jack	\$ 88 list
MS	3.5mm mini-stereo audio jack	\$ 25 list
US	USB passive jack	\$ 57 list
VG	VGA jack, 15 pin	\$110 list
VO	Cat3 RJ11 voice jack w/ 7' patch cord	\$ 36 list

Model Example: ELL-IP-4-4-SAABT-72-U1-DA-DA-HD

Model	Description	Price
ELL-SL2-2-0	Two (2) power and no data	\$541 list
ELL-SL2-2-2	Two (2) power and two (2) open ports	\$555 list
ELL-SL2-2-4	Two (2) power and four (4) open ports	\$578 list
ELL-SL2-2-6	Two (2) power and six (6) open ports	\$602 list
ELL-SL2-3-1	Three (3) power and one (1) open port	\$571 list
ELL-SL2-3-3	Three (3) power and three (3) open ports	\$574 list
ELL-SL2-3-5	Three (3) power and five (5) open ports	\$599 list

NOTE SOFT-WIRED, LINKED UNITS CAN HAVE A MAXIMUM OF 3 POWER OUTLETS AND ONE SERIAL PORT USING CHARGING MODULE PER UNIT.

Unit Color

SAAWT	Silver Anodized Aluminum with White Trim	n/c
SAABT	Silver Anodized Aluminum with Black Trim	n/c
BAABT	Black Anodized Aluminum with Black Trim	\$166 list

Power Infeed

BP2-72	72" cord length	\$461 list
BPS2-120	120" cord length	\$477 list
BPS2-180	180" cord length	\$504 list

NOTE 8 UNITS PER 1 BPS.

Jumper

BEJ2	Standard jumper included with tables up to and including 60". BEJ2 jumper required for tables greater than 60".	\$121 list
------	---	------------

USB Charging Options

U1	One (1) dual port USB charging module (requires 1 open port)	\$123 list
U2	Two (2) dual port USB charging module (requires 2 open ports)	\$243 list

Data Option (Each data jack requires 1 open port)

DA	Cat6 RJ45 data jack w/ 10' patch cord	\$ 78 list
HD	HDMI jack	\$ 88 list
MS	3.5mm mini-stereo audio jack	\$ 25 list
US	USB passive jack	\$ 57 list
VG	VGA jack, 15 pin	\$110 list
VO	Cat3 RJ11 voice jack w/ 7' patch cord	\$ 36 list

Model Example: ELL-SL2-2-0-SAABT

SEE GSA 08S POWER AND DATA PRICE LIST

Mho IP (Individually Powered)

Retractable and durably constructed. Highly functional with a fluid, one touch door that remains open during use.



Tables specified with linked units require table link. The table link will prevent the accidental disconnection of power supply to adjacent tables.

SPECIFICATIONS

- Fluid, one touch accessibility
- Includes a voice/data adapter kit to accept couplers and jacks when required
- Fits on tops 3/4" to 1 3/4" thick

Model	Description	Price
MHO-IP-2-0	Two (2) power and no data	\$471 list
MHO-IP-2-2	Two (2) power and two (2) open ports	\$472 list
MHO-IP-2-4	Two (2) power and four (4) open ports	\$473 list
MHO-IP-2-6	Two (2) power and six (6) open ports	\$474 list
MHO-IP-3-1	Three (3) power and one (1) open port	\$530 list
MHO-IP-3-3	Three (3) power and three (3) open ports	\$542 list
MHO-IP-3-5	Three (3) power and five (5) open ports	\$551 list
MHO-IP-4-0	Four (4) power and no open ports	\$591 list
MHO-IP-4-2	Four (4) power and two (2) open ports	\$611 list
MHO-IP-4-4	Four (4) power and four (4) open ports	\$631 list

Unit Color

SAABT	Silver Anodized Aluminum with Black Trim	n/c
SAAWT	Silver Anodized Aluminum with White Trim	n/c
SAA	Silver Anodized Aluminum	n/c
BAA	Black Anodized Aluminum	\$166 list

Cord Length

72	72" cord length	n/c
120	120" cord length	\$ 16 list

USB Charging Options

U1	One (1) dual port USB charging module (requires 1 open port)	\$123 list
U2	Two (2) dual port USB charging module (requires 2 open ports)	\$243 list

Data Option (Each data jack requires 1 open port)

DA	Cat6 RJ45 data jack w/ 10' patch cord	\$ 78 list
HD	HDMI jack	\$ 88 list
MS	3.5mm mini-stereo audio jack	\$ 25 list
US	USB passive jack	\$ 57 list
VG	VGA jack, 15 pin	\$110 list
VO	Cat3 RJ11 voice jack w/ 7' patch cord	\$ 36 list

Model Example: MHO-IP-3-3-SAABT-72-U1-DA-DA

Mho SL2 (Soft-Wired, Linked)

Retractable and durably constructed. Highly functional with a fluid, one touch door that remains open during use.



SPECIFICATIONS

- Fluid, one touch accessibility
- Includes a voice/data adapter kit to accept couplers and jacks when required
- Fits on tops 3/4" to 1 3/4" thick
- Maximum of 8 units in sequence
- Interlink iQ 2.0 (not compatible with units sold prior to 2/1/19)

Model	Description	Price
MHO-SL2-2-0	Two (2) power and no data	\$471 list
MHO-SL2-2-2	Two (2) power and two (2) open ports	\$479 list
MHO-SL2-2-4	Two (2) power and four (4) open ports	\$491 list
MHO-SL2-2-6	Two (2) power and six (6) open ports	\$498 list
MHO-SL2-3-1	Three (3) power and one (1) open port	\$551 list
MHO-SL2-3-3	Three (3) power and three (3) open ports	\$560 list
MHO-SL2-3-5	Three (3) power and five (5) open ports	\$570 list

NOTE: SOFT-WIRED, LINKED UNITS CAN HAVE A MAXIMUM OF 3 POWER OUTLETS AND 1 DUAL PORT USB CHARGING MODULE PER UNIT.

Unit Color

SAABT	Silver Anodized Aluminum with Black Trim	n/c
SAAWT	Silver Anodized Aluminum with White Trim	n/c
SAA	Silver Anodized Aluminum	n/c
BAA	Black Anodized Aluminum	\$166 list

Power Feed

BPS2-72	72" cord length	\$461 list
BPS2-120	120" cord length	\$477 list
BPS2-180	180" cord length	\$504 list

NOTE: 8 UNITS PER 1 BPS.

Jumper

BEJ2	Standard jumper included with tables up to and including 60". BEJ2 jumper required for tables greater than 60".	\$121 list
------	---	------------

USB Charging Options

U1	One (1) dual port USB charging module (requires 1 open port)	\$123 list
U2	Two (2) dual port USB charging module (requires 2 open ports)	\$243 list

Data Option (Each data jack requires 1 open port)

DA	Cat6 RJ45 data jack w/ 10' patch cord	\$ 78 list
HD	HDMI jack	\$ 88 list
MS	3.5mm mini-stereo audio jack	\$ 25 list
US	USB passive jack	\$ 57 list
VG	VGA jack, 15 pin	\$110 list
VO	Cat3 RJ11 voice jack w/ 7' patch cord	\$ 36 list

Model Example: MHO-SL2-2-0-SAAWT

SEE GSA 08S POWER AND DATA PRICE LIST

All Ashley soft-wired linking systems require an [HNPU](#) power supply unit per each sequence. Specify code HNPU, \$365.00 list each.

- 72" cord length
- 15 amp circuit
- standard grounded plug
- surge protection



Ashley Duo Over

Sharp, clean design features smooth receptacle faces, sleek satin metal trim, and optional ports for extensive power and data delivery.

Model	Description	Price
ADO-IP	Two (2) power, one (1) dual port USB charging, individually powered, soft-wired	\$438 list
ADO-HW	Two (2) power, one (1) dual port USB charging, individually powered, hard-wired	\$495 list
ADO-SL	Two (2) power, one (1) dual port USB charging, soft-wired linking (includes jumper)	\$515 list

Unit Color

BB	Black with Black Mounting Bracket	n/c
WS	White with Silver Mounting Bracket	n/c
WW	White with White Mounting Bracket	n/c

Cord Length (Individually powered units only)

72	72" cord length	n/c
120	120" cord length	\$ 16 list

Ashley Trio Over

Sharp, clean design features smooth receptacle faces, sleek satin metal trim, and optional ports for extensive power and data delivery.

Model	Description	Price
ATO-IP	Three (3) power, one (1) dual port USB charging, individually powered, soft-wired	\$511 list
ATO-HW	Three (3) power, one (1) dual port USB charging, individually powered, hard-wired	\$522 list
ATO-SL	Three (3) power, one (1) dual port USB charging, soft-wired linking (includes jumper)	\$615 list

Unit Color

BB	Black with Black Mounting Bracket	n/c
WS	White with Silver Mounting Bracket	n/c
WW	White with White Mounting Bracket	n/c

Cord Length (Individually powered units only)

72	72" cord length	n/c
120	120" cord length	\$ 16 list

Ashley Duo Under

Sharp, clean design features smooth receptacle faces, sleek satin metal trim, and optional ports for extensive power and data delivery.

Model	Description	Price
ADU-IP	Two (2) power, one (1) dual port USB charging, individually powered, soft-wired	\$388 list
ADU-HW	Two (2) power, one (1) dual port USB charging, individually powered, hard-wired	\$445 list
ADU-SL	Two (2) power, one (1) dual port USB charging, soft-wired linking (includes jumper)	\$560 list

Unit Color

BB	Black with Black Mounting Bracket	n/c
WS	White with Silver Mounting Bracket	n/c
WW	White with White Mounting Bracket	n/c

Cord Length (Individually powered units only)

72	72" cord length	n/c
120	120" cord length	\$ 16 list

Ashley Trio Under

Sharp, clean design features smooth receptacle faces, sleek satin metal trim, and optional ports for extensive power and data delivery.

Model	Description	Price
ATU-IP	Three (3) power, one (1) dual port USB charging, individually powered, soft-wired	\$456 list
ATU-HW	Three (3) power, one (1) dual port USB charging, individually powered, hard-wired	\$491 list
ATU-SL	Three (3) power, one (1) dual port USB charging, soft-wired linking (includes jumper)	\$560 list

Unit Color

BB	Black with Black Mounting Bracket	n/c
WS	White with Silver Mounting Bracket	n/c
WW	White with White Mounting Bracket	n/c

Cord Length (Individually powered units only)

72	72" cord length	n/c
120	120" cord length	\$ 16 list

Tables specified with linked units require table link. The table link will prevent the accidental disconnection of power supply to adjacent tables.

Tables specified with linked units require table link. The table link will prevent the accidental disconnection of power supply to adjacent tables.

Tables specified with linked units require table link. The table link will prevent the accidental disconnection of power supply to adjacent tables.

Tables specified with linked units require table link. The table link will prevent the accidental disconnection of power supply to adjacent tables.

SEE GSA 08S
POWER AND
DATA PRICE
LIST

VERSTEEL

CPU Holder
\$192 / each

Specify code **ACPU3-9F** (CPU Holder), add \$192.00 list each

SPECIFICATIONS

- Width adjustment from 2 1/2" to 9"
- Height adjustment from 10" to 21 1/2"

NOTE TABLE TOP WILL BE PRE-DRILLED FOR FIELD INSTALLATION



CPU Holder
\$126 / each

Specify code **ACPU3-8F** (CPU Holder), add \$126.00 list each

SPECIFICATIONS

- Adjusts from 5" to 8"



CPU Holder (Slim Line)
\$126 / each

Specify code **ACPU3F** (CPU Holder), add \$126.00 list each

SPECIFICATIONS

- Adjusts from 3" to 6"

Keyboard Platform with Mouse Surface
\$618 / each

Specify code **AK127M** (Keyboard Platform with Mouse Surface), add \$618.00 list each

SPECIFICATIONS

- Low profile design
- 7" height adjustment with single lever control for height and tilt features
- 25° adjustable tilt feature
- 360° rotation
- Ergonomic wrist rest
- 8" mouse surface with pad installed right or left of keyboard
- Meets BIFMA standards

NOTE TABLE TOP WILL BE PRE-DRILLED FOR FIELD INSTALLATION



Data Jacks
\$73 / set of 2

Specify code **AHDDJ** (Two Data Jacks), add \$73.00 list for set of 2

SPECIFICATIONS

- Data/data access plate with two jacks
- Two (2) CAT6 data jacks
- The mounting plate snaps into the Henri unit

NOTE CONTACT VERSTEEL CUSTOMER SERVICE FOR AVAILABILITY OF ALTERNATE JACKS



Voice and Data Jacks
\$63 / set of 2

Specify code **AHVDJ** (Voice and Data Jacks), add \$63.00 list for set of 2

SPECIFICATIONS

- Voice/data access plate with two jacks
- One (1) CAT3 voice jack
- One (1) CAT6 data jack
- The mounting plate snaps into the Henri unit

NOTE CONTACT VERSTEEL CUSTOMER SERVICE FOR AVAILABILITY OF ALTERNATE JACKS



Quick Connect
\$157 / each

Specify code **AHQCVDJ** (Quick Connect System), add \$157.00 per unit

This option provides a pre-wired, quick connection for hooking up tables to standard RJ45 patch cables. The standard option includes two CAT3 voice jacks and two CAT6 data jacks which are pre-wired and terminated on the bottom side of the table top in a surface-mount box. To connect the table to existing voice/data lines, the user simply plugs a standard RJ45 patch cable into the surface mount box under the table.



SPECIFICATIONS

- Voice/data access plate with two (2) jacks
- The mounting plate snaps into the Henri unit
- Surface-mount box with two jacks

NOTE CONTACT VERSTEEL CUSTOMER SERVICE FOR AVAILABILITY OF ALTERNATE JACKS

Quick Connect
\$180 / each

Specify code **AHLDVJ** (Quick Connect System), add \$180.00 per unit

This option provides pre-wired quick connection for hooking up tables to standard RJ45 patch cables. The standard option includes two CAT6 data jacks which are pre-wired and terminated on the bottom side of the table top in a surface-mount box. To connect the table to existing data lines, the user simply plugs a standard RJ45 patch cable into the surface-mount box under the table.

SPECIFICATIONS

- Data access plate with two (2) jacks
- The mounting plate snaps into the Henri unit
- Surface-mount box with two (2) jacks

NOTE CONTACT VERSTEEL CUSTOMER SERVICE FOR AVAILABILITY OF ALTERNATE JACKS

Couplers

Data Couplers - Specify code **DD**, add \$97.00 list each

Voice Couplers - Specify code **VV**, add \$73.00 list each

Installed directly in the power/data unit, couplers are "female" jacks that allow units to be connected to a data wall plate with a standard data patch cable (with "male" jacks on each end). This is a convenient option for tables that will be moved frequently.



Available on all power/data units, excluding Henri and Henri Now (Henri Quick Connect provides the same functionality as a data coupler for Henri and Henri Now).

Round Grommet - \$61 / each

Specify code **WR_** (Round Grommet - Location _),
add \$61.00 list per grommet

SPECIFICATIONS

- 3" diameter
- 2 1/4" inside dimension
- 2-piece black insert
- factory installed in specified location

**1 Grommet - Location A**

Round Grommet - Specify code **WRA**,
add \$61.00 list per table



Oval Brush Grommet - Specify code **WOA**,
add \$78.00 list per table

1 grommet is factory installed in the front center location of the top.

1 Grommet - Location B

Round Grommet - Specify code **WRB**,
add \$61.00 list per table



Oval Brush Grommet - Specify code **WOB**,
add \$78.00 list per table

1 grommet is factory installed in the front left corner location of the top.

1 Grommet - Location C

Round Grommet - Specify code **WRC**,
add \$61.00 list per table



Oval Brush Grommet - Specify code **WOC**,
add \$78.00 list per table

1 grommet is factory installed in the front right corner location of the top.

2 Grommets - Location D

Round Grommet - Specify code **WRD**,
add \$122.00 list per table



Oval Brush Grommet - Specify code **WOD**,
add \$156.00 list per table

2 grommets are factory installed in the front center locations of the top.

2 Grommets - Location E

Round Grommet - Specify code **WRE**,
add \$122.00 list per table



Oval Brush Grommet - Specify code **WOE**,
add \$156.00 list per table

2 grommets are factory installed in the front corner locations of the top.

Oval Brush Grommet - \$78 / each

Specify code **WO_** (Oval Brush Grommet - Location _),
add \$78.00 list per grommet

SPECIFICATIONS

- 3" x 7 1/2" oval
- black brush insert cord access
- 1 1/2" x 4" inside dimension
- factory installed in specified location

**1 Grommet - Location F**

Round Grommet - Specify code **WRF**,
add \$61.00 list per table



Oval Brush Grommet - Specify code **WOF**,
add \$78.00 list per table

1 oval brush grommet is factory installed running widthwise in the center location of the top.

2 Grommets - Location H

Round Grommet - Specify code **WRH**,
add \$122.00 list per table



Oval Brush Grommet - Specify code **WOH**,
add \$156.00 list per table

2 grommets are factory installed in a predetermined centerline location of the top.

1 Grommet - Location K

Round Grommet - Specify code **WRK**,
add \$61.00 list per table



Oval Brush Grommet - Specify code **WOK**,
add \$78.00 list per table

1 grommet is factory installed running lengthwise in the center location of the top.

1 Grommet - Location R

Round Grommet - Specify code **WRR**,
add \$61.00 list per table

Oval Brush Grommet - Specify code **WOR**,
add \$78.00 list per table

1 grommet is factory installed in a predetermined position in the top.

**1 Grommet - Provide Location Print**

Round Grommet - Specify code **WRG**,
add \$61.00 list per table

Oval Brush Grommet - Specify code **WOG**,
add \$78.00 list per table

1 oval brush grommet is factory installed in the top location based on specifier's print.



Cable Coil™
Standard / No Charge

AVAILABLE ON
INTERPLAY

Specify code not applicable, standard / no charge per coil
The Cable Coil conducts wires from the underside of the top to the power and data source. It is attached to the undersurface of the top and hooks under the base ring. Finish is the same as the frame or base finish.

Cable Hook Legway
\$96 / set of 2

AVAILABLE ON
BRATTICE
PERFORMANCE
WAVELINK

Specify code **WCK** (Cable Hook Legway), add \$96.00 list per table
Cable Hook Legways are translucent plastic and slide up the leg from the bottom. Clips are located on the outside of the hook to carry the wires from the underside of the table top to the power and data source, while maintaining visibility of the wires.



NOTE CABLE HOOK LEGWAY (WCK) MAY BE SPECIFIED WITH ANY BASE USING A 2" DIAMETER ROUND COLUMN

Cable Hook Legway
\$96 / set of 2

AVAILABLE ON
TIM

Specify code **WCH** (Cable Hook Legway), add \$96.00 list per table
Cable Hook Legways are translucent plastic and slide up the leg from the bottom. Clips are located on the outside of the hook to carry the wires from the underside of the table top to the power and data source, while maintaining visibility of the wires.



NOTE CABLE HOOK LEGWAY (WCH) MAY BE SPECIFIED WITH ANY BASE USING A 1 1/2" DIAMETER ROUND COLUMN

Canvas Legway
\$80 / legway

AVAILABLE ON
BRATTICE
PERFORMANCE
TUSCANY
UNO®
VELA
WAVELINK

Specify code **WCL** (Canvas Legway), add \$80.00 list per legway
Canvas Legways conduct wires from the underside of the top to the power and data source near the floor.



SPECIFICATIONS

- Black cloth material
- 1" inside diameter
- Self-adhesive backing
- Upper and lower dual lock closure safety straps secure multiple wire bundles

NOTE CANVAS LEGWAY CAN BE INSTALLED ON ALL TABLE TYPES, INCLUDING FOLDING BASE TABLES

Plastic Legway
\$63 / legway

AVAILABLE ON
BRATTICE
PERFORMANCE
TUSCANY
VELA
WAVELINK

Specify code **WRL** (Plastic Legway), add \$63.00 list per legway
Plastic Legways conduct wires from the underside of the top to the power and data source near the floor.



SPECIFICATIONS

- Black extruded rigid PVC plastic
- 3/8" x 1" inside dimension on each of two (2) raceways
- Snaps on and off for storage

NOTE PLASTIC LEGWAY MAY BE SPECIFIED WITH ANY BASE USING A 2" DIAMETER ROUND COLUMN

Wire Mesh Legway
\$166 / pair

AVAILABLE ON
VELA

Specify code **WML** (Wire Mesh Legway), required finish selection ____, add \$166.00 list per pair
Plastic channel with wire mesh insert routes cords and cables from underside of top to a power and data source near the floor. Legway snaps into T1 and TC bases and is shipped installed.



SPECIFICATIONS

- Black 1/16" thick extruded rigid PVC plastic
- 2 channels, 3/8" x 1 3/4" inside diameter
- Snaps on and off for storage

Wire Mesh X4 Insert
\$99 / each

AVAILABLE ON
VELA

Specify code **WMX** (Wire Mesh X4 Insert), required finish selection ____, add \$99.00 list each
Wire Mesh X4 Insert routes cords and cables from underside of top to a power and data source near the floor. Insert drops into position on X4 bases and is shipped installed.



SPECIFICATIONS

- 22 gauge wire mesh
- 3 1/8" inside diameter
- Insert can only be removed by separating base and top

Wire Mesh Y3 Insert
\$166 / pair

AVAILABLE ON
VELA

Specify code **WMY** (Wire Mesh Y3 Insert), required finish selection ____, add \$166.00 list per pair
Wire Mesh Y3 Insert routes cords and cables from underside of top to a power and data source near the floor. Insert drops into position on Y3 bases and is shipped installed.



SPECIFICATIONS

- 22 gauge wire mesh
- 3 1/8" inside diameter
- Insert can only be removed by separating base and top

Wire Mesh T3 Insert
\$99 / each

Specify code **WMT** (Wire Mesh T3 Insert), required finish selection ____, add \$99.00 list each
Wire Mesh T3 Insert routes cords and cables from underside of top to a power and data source near the floor. Insert is riveted into position on T3 bases and is shipped installed.

SPECIFICATIONS

- 22 gauge wire mesh
- 3 1/8" inside diameter
- Insert is riveted to the column and cannot be easily removed



Manufacturer certifies that products meet applicable Underwriter's Laboratory and Intertek standards and testing.

Basket - Modesty Mount \$78 / basket

AVAILABLE ON
BRATTICE
PERFORMANCE
VELA

Specify code **WBM** (Basket - Modesty Mount), add \$78.00 list per basket

The modesty mount basket is J-shaped, made of form resistance welded wire and powder coated black. Inside dimensions are 2 1/2" x 2 1/2". Other options specified on the table dictate the length of the basket. Maximum length is 18". The wire basket can be located on the backside of the modesty panel.



Base Wire Access \$25 / access

AVAILABLE ON
BRATTICE
PERFORMANCE

Specify code **BWA** (Base Wire Access), add \$25.00 list per access

The wire management access is available on fixed and tilting tables, 36 x 72 or smaller. Any table over 72" long must have 3 bases (either the two outer bases or only the middle base can be specified with the wire management access. T1 and X1 bases only.

NOTE NOT AVAILABLE ON TABLES WITH ADJUSTABLE PIN HEIGHT, PNEUMATIC ADJUSTABLE HEIGHT, OR MOTORIZED ADJUSTABLE HEIGHT BASES.

Basket - Under Top Mount \$78 / basket

AVAILABLE ON
BRATTICE
ELEMENTS CONFERENCE
PERFORMANCE
VELA
WAVELINK

Specify code **WBT** (Basket - Under Top Mount), add \$78.00 list per basket

The under top mount basket is J-shaped, made of form resistance welded wire and powder coated black. Inside dimensions are 2 1/2" x 2 1/2". Other options specified on the table dictate the length of the basket. Maximum length is 18".



Canvas - Under Top Mount \$185 / manager

AVAILABLE ON
TIM

Specify code **WCT** (Canvas - Under Top Mount), add \$185.00 list per table

The Under Top Mount Canvas wire manager is made of black canvas, with snap attachment to the underside of the table. The snap studs are installed to the underside of the table top on the approach side, when specified as a table option. The table tops are pre-drilled for field installation of the snap studs if the option is selected at a later date. The canvas wire manager runs the length of the table to channel wires from end to end. Excess cords from table top can be dropped into the front edge of the wire manager.



Plastic Runner - Under Top Mount \$133 / runner

AVAILABLE ON
BRATTICE
PERFORMANCE
VELA
WAVELINK

Specify code **WRT** (Plastic Runner - Under Top Mount), add \$133.00 list per runner

The under top mount plastic runner is a J-shaped channel made of black PVC. Inside dimension is 1 1/8". Lengths coordinate with tables up to 96". The plastic runner mounts under the top, at the front edge (approach side) of the table.



Henri Now linking systems require an **HNPU** power supply unit per each sequence. Specify code HNPU, \$365.00 list each.

- 72" cord length
- 15 amp circuit
- standard grounded plug
- surge protection




Eliga Power - \$397 / unit

Specify code **EG_** (Eliga Power - Location_),
add \$397.00 list per Eliga Power unit

The Eliga Power unit is factory installed and mounted in the frame of the Eliga sliding table and not in the table top.

SPECIFICATIONS

- One 10' cord, one 15 amp circuit,
standard grounded plug
- Surge protection
- Two electrical outlets per unit



1 Eliga Power \$397 / table

Specify code **EG1** (1 Eliga Power unit),
add \$397.00 list per table

One Eliga Power electrical unit is factory installed.

2 Eliga Power \$794 / table

Specify code **EG2** (2 Eliga Power unit),
add \$794.00 list per table

Two Eliga Power electrical units are factory installed.

The following are general guidelines only. Always refer to local codes for restrictions and requirements.

Essential Information

Like space planning with room configurations, we often receive requests to create power and data needs that one would assume are very easy. Below are some common questions that will help to define your needs and in turn will enable us to help you specify your tables.

Which Solution Best Fits Your Needs

Ask yourself some basic questions to help define your specific needs.

Is storage an issue? Some tables may be folded or tilted with certain power and data sources in position, while others may require that the power and data source be removed for these functions. Make sure you consider the space that you will need to store all the parts of your configurations.

Will you be moving your tables? If your tables are going to be utilized in varied locations, you will want to ensure that you can easily disconnect and reconnect your power and data. Table Link - Ends Only is included with Henri and Powerlink electrical package options to prevent the accidental disconnection of power supply to adjacent tables.

How will your tables be used? Power and data choice may depend upon whether your tables will be task-specific or multipurpose. A single use may have different requirements than a multi-use configuration. Remember to consider the need for wire management and modesty panels also.

Will your needs be changing? You don't always know what your specific needs will be in the future, but you may want the ability to add power and data at a later date.

Where is the power and data source for the room? Before any power and data is specified for a table, it is important to know where the power will be coming from in your room. If you are plugging into existing outlets then the power feed for the table must be within six feet (6') of the outlet.

Have you calculated the power load? Power loads are measured in amps (abbreviated form of amperes). Your circuits will only handle so many amps so you need to know what you can safely plug in without causing an overload situation. Use the worksheet on the next page for a general idea.

Selecting Your Power and Data Options

Select the best power and data option based on your particular need and application.



Henri

- ↪ pop-up feature is cool
- ↪ when not in use, there is nothing to obstruct the use of the table surface
- ↪ when popped-up, provides immediate access for laptop computers
- ↪ surface access for conference tables
- ↪ safe and easy to operate
- ↪ easy to set up and take down with tables
- ↪ voice and data connections built in
- ↪ plugs into a standard 15 amp grounded outlet plug



Powerlink Single Circuit

- ↪ choice of locations
 - above surface, great for laptops
 - below surface facing out for semi-permanent computer applications (not available on some models)
 - below surface facing user with grommets for permanent computer applications (not available on some models)
- ↪ all the above can be changed without tools
- ↪ move power and data from table to table in different locations
- ↪ remove Powerlink and seat people on both sides of the table without interference
- ↪ integrated cable storage eliminates need for wire baskets or managers
- ↪ add Powerlink to Versteel tables in the future
- ↪ electrical sequencing direction can be changed by flipping internal power bars
- ↪ safe and easy to operate
- ↪ voice and data connections built in
- ↪ plugs into standard 15 amp grounded outlet plug

Alternate Power & Data Units

Alternate UL listed power and data units from other companies can be installed in Versteel tables. To ensure a proper fit in the top, supplier name, exact model number and cut-out template information must be provided with purchase order. When using power and data units from alternate sources, the table will not be UL listed.

The following are general guidelines only. Always refer to local codes for restrictions and requirements.

Amp Load Worksheet

Use this worksheet to get an approximate value of the amps you will be using. If there is any risk that the circuits may not be able to carry the load, contact a qualified electrician. Also, always consult any local codes or restrictions concerning power.

Worksheet

EQUIPMENT	QUANTITY	AMP LOAD
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

TOTAL _____

(National Electrical Code recommends less than or equal to 12 amps per power infeed)

See page 24 for examples on the sample order form.



Manufacturer certifies that products meet applicable Underwriter's Laboratory and Intertek standards and testing.

Wiring of voice and data jacks is the sole responsibility of the customer



Technical Specifications

Henri provides pop-up power and voice and data access. A built-in opening is provided for cables to be routed below the surface while up. Henri for linked table groups are powered from a single 9' cord, 15 amp standard grounded outlet plug with a circuit breaker and power surge protector. Voice and data plates can be ordered with one (1) high speed voice CAT3 and one (1) data CAT6 hardwire jacks as standard. LED light indicates when power is on. Optional data plates can be specified to accommodate other voice and data suppliers, contact Versteel Customer Service for details prior to order placement.

UL Listing requires the limitation of eight (8) Henri units (two plugs per Henri) on a single plug power entry.

Based on the National Electrical Code, it is not recommended to exceed a 12 amp equipment load per power infeed. See chart with amp load worksheet on page 57.

Each Henri is shipped installed in the table top and includes all necessary cables and cord mounting clips in order to complete the electrical installation. Henri is not retrofittable. However, if a brush grommet has been previously installed in your table, then it is possible to insert a Henri at a future date.

Henri Planning and Locations

Provide a sketch of your table configuration indicating the power/data sources in the room and Versteel Customer Service will verify or help you specify the power/data solution that will best suit your needs.

Common table configurations with standard power and data locations may be found in the electrical planning section on pages 56-71.

CONSIDER

How many Henri units in each table?


Where are the power and data sources in the room?

Are the tables within a six foot (6') radius of the power sources?

What are the expected table configurations of the room?

Linking Examples

Location A H60A4R16
(4) 60" Tables, Linked,
(1) Henri per table,
Right Power



Location D H60D3R16
(3) 60" Tables, Linked,
(2) Henri per table,
Right Power



Location E H60D3R16
(3) 60" Tables, Linked,
(2) Henri per table,
Right Power



Location	Description	Model #
Locations A	(1) 42" Table, Right Power	H42A1R16
	(2) 42" Tables, Linked, Right Power	H42A2R16
	(3) 42" Tables, Linked, Right Power	H42A3R16
	(4) 42" Tables, Linked, Right Power	H42A4R16
	(5) 42" Tables, Linked, Right Power	H42A5R16
	(6) 42" Tables, Linked, Right Power	H42A6R16
	(7) 42" Tables, Linked, Right Power	H42A7R16
	(8) 42" Tables, Linked, Right Power	H42A8R16
Locations A	(1) 42" Table, Left Power	H42A1L16
	(2) 42" Tables, Linked, Left Power	H42A2L16
	(3) 42" Tables, Linked, Left Power	H42A3L16
	(4) 42" Tables, Linked, Left Power	H42A4L16
	(5) 42" Tables, Linked, Left Power	H42A5L16
	(6) 42" Tables, Linked, Left Power	H42A6L16
	(7) 42" Tables, Linked, Left Power	H42A7L16
	(8) 42" Tables, Linked, Left Power	H42A8L16
Locations A	(1) 48" Table, Right Power	H48A1R16
	(2) 48" Tables, Linked, Right Power	H48A2R16
	(3) 48" Tables, Linked, Right Power	H48A3R16
	(4) 48" Tables, Linked, Right Power	H48A4R16
	(5) 48" Tables, Linked, Right Power	H48A5R16
	(6) 48" Tables, Linked, Right Power	H48A6R16
	(7) 48" Tables, Linked, Right Power	H48A7R16
	(8) 48" Tables, Linked, Right Power	H48A8R16
Locations A	(1) 48" Table, Left Power	H48A1L16
	(2) 48" Tables, Linked, Left Power	H48A2L16
	(3) 48" Tables, Linked, Left Power	H48A3L16
	(4) 48" Tables, Linked, Left Power	H48A4L16
	(5) 48" Tables, Linked, Left Power	H48A5L16
	(6) 48" Tables, Linked, Left Power	H48A6L16
	(7) 48" Tables, Linked, Left Power	H48A7L16
	(8) 48" Tables, Linked, Left Power	H48A8L16
Locations A	(1) 60" Table, Right Power	H60A1R16
	(2) 60" Tables, Linked, Right Power	H60A2R16
	(3) 60" Tables, Linked, Right Power	H60A3R16
	(4) 60" Tables, Linked, Right Power	H60A4R16
	(5) 60" Tables, Linked, Right Power	H60A5R16
	(6) 60" Tables, Linked, Right Power	H60A6R16
	(7) 60" Tables, Linked, Right Power	H60A7R16
	(8) 60" Tables, Linked, Right Power	H60A8R16




Location A H60A4L16, (4) 60" Tables, Linked, Left Power

H	60	A	4	L16
Henri	Table Length	Locations in Table	Number of Tables in Sequence	Direction of Power Entry

A **H60A4L16** is a Henri sequence with four (4) 60" tables and the Henri units in Position A. Power enters from the user's left.

Location	Description	Model #
Locations A	(1) 60" Table, Left Power	H60A1L16
	(2) 60" Tables, Linked, Left Power	H60A2L16
	(3) 60" Tables, Linked, Left Power	H60A3L16
	(4) 60" Tables, Linked, Left Power	H60A4L16
	(5) 60" Tables, Linked, Left Power	H60A5L16
	(6) 60" Tables, Linked, Left Power	H60A6L16
	(7) 60" Tables, Linked, Left Power	H60A7L16
	(8) 60" Tables, Linked, Left Power	H60A8L16
Locations D	(1) 60" Table, Right Power	H60D1R16
	(2) 60" Tables, Linked, Right Power	H60D2R16
	(3) 60" Tables, Linked, Right Power	H60D3R16
	(4) 60" Tables, Linked, Right Power	H60D4R16
Locations D	(1) 60" Table, Left Power	H60D1L16
	(2) 60" Tables, Linked, Left Power	H60D2L16
	(3) 60" Tables, Linked, Left Power	H60D3L16
	(4) 60" Tables, Linked, Left Power	H60D4L16
Locations D	(1) 72" Table, Right Power	H72D1R16
	(2) 72" Tables, Linked, Right Power	H72D2R16
	(3) 72" Tables, Linked, Right Power	H72D3R16
	(4) 72" Tables, Linked, Right Power	H72D4R16
Locations D	(1) 72" Table, Left Power	H72D1L16
	(2) 72" Tables, Linked, Left Power	H72D2L16
	(3) 72" Tables, Linked, Left Power	H72D3L16
	(4) 72" Tables, Linked, Left Power	H72D4L16
Locations E	(1) 60" Table, Right Power	H60E1R16
	(2) 60" Tables, Linked, Right Power	H60E2R16
	(3) 60" Tables, Linked, Right Power	H60E3R16
	(4) 60" Tables, Linked, Right Power	H60E4R16
Locations E	(1) 60" Table, Left Power	H60E1L16
	(2) 60" Tables, Linked, Left Power	H60E2L16
	(3) 60" Tables, Linked, Left Power	H60E3L16
	(4) 60" Tables, Linked, Left Power	H60E4L16
Locations E	(1) 72" Table, Right Power	H72E1R16
	(2) 72" Tables, Linked, Right Power	H72E2R16
	(3) 72" Tables, Linked, Right Power	H72E3R16
	(4) 72" Tables, Linked, Right Power	H72E4R16


Location	Description	Model #	
Locations E	(1) 72" Table, Left Power	H72E1L16	
	(2) 72" Tables, Linked, Left Power	H72E2L16	
	(3) 72" Tables, Linked, Left Power	H72E3L16	
	(4) 72" Tables, Linked, Left Power	H72E4L16	
Locations E	(1) 84" Table, Right Power	H84E1R16	
	(2) 84" Tables, Linked, Right Power	H84E2R16	
	(3) 84" Tables, Linked, Right Power	H84E3R16	
	(4) 84" Tables, Linked, Right Power	H84E4R16	
Locations E	(1) 84" Table, Left Power	H84E1L16	
	(2) 84" Tables, Linked, Left Power	H84E2L16	
	(3) 84" Tables, Linked, Left Power	H84E3L16	
	(4) 84" Tables, Linked, Left Power	H84E4L16	
Locations E	(1) 96" Table, Right Power	H96E1R16	
	(2) 96" Tables, Linked, Right Power	H96E2R16	
	(3) 96" Tables, Linked, Right Power	H96E3R16	
	(4) 96" Tables, Linked, Right Power	H96E4R16	
Locations E	(1) 96" Table, Left Power	H96E1L16	
	(2) 96" Tables, Linked, Left Power	H96E2L16	
	(3) 96" Tables, Linked, Left Power	H96E3L16	
	(4) 96" Tables, Linked, Left Power	H96E4L16	
Locations F	For TIM Meeting Only		
	(1) 72" Table, Right Power	H72F1R16	
	(1) 84" Table, Right Power	H84F1R16	
Locations F	(1) 96" Table, Right Power	H96F1R16	
	Locations F	(1) 72" Table, Left Power	H72F1L16
		(1) 84" Table, Left Power	H84F1L16
(1) 96" Table, Left Power		H96F1L16	
Locations H	(1) 72" Table, Right Power	H72H1R16	
	(1) 84" Table, Right Power	H84H1R16	
	(1) 96" Table, Right Power	H96H1R16	
Locations H	(1) 72" Table, Left Power	H72H1L16	
	(1) 84" Table, Left Power	H84H1L16	
	(1) 96" Table, Left Power	H96H1L16	



Location **D** H60D3L16, (3) 60" Tables, Linked, Left Power

H	60	D	3	L16
Henri	Table Length	Locations in Table	Number of Tables in Sequence	Direction of Power Entry

A **H60D3L16** is a Henri sequence with three (3) 60" tables and the Henri units in Position D. Power enters from the user's left.



Location **E** H60E3L16, (3) 60" Tables, Linked, Left Power

H	60	E	3	L16
Henri	Table Length	Locations in Table	Number of Tables in Sequence	Direction of Power Entry

A **H60E3L16** is a Henri sequence with three (3) 60" tables and the Henri units in Position E. Power enters from the user's left.

Custom Location Print

Below are three easy steps for supplying a print that places Power & Data units in a custom location.

Step 1

Indicate where you want your Power & Data units located in the top. Use center lines for marking positions. Versteel will review your location requests to make sure that they do not interfere with base locations and their attachment.

Step 2


Indicate the face of all Power & Data units to determine which way the power outlets, voice jacks and data jacks will be accessed.

Step 3


Indicate where the Power & Data sources are located within the space. The orientation of the table(s) within the space will also help to determine the best possible access point.

It's that simple. Call Versteel Customer Service if you have any questions regarding Power & Data Custom Locations.


Boatshape conference table with four units. Power is located in the center of the table and the units alternate sides facing the users.




Square table with four units. Power is located to the side of the table and the units each face a user.



Two (2) square tables linked with two (2) units each. Power is located to the side of the table and the units face outwards.

**Sample Print**

Special Electrical four (4) units located in one (1) table on the center line of the table with 30" between units.



Wiring of voice and data jacks is the sole responsibility of the customer

Single Circuit Powerlink Technical Specifications
Powerlink provides horizontal power, voice and data access as well as cable management.

Powerlink Single Circuit system allows several tables to be powered from a single 15 amp standard grounded outlet plug which will power up to eight (8) duplex outlets per sequence. Circuit breakers and power surge protectors for single or sequenced Powerlinks are at the infeed.

UL Listing requires the limitation of eight (8) Powerlink 42" and 48" length (two plugs per Powerlink) or four (4) Powerlink 60", 72", 84" and 96" length (4 plugs per Powerlink) on a single plug power entry.

Single Circuit and Powerlink Technical Specifications

Voice and data plates are installed in the Powerlink cover with one (1) high speed voice CAT3 and one (1) data CAT6 hardwire jacks as standard. Data plates can be specified to accommodate other voice and data suppliers, contact Versteel Customer Service for details prior to order placement.

Mounting lever locks are factory installed in the bottom front edge of the table. Powerlink installs without the use of tools, in the above table top facing user, below table top facing out or below table top facing user positions.

Each Powerlink unit includes all necessary hardwire connection or flex conduit jumpers, covers and hardware to complete the electrical installation.

Powerlink may be retrofitted to Versteel Class E tables only. Check your Versteel table product label located on the underside of the table top to determine if your table is Class E.

Based on the National Electrical Code, it is not recommended to exceed a 12 amp equipment load per power infeed. See amp load worksheet on page 57.

Planning and Locations

Provide a sketch of your table configuration indicating the power/data sources in the room and Versteel Customer Service will help you specify the power/data solution that will best suit your needs.

Common table configurations with standard power and data locations may be found in the electrical planning section on pages 56-71. Powerlink will always be top mounted facing user unless specified differently.

CONSIDER
Where are the power and data sources located in the room?

What are the expected table configurations of the room?

Powerlink Single Circuit with power infeed. Face drops to allow easy access to wire management channels and linking connections.



Powerlink with sequencing connection mounted above table top, facing user.




Powerlink mounted below table top, facing out.



Powerlink with sequencing connection mounted below table top, facing user.




Powerlink can be repositioned in any of the above positions by using the Powerlink lever lock. No tools are required



Circuit	Description	Model #
Single	(1) 42" Table, Right Power	P1-42P1R16
	(2) 42" Tables, Linked, Right Power	P1-42P2R16
	(3) 42" Tables, Linked, Right Power	P1-42P3R16
	(4) 42" Tables, Linked, Right Power	P1-42P4R16
	(5) 42" Tables, Linked, Right Power	P1-42P5R16
	(6) 42" Tables, Linked, Right Power	P1-42P6R16
	(7) 42" Tables, Linked, Right Power	P1-42P7R16
	(8) 42" Tables, Linked, Right Power	P1-42P8R16
Single	(1) 42" Table, Left Power	P1-42P1L16
	(2) 42" Tables, Linked, Left Power	P1-42P2L16
	(3) 42" Tables, Linked, Left Power	P1-42P3L16
	(4) 42" Tables, Linked, Left Power	P1-42P4L16
	(5) 42" Tables, Linked, Left Power	P1-42P5L16
	(6) 42" Tables, Linked, Left Power	P1-42P6L16
	(7) 42" Tables, Linked, Left Power	P1-42P7L16
	(8) 42" Tables, Linked, Left Power	P1-42P8L16
Single	(1) 48" Table, Right Power	P1-48P1R16
	(2) 48" Tables, Linked, Right Power	P1-48P2R16
	(3) 48" Tables, Linked, Right Power	P1-48P3R16
	(4) 48" Tables, Linked, Right Power	P1-48P4R16
	(5) 48" Tables, Linked, Right Power	P1-48P5R16
	(6) 48" Tables, Linked, Right Power	P1-48P6R16
	(7) 48" Tables, Linked, Right Power	P1-48P7R16
	(8) 48" Tables, Linked, Right Power	P1-48P8R16
Single	(1) 48" Table, Left Power	P1-48P1L16
	(2) 48" Tables, Linked, Left Power	P1-48P2L16
	(3) 48" Tables, Linked, Left Power	P1-48P3L16
	(4) 48" Tables, Linked, Left Power	P1-48P4L16
	(5) 48" Tables, Linked, Left Power	P1-48P5L16
	(6) 48" Tables, Linked, Left Power	P1-48P6L16
	(7) 48" Tables, Linked, Left Power	P1-48P7L16
	(8) 48" Tables, Linked, Left Power	P1-48P8L16
Single	(1) 60" Table, Right Power	P1-60P1R16
	(2) 60" Tables, Linked, Right Power	P1-60P2R16
	(3) 60" Tables, Linked, Right Power	P1-60P3R16
	(4) 60" Tables, Linked, Right Power	P1-60P4R16

Circuit	Description	Model #
Single	(1) 60" Table, Left Power	P1-60P1L16
	(2) 60" Tables, Linked, Left Power	P1-60P2L16
	(3) 60" Tables, Linked, Left Power	P1-60P3L16
	(4) 60" Tables, Linked, Left Power	P1-60P4L16
Single	(1) 72" Table, Right Power	P1-72P1R16
	(2) 72" Tables, Linked, Right Power	P1-72P2R16
	(3) 72" Tables, Linked, Right Power	P1-72P3R16
	(4) 72" Tables, Linked, Right Power	P1-72P4R16
Single	(1) 72" Table, Left Power	P1-72P1L16
	(2) 72" Tables, Linked, Left Power	P1-72P2L16
	(3) 72" Tables, Linked, Left Power	P1-72P3L16
	(4) 72" Tables, Linked, Left Power	P1-72P4L16
Single	(1) 84" Table, Right Power	P1-84P1R16
	(2) 84" Tables, Linked, Right Power	P1-84P2R16
	(3) 84" Tables, Linked, Right Power	P1-84P3R16
	(4) 84" Tables, Linked, Right Power	P1-84P4R16
Single	(1) 84" Table, Left Power	P1-84P1L16
	(2) 84" Tables, Linked, Left Power	P1-84P2L16
	(3) 84" Tables, Linked, Left Power	P1-84P3L16
	(4) 84" Tables, Linked, Left Power	P1-84P4L16
Single	(1) 96" Table, Right Power	P1-96P1R16
	(2) 96" Tables, Linked, Right Power	P1-96P2R16
	(3) 96" Tables, Linked, Right Power	P1-96P3R16
	(4) 96" Tables, Linked, Right Power	P1-96P4R16
Single	(1) 96" Table, Left Power	P1-96P1L16
	(2) 96" Tables, Linked, Left Power	P1-96P2L16
	(3) 96" Tables, Linked, Left Power	P1-96P3L16
	(4) 96" Tables, Linked, Left Power	P1-96P4L16



Powerlink Sequence P1-42P4L16

P1-	42P	4	L16
Single Circuit Powerlink	Table Length Powered	Number of Tables Sequenced	Direction of Power Entry

A **P1-42P4L16** is a Sequenced Powerlink unit using a single circuit on a sequence of four (4) 42" tables. Power enters from the user's left.



Powerlink Sequence P1-60P3L16


P1-	60P	3	L16
Single Circuit Powerlink	Table Length Powered	Number of Tables Sequenced	Direction of Power Entry

A **P1-60P3L16** is a Sequenced Powerlink unit using a single circuit on a sequence of three (3) 60" tables. Power enters from the user's left.

VERSTEEL

Circuit	Description	Model #
Single	(1) 42" Table, Right Power	P1-42P1R16-AR
	(2) 42" Tables, Linked, Right Power	P1-42P2R16-AR
	(3) 42" Tables, Linked, Right Power	P1-42P3R16-AR
	(4) 42" Tables, Linked, Right Power	P1-42P4R16-AR
	(5) 42" Tables, Linked, Right Power	P1-42P5R16-AR
	(6) 42" Tables, Linked, Right Power	P1-42P6R16-AR
	(7) 42" Tables, Linked, Right Power	P1-42P7R16-AR
	(8) 42" Tables, Linked, Right Power	P1-42P8R16-AR
Single	(1) 42" Table, Left Power	P1-42P1L16-AR
	(2) 42" Tables, Linked, Left Power	P1-42P2L16-AR
	(3) 42" Tables, Linked, Left Power	P1-42P3L16-AR
	(4) 42" Tables, Linked, Left Power	P1-42P4L16-AR
	(5) 42" Tables, Linked, Left Power	P1-42P5L16-AR
	(6) 42" Tables, Linked, Left Power	P1-42P6L16-AR
	(7) 42" Tables, Linked, Left Power	P1-42P7L16-AR
	(8) 42" Tables, Linked, Left Power	P1-42P8L16-AR
Single	(1) 48" Table, Right Power	P1-48P1R16-AR
	(2) 48" Tables, Linked, Right Power	P1-48P2R16-AR
	(3) 48" Tables, Linked, Right Power	P1-48P3R16-AR
	(4) 48" Tables, Linked, Right Power	P1-48P4R16-AR
	(5) 48" Tables, Linked, Right Power	P1-48P5R16-AR
	(6) 48" Tables, Linked, Right Power	P1-48P6R16-AR
	(7) 48" Tables, Linked, Right Power	P1-48P7R16-AR
	(8) 48" Tables, Linked, Right Power	P1-48P8R16-AR
Single	(1) 48" Table, Left Power	P1-48P1L16-AR
	(2) 48" Tables, Linked, Left Power	P1-48P2L16-AR
	(3) 48" Tables, Linked, Left Power	P1-48P3L16-AR
	(4) 48" Tables, Linked, Left Power	P1-48P4L16-AR
	(5) 48" Tables, Linked, Left Power	P1-48P5L16-AR
	(6) 48" Tables, Linked, Left Power	P1-48P6L16-AR
	(7) 48" Tables, Linked, Left Power	P1-48P7L16-AR
	(8) 48" Tables, Linked, Left Power	P1-48P8L16-AR

Circuit	Description	Model #
Single	(1) 60" Table, Right Power	P1-60P1R16-AR
	(2) 60" Tables, Linked, Right Power	P1-60P2R16-AR
	(3) 60" Tables, Linked, Right Power	P1-60P3R16-AR
	(4) 60" Tables, Linked, Right Power	P1-60P4R16-AR
Single	(1) 60" Table, Left Power	P1-60P1L16-AR
	(2) 60" Tables, Linked, Left Power	P1-60P2L16-AR
	(3) 60" Tables, Linked, Left Power	P1-60P3L16-AR
	(4) 60" Tables, Linked, Left Power	P1-60P4L16-AR
Single	(1) 72" Table, Right Power	P1-72P1R16-AR
	(2) 72" Tables, Linked, Right Power	P1-72P2R16-AR
	(3) 72" Tables, Linked, Right Power	P1-72P3R16-AR
	(4) 72" Tables, Linked, Right Power	P1-72P4R16-AR
Single	(1) 72" Table, Left Power	P1-72P1L16-AR
	(2) 72" Tables, Linked, Left Power	P1-72P2L16-AR
	(3) 72" Tables, Linked, Left Power	P1-72P3L16-AR
	(4) 72" Tables, Linked, Left Power	P1-72P4L16-AR



Powerlink Sequence P1-42P4L16-AR

P1-	42P	4	L16	AR
Single Circuit Powerlink	Table Length Powered	Number of Tables Sequenced	Direction of Power Entry	Arc Rectangle Top Shape

A **P1-42P4L16AR** is a Sequenced Powerlink unit using a single circuit on a sequence of four (4) 42" tables. Power enters from the user's left, for use with the arc rectangle top shape



Powerlink Sequence P1-60P3L16AR

P1-	60P	3	L16	AR
Single Circuit Powerlink	Table Length Powered	Number of Tables Sequenced	Direction of Power Entry	Arc Rectangle Top Shape

A **P1-60P4L16AR** is a Sequenced Powerlink unit using a single circuit on a sequence of four (4) 42" tables. Power enters from the user's left, for use with the arc rectangle top shape


**Power Source Outlet**

Power Source Outlets provide power access to individual tables through a single circuit with one (1) 10' cord* and a standard grounded plug. Power Source Outlets have six (6) grounded electrical outlets per unit with surge protection and are controlled by an illuminated On/Off switch. Unit is field installed and retrofittable.

Planning and Locations

Provide a sketch of your table configuration indicating the power/data sources in the room and Versteel Customer Service will help you specify the power/data solution that will best suit your needs.

The configurations illustrated on these pages are meant to show possible options using similar power sources.



Configuration 1

Henri Location E or Powerlink Single Circuit

A classroom or training room with double aisles consisting of two (2) groups (outer) and an instructor's table, each with an individual power supply. Each set of linked tables in the center section has its own power supply.

Henri Power and Data, Location E Option

DESCRIPTION	QUANTITY
A H60E1R16 Henri Location E (1) 60" table, right power	2
B H60E1L16 Henri Location E (1) 60" table, left power	3
C H60E3L16 Henri Location E (3) 60" tables, linked, left power	2

FURNITURE

FURNITURE	QUANTITY
Tables (24" x 60")	22
Chairs	42

Powerlink Power and Data, Single Circuit Option

DESCRIPTION	QUANTITY
A P1-60P1R16 Powerlink Single Circuit (1) 60" table, right power	2
B P1-60P1L16 Powerlink Single Circuit (1) 60" table, left power	3
C P1-60P3L16 Powerlink Single Circuit (3) 60" tables, linked, left power	2

POWER

The shaded sphere has a six foot (6') radius to indicate the length of the power cord at floor level.

The black center references the power source location.



SCALE


Approximate scale for measuring is 3/32.

CONSIDER

What is the purpose of the room?

Where are the power and data sources in the room?

Are the tables within a six foot (6') radius of the power sources?



The configurations illustrated on these pages are meant to show possible options using similar power sources.


Configuration 2

Henri Location E

A U-shaped linking configuration for conferencing or training. Three linked table groups are powered from floor monuments.

Henri Power and Data, Location E Option

DESCRIPTION	QUANTITY
A H60E2L16 Henri Location E (2) 60" tables, linked, left power	1
B H60E2R16 Henri Location E (2) 60" tables, linked, right power	3




FURNITURE

Tables (24" x 60")
Chairs

QUANTITY

6
12



Configuration 3

Powerlink Single Circuit


A classroom or training room created from a long narrow room. All the power is located on a side wall of the room, with the exception of the instructor's table which has its own power monument in the floor.

Powerlink Power and Data, Single Circuit Option

DESCRIPTION	QUANTITY
A P1-60P2R16 Powerlink Single Circuit (2) 60" tables, linked, right power	3
B P1-60P1R16 Powerlink Single Circuit (1) 60" table, right power	1

POWER
The shaded sphere has a six foot (6') radius to indicate the length of the power cord at floor level.

The black center references the power source location.



SCALE
Approximate scale for measuring is 3/32.

CONSIDER
What is the purpose of the room?

Where are the power sources in the room?


Are the tables within a six foot (6') radius of the power sources?

FURNITURE

Tables (24" x 60")
Chairs

QUANTITY

7
14




The configurations illustrated on these pages are meant to show possible options using similar power sources.

Configuration 4

Henri Location A or Henri Location E

A classroom or training room occupying a large center section of linked tables with two (2) possible power supplies. The instructor's table has an individual power supply.



Henri Power and Data, Location A Option


	DESCRIPTION	QUANTITY
A	H60A5L16 Henri Location A (5) 60" tables, linked, left power	4
B	H60A1L16 Henri Location A (1) 60" table, left power	1

FURNITURE	QUANTITY
Tables (24" x 60")	21
Chairs	41

Henri Power and Data, Location E Option

	DESCRIPTION	QUANTITY
C	H60E3L16 Henri Location E (3) 60" tables, linked, left power	4
D	H60E2L16 Henri Location E (2) 60" tables, linked, left power	4
E	H60E1L16 Henri Location E (1) 60" table, left power	1

POWER
The shaded sphere has a six foot (6') radius to indicate the length of the power cord at floor level.
The black center references the power source location.




SCALE
Approximate scale for measuring is 3/32.

CONSIDER
What is the purpose of the room?

Where are the power and data sources in the room?

Are the tables within a six foot (6') radius of the power sources?



Configuration 5

Henri Location A or Henri Location E

A large conference or meeting area formed by linked tables and wedge tops. Two (2) power sources feed the four (4) power and data sequences.

Henri Power and Data, Location A Option

DESCRIPTION	QUANTITY
A Special Electrical Package Henri Location A (5) 60" tables, linked, right power	2

FURNITURE	QUANTITY
Tables (24" x 60")	10
Tables (45° 24" wedge)	8
Chairs	20

Henri Power and Data, Location E Option

DESCRIPTION	QUANTITY
B Special Electrical Package Henri Location E (3) 60" tables, linked, right power	2
C Special Electrical Package Henri Location E (2) 60" tables, linked, left power	2

POWER

The shaded sphere has a six foot (6') radius to indicate the length of the power cord at floor level.

The black center references the power source location.

SCALE



Approximate scale for measuring is 3/32.

CONSIDER

What is the purpose of the room?

Where are the power sources in the room?

Are the tables within a six foot (6') radius of the power sources?



The configurations illustrated on these pages are meant to show possible options using similar power sources.

Configuration 6

Henri Location E

A large classroom or training room with side aisles. The room consists of six (6) rows of tables. Power and data is supplied from a floor grid.

FURNITURE

FURNITURE	QUANTITY
Tables (24" x 60")	24
Tables (24" quarter round)	4
Chairs	48


Henri Power and Data Option (Location E)

Location	DESCRIPTION	QUANTITY
Location A	A H60E2L16 (2) 60" tables, linked, left power	6
Location D	B H60E2R16 (2) 60" tables, linked, right power	6
Location E		

POWER

The shaded sphere has a six foot (6') radius to indicate the length of the power cord at floor level.

The black center references the power source location.



SCALE


Approximate scale for measuring is 3/32.

CONSIDER

What is the purpose of the room?

Where are the power and data sources in the room?

Are the tables within a six foot (6') radius of the power sources?



The configurations illustrated on these pages are meant to show possible options using similar power sources.

Configuration 7

Powerlink Single Circuit (for arc rectangle top shape)

An amphitheater style classroom or training room with a single aisle. Power sources are located along the aisle and service linked tables with hardwired multi-circuit power. Instructor table has its own single circuit outlet power supply.

FURNITURE

Tables (24" x 60")
Chairs

QUANTITY


26
52

Powerlink Power and Data, Single Circuit Option

	DESCRIPTION	QUANTITY
A	P1-60P3R-AR16 Powerlink Single Circuit for Arc Rectangle top shape (3) 60" Tables, Linked, Right Power	4
B	P1-60P3L-AR16 Powerlink Single Circuit for Arc Rectangle top shape (3) 60" Tables, Linked, Left Power	4
C	P1-60P2R-AR16 Powerlink Single Circuit for Arc Rectangle top shape (2) 60" Tables, Linked, Right Power	1

POWER
The shaded sphere has a six foot (6') radius to indicate the length of the power cord at floor level.

The black center references the power source location.




SCALE
Approximate scale for measuring is 3/32.

CONSIDER
What is the purpose of the room?


Where are the power sources in the room?

Are the tables within a six foot (6') radius of the power sources?



Connecting Data/Voice Systems To Your Network Grid

Multiple options are available when specifying data/voice connections for power/data systems in Versteel tables. The appropriate option is dependent upon your specific application.



UNWIRED CONNECTIONS

Unwired data/voice connections need to be wired by the customer's IT department, or an outside IT provider. Unwired connections are "standard" for the following products:

- Henri/Henri Now
- Powerlink
- Power Bay
- Powered Form Modesty

(Unwired connections are optional for all other power/data systems offered by Versteel.)



PREWIRED CONNECTIONS

Prewired data/voice connections terminate with a "male" patch cable connector on the end. This enables the unit to be plugged directly into a data wall plate. A 10' cable is standard for data connections, and a 7' cable is standard for voice connections. Prewired connections are "standard" for the following products:

- Axil Z
- Ellora
- Mho
- Node



DATA COUPLERS

Installed directly in the power/data unit, couplers are "female" jacks that allow units to be connected to a data wall plate with a standard data patch cable (with "male" jacks on each end). This is a convenient option for tables that will be moved frequently.

Data Couplers are available on all power/data units, excluding Henri and Henri Now (*Henri Quick Connect provides the same functionality as a data coupler for Henri and Henri Now*).



Questions?

1.800.876.2120

Black = Fixed Bases

Red = Folding Bases

= Overlapping Folding Bases

Blue = Tilt Bases

top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
	Flat 	Flat 	Bumper 	Ergo
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	Fluted 	Fluted 	Reverse Bevel Acrylic 	PVC on remaining sides
	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	
top thickness price >	1 1/4"	1 1/4"	1 1/4"	1 1/4"

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"
	T1 18 x 48 Fix w/FixMod	BTT1 1848REFX XM	65	1195	1781	2049
	18 x 48 Fix w/RemMod	BTT1 1848REFX RM	65	1228	1818	2084
	18 x 48 Fold w/RemMod	BTT1 1848REFO RM	67	1565	2153	2421
	18 x 48 Tilt w/HangMod	BTT1 1848RETL HM	77	1505	2094	2359
	18 x 48 Tilt w/RemMod	BTT1 1848RETL RM	77	1505	2094	2359
	18 x 48 Fix w/FixLightweightFormMod	BTT1 1848REFX XL OR XLS	65	1228	1485	2084
	18 x 48 Fix w/RemLightweightFormMod	BTT1 1848REFX RL OR RLS	65	1228	1485	2084
	18 x 48 Fold w/RemLightweightFormMod	BTT1 1848REFO RL OR RLS	67	1565	1821	2421
	18 x 48 Tilt w/RemLightweightFormMod	BTT1 1848RETL RL OR RLS	77	1505	1759	2359
	18 x 48 Fix w/FixFormMod	BTT1 1848REFX XF OR XFS	65	1441	1697	2298
	18 x 60 Fix w/FixMod	BTT1 1860REFX XM	76	1270	1858	2329
	18 x 60 Fix w/RemMod	BTT1 1860REFX RM	76	1306	1890	2366
	18 x 60 Fold w/RemMod	BTT1 1860REFD RM	78	1642	2232	2702
	18 x 60 Tilt w/HangMod	BTT1 1860RETL HM	88	1579	2169	2639
	18 x 60 Tilt w/RemMod	BTT1 1860RETL RM	88	1579	2169	2639
	18 x 60 Fix w/FixLightweightFormMod	BTT1 1860REFX XL OR XLS	75	1306	1598	2366
	18 x 60 Fix w/RemLightweightFormMod	BTT1 1860REFX RL OR RLS	75	1306	1598	2366
	18 x 60 Fold w/RemLightweightFormMod	BTT1 1860REFD RL OR RLS	77	1642	1935	2702
	18 x 60 Tilt w/RemLightweightFormMod	BTT1 1860RETL RL OR RLS	87	1579	1872	2639
	18 x 60 Fix w/FixFormMod	BTT1 1860REFX XF OR XFS	88	1516	1812	2577
18 x 72 Fix w/FixMod	BTT1 1872REFX XM	87	1377	2276	2613	
18 x 72 Fix w/RemMod	BTT1 1872REFX RM	87	1411	2308	2650	
18 x 72 Fold w/RemMod	BTT1 1872REFD RM	89	1748	2645	2987	
18 x 72 Tilt w/HangMod	BTT1 1872RETL HM	99	1687	2587	2925	
18 x 72 Tilt w/RemMod	BTT1 1872RETL RM	99	1687	2587	2925	
18 x 72 Fix w/FixLightweightFormMod	BTT1 1872REFX XL OR XLS	88	1411	1768	2650	
18 x 72 Fix w/RemLightweightFormMod	BTT1 1872REFX RL OR RLS	88	1411	1768	2650	
18 x 72 Fold w/RemLightweightFormMod	BTT1 1872REFD RL OR RLS	90	1748	2103	2987	
18 x 72 Tilt w/RemLightweightFormMod	BTT1 1872RETL RL OR RLS	100	1687	2042	2925	
18 x 72 Fix w/FixFormMod	BTT1 1872REFX XF OR XFS	102	1563	1918	2800	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Assembled Folding Table	BAF	\$ 62
Alternate Table Height 32" & Under	BAH	\$ 80
Alternate Table Height 32" & Over	BSP	call
Adjustable Height - Pneumatic (Fix/Tilt)	BAT	\$ 999
Casters ❶ - Dual Wheel Black Hard Wheel	CAS55	\$ 138
Casters ❶ - Dual Wheel Black Soft Wheel	CAS57	\$ 138
Mix - Dual Wheel Casters & Glides	BMD	\$ 131
Self-Leveling Glides ❶	GLD04	\$ 39
Stretcher Rail (Fix/Tilt) Finish Same as Base	BTS	\$ 196
Slim-Tilt	BST	\$ 121

NOTE: N/A WITH FOLDING MODESTY PANEL

Finish Options		
Chrome		\$ 133
Nickel		\$ 181
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)	TLK	\$ 204
Table Link (18" ends only)	TLE	\$ 108
Lightweight Laminate Core (to 96" length)	TLL	\$ 194
Special Laminate	TSP	call
Custom Cutout (per cutout)	TCC	\$ 97

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty Mount	WBM	\$ 78
Basket, Under Top Mount	WBT	\$ 78
Cable Hook Legway	WCK	\$ 96
Canvas Legway	WCL	\$ 80
Plastic Legway	WRL	\$ 63
1 Oval Brush Grommet - Location A	WOA	\$ 78
2 Oval Brush Grommets - Location E	WOE	\$ 156
1 Oval Brush Grommet - Provide Location Print ..	WOG	\$ 78
1 Round Grommet - Location A	WRA	\$ 61
2 Round Grommets - Location E	WRE	\$ 122
1 Round Grommet - Provide Location Print	WRG	\$ 61

Accessories		
CPU Holder (3" - 9" adjustment)	ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment)	ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment)	ACPU3F	\$ 126
Table Transport	ATT3054	\$ 1511
Table Floor Mount Bracket Set	AFB	\$ 45



Questions?

1.800.876.2120

Black = Fixed Bases
 Red = Folding Bases
 Blue = Tilt Bases

	top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
		Flat 	Flat 	Bumper 	Ergo
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
		Fluted 	Fluted 	Reverse Bevel Acrylic 	PVC on remaining sides
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	
	top thickness price >	1 1/4"	1 1/4"	1 1/4"	

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"
<p>T1</p>	18 x 84 Fix w/FixMod	BTT1 1884REFX XM	98	1772	2864	3158
	18 x 84 Fix w/RemMod	BTT1 1884REFX RM	98	1800	2897	3189
	18 x 84 Fold w/RemMod	BTT1 1884REFD RM	100	2139	3232	3522
	18 x 84 Tilt w/HangMod	BTT1 1884RETL HM	110	2077	3171	3464
	18 x 84 Tilt w/RemMod	BTT1 1884RETL RM	110	2077	3171	3464
	18 x 90 Fix w/FixMod	BTT1 1890REFX XM	104	1871	3079	3642
	18 x 90 Fix w/RemMod	BTT1 1890REFX RM	104	1904	3107	3671
	18 x 90 Fold w/RemMod	BTT1 1890REFD RM	106	2241	3450	4010
	18 x 90 Tilt w/HangMod	BTT1 1890RETL HM	116	2177	3387	3947
	18 x 90 Tilt w/RemMod	BTT1 1890RETL RM	116	2177	3387	3947
	18 x 96 Fix w/FixMod	BTT1 1896REFX XM	109	1871	3079	3642
	18 x 96 Fix w/RemMod	BTT1 1896REFX RM	109	1904	3107	3671
	18 x 96 Fold w/RemMod	BTT1 1896REFD RM	111	2241	3450	4010
	18 x 96 Tilt w/HangMod	BTT1 1896RETL HM	121	2177	3387	3947
	18 x 96 Tilt w/RemMod	BTT1 1896RETL RM	121	2177	3387	3947

Note: The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Assembled Folding TableBAF	\$ 62
Alternate Table Height 32" & UnderBAH	\$ 80
Alternate Table Height 32" & OverBSP	call
Adjustable Height - Pneumatic (Fix/Tilt)BAT	\$ 999
Self-Leveling Glides GLD04	\$ 39
Stretcher Rail (Fix/Tilt) Finish Same as BaseBTS	\$ 196
Slim-TiltBST	\$ 121

NOTE: N/A WITH FOLDING MODESTY PANEL

Finish Options	Code	Price
Chrome		\$ 133
Nickel		\$ 181
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options	Code	Price
Table Link (all four sides)TLK	\$ 204
Table Link (18" ends only)TLE	\$ 108
Lightweight Laminate Core (to 96" length)TLL	\$ 194
Special LaminateTSP	call
Custom Cutout (per cutout)TCC	\$ 97

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options	Code	Price
Basket, Modesty MountWBM	\$ 78
Basket, Under Top MountWBT	\$ 78
Cable Hook LegwayWCK	\$ 96
Canvas LegwayWCL	\$ 80
Plastic LegwayWRL	\$ 63
1 Oval Brush Grommet - Location AWOA	\$ 78
2 Oval Brush Grommets - Location EWOE	\$ 156
1 Oval Brush Grommet - Provide Location PrintWOG	\$ 78
1 Round Grommet - Location AWRA	\$ 61
2 Round Grommets - Location EWRE	\$ 122
1 Round Grommet - Provide Location PrintWRG	\$ 61

Accessories	Code	Price
CPU Holder (3" - 9" adjustment)ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment)ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment)ACPU3F	\$ 126
Table TransportATT3054	\$ 1511
Table Floor Mount Bracket SetAFB	\$ 45



Questions?

1.800.876.2120

Black = Fixed Bases

Red = Folding Bases

= Overlapping Folding Bases

Blue = Tilt Bases

top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
	Flat 	Flat 	Bumper 	Ergo
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
	Fluted 	Fluted 	Reverse Bevel Acrylic 	PVC on remaining sides
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	
top thickness price >	1 1/4"	1 1/4"	1 1/4"	1 1/4"

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"
 T1	20 x 48 Fix w/FixMod	BTT1 2048REFX XM	68	1244	1921	2237
	20 x 48 Fix w/RemMod	BTT1 2048REFX RM	68	1279	1956	2275
	20 x 48 Fold w/RemMod	BTT1 2048REFO RM	70	1614	2293	2610
	20 x 48 Tilt w/HangMod	BTT1 2048RETL HM	80	1554	2233	2547
	20 x 48 Tilt w/RemMod	BTT1 2048RETL RM	80	1554	2233	2547
	20 x 48 Fix w/FixLightweightFormMod	BTT1 2048REFX XL OR XLS	68	1279	1624	2275
	20 x 48 Fix w/RemLightweightFormMod	BTT1 2048REFX RL OR RLS	68	1279	1624	2275
	20 x 48 Fold w/RemLightweightFormMod	BTT1 2048REFO RL OR RLS	70	1614	1963	2610
	20 x 48 Tilt w/RemLightweightFormMod	BTT1 2048RETL RL OR RLS	80	1554	1903	2547
	20 x 48 Fix w/FixFormMod	BTT1 2048REFX XF OR XFS	68	1490	1839	2486
	20 x 60 Fix w/FixMod	BTT1 2060REFX XM	80	1308	1984	2489
	20 x 60 Fix w/RemMod	BTT1 2060REFX RM	80	1342	2022	2523
	20 x 60 Fold w/RemMod	BTT1 2060REFD RM	82	1679	2358	2861
	20 x 60 Tilt w/HangMod	BTT1 2060RETL HM	92	1616	2297	2796
	20 x 60 Tilt w/RemMod	BTT1 2060RETL RM	92	1616	2297	2796
	20 x 60 Fix w/FixLightweightFormMod	BTT1 2060REFX XL OR XLS	79	1342	1776	2523
	20 x 60 Fix w/RemLightweightFormMod	BTT1 2060REFX RL OR RLS	79	1342	1776	2523
	20 x 60 Fold w/RemLightweightFormMod	BTT1 2060REFD RL OR RLS	81	1679	2111	2861
	20 x 60 Tilt w/RemLightweightFormMod	BTT1 2060RETL RL OR RLS	91	1616	2049	2796
	20 x 60 Fix w/FixFormMod	BTT1 2060REFX XF OR XFS	92	1556	1987	2737
	20 x 72 Fix w/FixMod	BTT1 2072REFX XM	92	1516	2529	2831
	20 x 72 Fix w/RemMod	BTT1 2072REFX RM	92	1550	2566	2865
	20 x 72 Fold w/RemMod	BTT1 2072REFD RM	94	1887	2902	3203
	20 x 72 Tilt w/HangMod	BTT1 2072RETL HM	104	1823	2838	3141
20 x 72 Tilt w/RemMod	BTT1 2072RETL RM	104	1823	2838	3141	
20 x 72 Fix w/FixLightweightFormMod	BTT1 2072REFX XL OR XLS	93	1550	2022	2865	
20 x 72 Fix w/RemLightweightFormMod	BTT1 2072REFX RL OR RLS	93	1550	2022	2865	
20 x 72 Fold w/RemLightweightFormMod	BTT1 2072REFD RL OR RLS	95	1887	2358	3203	
20 x 72 Tilt w/RemLightweightFormMod	BTT1 2072RETL RL OR RLS	105	1823	2297	3141	
20 x 72 Fix w/FixFormMod	BTT1 2072REFX XF OR XFS	107	1703	2174	3019	
20 x 84 Fix w/FixMod	BTT1 2084REFX XM	104	1869	3052	3423	
20 x 84 Fix w/RemMod	BTT1 2084REFX RM	104	1903	3083	3456	
20 x 84 Fold w/RemMod	BTT1 2084REFD RM	106	2236	3420	3789	
20 x 84 Tilt w/HangMod	BTT1 2084RETL HM	116	2175	3358	3729	
20 x 84 Tilt w/RemMod	BTT1 2084RETL RM	116	2175	3358	3729	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Assembled Folding Table	BAF	\$ 62
Alternate Table Height 32" & Under	BAH	\$ 80
Alternate Table Height 32" & Over	BSP	call
Adjustable Height - Pneumatic (Fix/Tilt)	BAT	\$ 999
Casters - Dual Wheel Black Hard Wheel (up to 72" only)	CAS55	\$ 138
Casters - Dual Wheel Black Soft Wheel (up to 72" only)	CAS57	\$ 138
Mix - Dual Wheel Casters & Glides	BMD	\$ 131
Self-Leveling Glides 	GLD04	\$ 39
Stretcher Rail (Fix/Tilt) Finish Same as Base	BTS	\$ 196
Slim-Tilt	BST	\$ 121

NOTE: N/A WITH FOLDING MODESTY PANEL

Finish Options		
Chrome		\$ 133
Nickel		\$ 181
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)	TLK	\$ 204
Table Link (20" ends only)	TLE	\$ 108
Lightweight Laminate Core (to 96" length)	TLL	\$ 194
Special Laminate	TSP	call
Custom Cutout (per cutout)	TCC	\$ 97

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty Mount	WBM	\$ 78
Basket, Under Top Mount	WBT	\$ 78
Cable Hook Legway	WCK	\$ 96
Canvas Legway	WCL	\$ 80
Plastic Legway	WRL	\$ 63
1 Oval Brush Grommet - Location A	WOA	\$ 78
2 Oval Brush Grommets - Location E	WOE	\$ 156
1 Oval Brush Grommet - Provide Location Print	WOG	\$ 78
1 Round Grommet - Location A	WRA	\$ 61
2 Round Grommets - Location E	WRE	\$ 122
1 Round Grommet - Provide Location Print	WRG	\$ 61

Accessories		
CPU Holder (3" - 9" adjustment)	ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment)	ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment)	ACPU3F	\$ 126
Table Transport	ATT3054	\$ 1511
Table Floor Mount Bracket Set	AFB	\$ 45

Brattice



VERSTEEL

Questions?

1.800.876.2120

Black = Fixed Bases
 Red = Folding Bases
 Blue = Tilt Bases

	top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
		Flat 	Flat 	Bumper 	Ergo
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
		Fluted 	Fluted 	Reverse Bevel Acrylic 	
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	PVC on remaining sides
	top thickness price >	1 1/4"	1 1/4"	1 1/4"	1 1/4"

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"
<p>T1</p>	T1 20 x 90 Fix w/FixMod	BTT1 2090REFX XM	110	2061	3332	3916
	20 x 90 Fix w/RemMod	BTT1 2090REFX RM	110	2092	3365	3947
	20 x 90 Fold w/RemMod	BTT1 2090REFD RM	112	2428	3703	4284
	20 x 90 Tilt w/HangMod	BTT1 2090RETL HM	122	2366	3641	4223
	20 x 90 Tilt w/RemMod	BTT1 2090RETL RM	122	2366	3641	4223
	20 x 96 Fix w/FixMod	BTT1 2096REFX XM	116	2061	3332	3916
	20 x 96 Fix w/RemMod	BTT1 2096REFX RM	116	2092	3365	3947
	20 x 96 Fold w/RemMod	BTT1 2096REFD RM	118	2428	3703	4284
	20 x 96 Tilt w/HangMod	BTT1 2096RETL HM	128	2366	3641	4223
	20 x 96 Tilt w/RemMod	BTT1 2096RETL RM	128	2366	3641	4223

Note: The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Assembled Folding TableBAF	\$ 62
Alternate Table Height 32" & UnderBAH	\$ 80
Alternate Table Height 32" & OverBSP	call
Adjustable Height - Pneumatic (Fix/Tilt)BAT	\$ 999
Self-Leveling Glides GLD04	\$ 39
Stretcher Rail (Fix/Tilt) Finish Same as BaseBTS	\$ 196
Slim-TiltBST	\$ 121

NOTE: N/A WITH FOLDING MODESTY PANEL

Finish Options	Code	Price
ChromeCH	\$ 133
NickelNI	\$ 181
Powder Coat - StandardPC	n/c
Powder Coat - PremiumPCP	\$ 133
PlatinumPT	\$ 397

Top Options	Code	Price
Table Link (all four sides)TLK	\$ 204
Table Link (20" ends only)TLE	\$ 108
Lightweight Laminate Core (to 96" length)TLL	\$ 194
Special LaminateTSP	call
Custom Cutout (per cutout)TCC	\$ 97

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options	Code	Price
Basket, Modesty MountWBM	\$ 78
Basket, Under Top MountWBT	\$ 78
Cable Hook LegwayWCK	\$ 96
Canvas LegwayWCL	\$ 80
Plastic LegwayWRL	\$ 63
1 Oval Brush Grommet - Location AWOA	\$ 78
2 Oval Brush Grommets - Location EWOE	\$ 156
1 Oval Brush Grommet - Provide Location PrintWOG	\$ 78
1 Round Grommet - Location AWRA	\$ 61
2 Round Grommets - Location EWRE	\$ 122
1 Round Grommet - Provide Location PrintWRG	\$ 61

Accessories	Code	Price
CPU Holder (3" - 9" adjustment)ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment)ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment)ACPU3F	\$ 126
Table TransportATT3054	\$ 1511
Table Floor Mount Bracket SetAFB	\$ 45



Questions?

1.800.876.2120

Black = Fixed Bases

Red = Folding Bases

= Overlapping Folding Bases

Blue = Tilt Bases

top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
	Flat 	Flat 	Bumper 	Ergo
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	Fluted 	Fluted 	Reverse Bevel Acrylic 	PVC on remaining sides
	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	
top thickness price >	1 1/4"	1 1/4"	1 1/4"	1 1/4"

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"
 T1	24 x 48 Fix w/FixMod	BTT1 2448REFX XM	76	1244	1921	2237
	24 x 48 Fix w/RemMod	BTT1 2448REFX RM	76	1279	1956	2275
	24 x 48 Fold w/RemMod	BTT1 2448REFO RM	80	1614	2293	2610
	24 x 48 Tilt w/FoldMod	BTT1 2448RETL FM	88	1619	2299	2613
	24 x 48 Tilt w/HangMod	BTT1 2448RETL HM	88	1554	2233	2547
	24 x 48 Tilt w/RemMod	BTT1 2448RETL RM	88	1554	2233	2547
	24 x 48 Fix w/FixLightweightFormMod	BTT1 2448REFX XL OR XLS	76	1279	1624	2275
	24 x 48 Fix w/RemLightweightFormMod	BTT1 2448REFX RL OR RLS	76	1279	1624	2275
	24 x 48 Fold w/RemLightweightFormMod	BTT1 2448REFO RL OR RLS	80	1614	1963	2610
	24 x 48 Tilt w/RemLightweightFormMod	BTT1 2448RETL RL OR RLS	88	1554	1903	2547
	24 x 48 Fix w/FixFormMod	BTT1 2448REFX XF OR XFS	76	1490	1839	2486
	24 x 48 Tilt w/FoldFormMod	BTT1 2448RETL FF OR FFS	88	1767	2111	2762
	24 x 60 Fix w/FixMod	BTT1 2460REFX XM	89	1308	1984	2489
	24 x 60 Fix w/RemMod	BTT1 2460REFX RM	89	1342	2022	2523
	24 x 60 Fold w/RemMod	BTT1 2460REFD RM	93	1679	2358	2861
	24 x 60 Fold w/FoldMod	BTT1 2460REFD FM	93	1746	2424	2926
	24 x 60 Tilt w/FoldMod	BTT1 2460RETL FM	101	1684	2362	2863
	24 x 60 Tilt w/HangMod	BTT1 2460RETL HM	101	1616	2297	2796
	24 x 60 Tilt w/RemMod	BTT1 2460RETL RM	101	1616	2297	2796
	24 x 60 Fix w/FixLightweightFormMod	BTT1 2460REFX XL OR XLS	88	1342	1776	2523
24 x 60 Fix w/RemLightweightFormMod	BTT1 2460REFX RL OR RLS	88	1342	1776	2523	
24 x 60 Fold w/RemLightweightFormMod	BTT1 2460REFD RL OR RLS	92	1679	2111	2861	
24 x 60 Tilt w/RemLightweightFormMod	BTT1 2460RETL RL OR RLS	100	1616	2049	2796	
24 x 60 Fix w/FixFormMod	BTT1 2460REFX XF OR XFS	101	1556	1987	2737	
24 x 60 Fold w/FoldFormMod	BTT1 2460REFD FF OR FFS	105	1889	2325	3072	
24 x 60 Tilt w/FoldFormMod	BTT1 2460RETL FF OR FFS	113	1827	2261	3008	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Assembled Folding Table	BAF	\$ 62
Alternate Table Height 32" & Under	BAH	\$ 80
Alternate Table Height 32" & Over	BSP	call
Adjustable Height - Pneumatic (Fix/Tilt)	BAT	\$ 999
Casters ❶ - Dual Wheel Black Hard Wheel	CAS55	\$ 138
Casters ❶ - Dual Wheel Black Soft Wheel	CAS57	\$ 138
Mix - Dual Wheel Casters & Glides	BMD	\$ 131
Self-Leveling Glides ❶	GLD04	\$ 39
Stretcher Rail (Fix/Tilt) Finish Same as Base	BTS	\$ 196
Slim-Tilt	BST	\$ 121

NOTE: N/A WITH FOLDING MODESTY PANEL

Finish Options		
Chrome		\$ 133
Nickel		\$ 181
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)	TLK	\$ 204
Table Link (24" ends only)	TLE	\$ 108
Lightweight Laminate Core (to 96" length)	TLL	\$ 194
Special Laminate	TSP	call
Custom Cutout (per cutout)	TCC	\$ 97
Laptop Locker (each)	TLA	\$ 1120
(available on fixed tables only, see page 36 in All Tables Price List for additional information)		
Electronic Lock (per locker)	TLEL	\$ 292
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock ..	TLPU	\$ 461

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty Mount	WBM	\$ 78
Basket, Under Top Mount	WBT	\$ 78
Cable Hook Legway	WCK	\$ 96
Canvas Legway	WCL	\$ 80
Plastic Legway	WRL	\$ 63
1 Oval Brush Grommet - Location A	WOA	\$ 78
2 Oval Brush Grommets - Location E	WOE	\$ 156
1 Oval Brush Grommet - Provide Location Print ..	WOG	\$ 78
1 Round Grommet - Location A	WRA	\$ 61
2 Round Grommets - Location E	WRE	\$ 122
1 Round Grommet - Provide Location Print	WRG	\$ 61








Accessories		
Keyboard Platform w/Mouse Surface	AKP27M	\$ 618
CPU Holder (3" - 9" adjustment)	ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment)	ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment)	ACPU3F	\$ 126
Table Transport	ATT3054	\$ 1511
Table Floor Mount Bracket Set	AFB	\$ 45




Questions?

1.800.876.2120

Black = Fixed Bases
 Red = Folding Bases
 Blue = Tilt Bases

Base Style	Table Description	Model #	Product Wt	top > edge >				
				Laminate PVC	Laminate Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)	
				Flat 	Flat 	Bumper 	Ergo 	
				edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
					Fluted 	Fluted 	Reverse Bevel Acrylic 	
				edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LFP2R or LFP2S 1 1/4"	LWF2R or LWF2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	PVC on remaining sides
				top thickness price >	1 1/4"	1 1/4"	1 1/4"	

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"
 T1	24 x 72 Fix w/FixMod	BTT1 2472REFX XM	103	1516	2529	2831
	24 x 72 Fix w/RemMod	BTT1 2472REFX RM	103	1550	2566	2865
	24 x 72 Fold w/RemMod	BTT1 2472REFD RM	107	1887	2902	3203
	24 x 72 Tilt w/FoldMod	BTT1 2472RETL FM	115	1887	2902	3203
	24 x 72 Tilt w/HangMod	BTT1 2472RETL HM	115	1823	2838	3141
	24 x 72 Tilt w/RemMod	BTT1 2472RETL RM	115	1823	2838	3141
	24 x 72 Fix w/FixLightweightFormMod	BTT1 2472REFX XL OR XLS	103	1550	2022	2865
	24 x 72 Fix w/RemLightweightFormMod	BTT1 2472REFX RL OR RLS	103	1550	2022	2865
	24 x 72 Fold w/RemLightweightFormMod	BTT1 2472REFD RL OR RLS	107	1887	2358	3203
	24 x 72 Tilt w/RemLightweightFormMod	BTT1 2472RETL RL OR RLS	115	1823	2297	3141
	24 x 72 Fix w/FixFormMod	BTT1 2472REFX XF OR XFS	118	1703	2174	3019
	24 x 72 Tilt w/FoldFormMod	BTT1 2472RETL FF OR FFS	130	1977	2446	3292
	24 x 84 Fix w/FixMod	BTT1 2484REFX XM	116	1869	3052	3423
	24 x 84 Fix w/RemMod	BTT1 2484REFX RM	116	1903	3083	3456
	24 x 84 Fold w/RemMod	BTT1 2484REFD RM	120	2236	3420	3789
	24 x 84 Tilt w/FoldMod	BTT1 2484RETL FM	128	2264	3449	3818
	24 x 84 Tilt w/HangMod	BTT1 2484RETL HM	128	2175	3358	3729
	24 x 84 Tilt w/RemMod	BTT1 2484RETL RM	128	2175	3358	3729
	24 x 90 Fix w/FixMod	BTT1 2490REFX XM	124	2061	3332	3916
	24 x 90 Fix w/RemMod	BTT1 2490REFX RM	124	2092	3365	3947
24 x 90 Fold w/RemMod	BTT1 2490REFD RM	128	2428	3703	4284	
24 x 90 Tilt w/FoldMod	BTT1 2490RETL FM	136	2455	3727	4312	
24 x 90 Tilt w/HangMod	BTT1 2490RETL HM	136	2366	3641	4223	
24 x 90 Tilt w/RemMod	BTT1 2490RETL RM	136	2366	3641	4223	
24 x 96 Fix w/FixMod	BTT1 2496REFX XM	130	2061	3332	3916	
24 x 96 Fix w/RemMod	BTT1 2496REFX RM	130	2092	3365	3947	
24 x 96 Fold w/RemMod	BTT1 2496REFD RM	134	2428	3703	4284	
24 x 96 Tilt w/FoldMod	BTT1 2496RETL FM	142	2455	3727	4312	
24 x 96 Tilt w/HangMod	BTT1 2496RETL HM	142	2366	3641	4223	
24 x 96 Tilt w/RemMod	BTT1 2496RETL RM	142	2366	3641	4223	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Assembled Folding Table	BAF	\$ 62
Alternate Table Height 32" & Under	BAH	\$ 80
Alternate Table Height 32" & Over	BSP	call
Adjustable Height - Pneumatic (Fix/Tilt)	BAT	\$ 999
Casters - Dual Wheel Black Hard Wheel (72" only)	CAS55	\$ 138
Casters - Dual Wheel Black Soft Wheel (72" only)	CAS57	\$ 138
Mix - Dual Wheel Casters & Glides	BMD	\$ 131
Self-Leveling Glides 	GLD04	\$ 39
Stretcher Rail (Fix/Tilt) Finish Same as Base	BTS	\$ 196
Slim-Tilt	BST	\$ 121

NOTE: N/A WITH FOLDING MODESTY PANEL

Finish Options		
Chrome		\$ 133
Nickel		\$ 181
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)	TLK	\$ 204
Table Link (24" ends only)	TLE	\$ 108
Lightweight Laminate Core (to 96" length)	TLL	\$ 194
Special Laminate	TSP	call
Custom Cutout (per cutout)	TCC	\$ 97
Laptop Locker (each)	TLA	\$ 1120
<small>(available on fixed tables only, see page 36 in All Tables Price List for additional information)</small>		
Electronic Lock (per locker)	TLEL	\$ 292
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock ..	TLPU	\$ 461

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty Mount	WBM	\$ 78
Basket, Under Top Mount	WBT	\$ 78
Cable Hook Legway	WCK	\$ 96
Canvas Legway	WCL	\$ 80
Plastic Legway	WRL	\$ 63
1 Oval Brush Grommet - Location A	WOA	\$ 78
2 Oval Brush Grommets - Location E	WOE	\$ 156
1 Oval Brush Grommet - Provide Location Print ..	WOG	\$ 78
1 Round Grommet - Location A	WRA	\$ 61
2 Round Grommets - Location E	WRE	\$ 122
1 Round Grommet - Provide Location Print	WRG	\$ 61

Accessories		
Keyboard Platform w/Mouse Surface	AKP27M	\$ 618
CPU Holder (3" - 9" adjustment)	ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment)	ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment)	ACPU3F	\$ 126
Table Transport	ATT3054	\$ 1511
Table Floor Mount Bracket Set	AFB	\$ 45



Questions?

1.800.876.2120

Black = Fixed Bases

Red = Folding Bases

= Overlapping Folding Bases

Blue = Tilt Bases

	top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
		Flat 	Flat 	Bumper 	Ergo
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
		Fluted 	Fluted 	Reverse Bevel Acrylic 	PVC on remaining sides
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	
	top thickness price >	1 1/4"	1 1/4"	1 1/4"	

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"
	T1 30 x 48 Fix w/FixMod	BTT1 3048REFX XM	87	1351	2060	2431
	30 x 48 Fix w/RemMod	BTT1 3048REFX RM	87	1384	2097	2467
	30 x 48 Fold w/RemMod	BTT1 3048REFO RM	91	1722	2430	2805
	30 x 48 Tilt w/FoldMod	BTT1 3048RETL FM	99	1726	2436	2810
	30 x 48 Tilt w/HangMod	BTT1 3048RETL HM	99	1661	2369	2742
	30 x 48 Tilt w/RemMod	BTT1 3048RETL RM	99	1661	2369	2742
	30 x 48 Fix w/FixLightweightFormMod	BTT1 3048REFX XL OR XLS	87	1384	1747	2467
	30 x 48 Fix w/RemLightweightFormMod	BTT1 3048REFX RL OR RLS	87	1384	1747	2467
	30 x 48 Fold w/RemLightweightFormMod	BTT1 3048REFO RL OR RLS	91	1722	2082	2805
	30 x 48 Tilt w/RemLightweightFormMod	BTT1 3048RETL RL OR RLS	99	1661	2022	2742
	30 x 48 Fix w/FixFormMod	BTT1 3048REFX XF OR XFS	87	1598	1957	2680
	30 x 48 Tilt w/FoldFormMod	BTT1 3048RETL FF OR FFS	99	1872	2234	2955
	30 x 60 Fix w/FixMod	BTT1 3060REFX XM	102	1411	2120	2698
	30 x 60 Fix w/RemMod	BTT1 3060REFX RM	102	1446	2157	2735
	30 x 60 Fold w/RemMod	BTT1 3060REFD RM	106	1785	2494	3072
	30 x 60 Fold w/FoldMod	BTT1 3060REFD FM	106	1848	2561	3137
	30 x 60 Tilt w/FoldMod	BTT1 3060RETL FM	114	1790	2501	3077
	30 x 60 Tilt w/HangMod	BTT1 3060RETL HM	114	1724	2431	3009
	30 x 60 Tilt w/RemMod	BTT1 3060RETL RM	114	1724	2431	3009
	30 x 60 Fix w/FixLightweightFormMod	BTT1 3060REFX XL OR XLS	102	1446	1911	2735
30 x 60 Fix w/RemLightweightFormMod	BTT1 3060REFX RL OR RLS	102	1446	1911	2735	
30 x 60 Fold w/RemLightweightFormMod	BTT1 3060REFD RL OR RLS	106	1785	2250	3072	
30 x 60 Tilt w/RemLightweightFormMod	BTT1 3060RETL RL OR RLS	114	1724	2187	3009	
30 x 60 Fix w/FixFormMod	BTT1 3060REFX XF OR XFS	114	1659	2123	2948	
30 x 60 Fold w/FoldFormMod	BTT1 3060REFD FF OR FFS	118	1999	2462	3282	
30 x 60 Tilt w/FoldFormMod	BTT1 3060RETL FF OR FFS	126	1935	2400	3224	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Assembled Folding Table	BAF	\$ 62
Alternate Table Height 32" & Under	BAH	\$ 80
Alternate Table Height 32" & Over	BSP	call
Adjustable Height - Pneumatic (Fix/Tilt)	BAT	\$ 999
Casters ❶ - Dual Wheel Black Hard Wheel	CAS55	\$ 138
Casters ❶ - Dual Wheel Black Soft Wheel	CAS57	\$ 138
Mix - Dual Wheel Casters & Glides	BMD	\$ 131
Self-Leveling Glides ❶	GLD04	\$ 39
Stretcher Rail (Fix/Tilt) Finish Same as Base	BTS	\$ 196
Slim-Tilt	BST	\$ 121

NOTE: N/A WITH FOLDING MODESTY PANEL

Finish Options		
Chrome		\$ 133
Nickel		\$ 181
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)	TLK	\$ 204
Table Link (30" ends only)	TLE	\$ 108
Lightweight Laminate Core (to 96" length)	TLL	\$ 194
Special Laminate	TSP	call
Custom Cutout (per cutout)	TCC	\$ 97
Laptop Locker (each)	TLA	\$ 1120
(available on fixed tables only, see page 36 in All Tables Price List for additional information)		
Electronic Lock (per locker)	TLEL	\$ 292
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock ..	TLP	\$ 461

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty Mount	WBM	\$ 78
Basket, Under Top Mount	WBT	\$ 78
Cable Hook Legway	WCK	\$ 96
Canvas Legway	WCL	\$ 80
Plastic Legway	WRL	\$ 63
1 Oval Brush Grommet - Location A	WOA	\$ 78
2 Oval Brush Grommets - Location E	WOE	\$ 156
1 Oval Brush Grommet - Provide Location Print ..	WOG	\$ 78
1 Round Grommet - Location A	WRA	\$ 61
2 Round Grommets - Location E	WRE	\$ 122
1 Round Grommet - Provide Location Print	WRG	\$ 61

Accessories		
Keyboard Platform w/Mouse Surface	AKP27M	\$ 618
CPU Holder (3" - 9" adjustment)	ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment)	ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment)	ACPU3F	\$ 126
Table Transport	ATT3054	\$ 1511
Table Floor Mount Bracket Set	AFB	\$ 45



Questions?

1.800.876.2120

Black = Fixed Bases
 Red = Folding Bases
 Blue = Tilt Bases

top >
edge >

	Laminate PVC	Laminate Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
	Flat 	Flat 	Bumper 	Ergo
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
	Fluted 	Fluted 	Reverse Bevel Acrylic 	
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	PVC on remaining sides
top thickness price >	1 1/4"	1 1/4"	1 1/4"	1 1/4"

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"
	T1 30 x 72 Fix w/FixMod	BTT1 3072REFX XM	119	1560	2650	3060
	30 x 72 Fix w/RemMod	BTT1 3072REFX RM	119	1594	2685	3096
	30 x 72 Fold w/RemMod	BTT1 3072REFD RM	123	1932	3023	3435
	30 x 72 Tilt w/FoldMod	BTT1 3072RETL FM	131	1934	3024	3436
	30 x 72 Tilt w/HangMod	BTT1 3072RETL HM	131	1871	2961	3373
	30 x 72 Tilt w/RemMod	BTT1 3072RETL RM	131	1871	2961	3373
	30 x 72 Fix w/FixLightweightFormMod	BTT1 3072REFX XL OR XLS	119	1594	2141	3096
	30 x 72 Fix w/RemLightweightFormMod	BTT1 3072REFX RL OR RLS	119	1594	2141	3096
	30 x 72 Fold w/RemLightweightFormMod	BTT1 3072REFD RL OR RLS	123	1932	2478	3435
	30 x 72 Tilt w/RemLightweightFormMod	BTT1 3072RETL RL OR RLS	131	1871	2418	3373
	30 x 72 Fix w/FixFormMod	BTT1 3072REFX XF OR XFS	133	1747	2293	3249
	30 x 72 Tilt w/FoldFormMod	BTT1 3072RETL FF OR FFS	145	2023	2569	3525
	30 x 84 Fix w/FixMod	BTT1 3084REFX XM	134	1932	3224	3653
	30 x 84 Fix w/RemMod	BTT1 3084REFX RM	134	1965	3252	3685
	30 x 84 Fold w/RemMod	BTT1 3084REFD RM	138	2300	3588	4020
	30 x 84 Tilt w/FoldMod	BTT1 3084RETL FM	146	2327	3619	4047
	30 x 84 Tilt w/HangMod	BTT1 3084RETL HM	146	2237	3531	3958
	30 x 84 Tilt w/RemMod	BTT1 3084RETL RM	146	2237	3531	3958
	30 x 90 Fix w/FixMod	BTT1 3090REFX XM	143	2097	3515	4181
	30 x 90 Fix w/RemMod	BTT1 3090REFX RM	143	2128	3545	4211
30 x 90 Fold w/RemMod	BTT1 3090REFD RM	147	2464	3883	4550	
30 x 90 Tilt w/FoldMod	BTT1 3090RETL FM	155	2491	3911	4577	
30 x 90 Tilt w/HangMod	BTT1 3090RETL HM	155	2402	3821	4487	
30 x 90 Tilt w/RemMod	BTT1 3090RETL RM	155	2402	3821	4487	
30 x 96 Fix w/FixMod	BTT1 3096REFX XM	151	2097	3515	4181	
30 x 96 Fix w/RemMod	BTT1 3096REFX RM	151	2128	3545	4211	
30 x 96 Fold w/RemMod	BTT1 3096REFD RM	155	2464	3883	4550	
30 x 96 Tilt w/FoldMod	BTT1 3096RETL FM	163	2491	3911	4577	
30 x 96 Tilt w/HangMod	BTT1 3096RETL HM	163	2402	3821	4487	
30 x 96 Tilt w/RemMod	BTT1 3096RETL RM	163	2402	3821	4487	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Assembled Folding Table	BAF	\$ 62
Alternate Table Height 32" & Under	BAH	\$ 80
Alternate Table Height 32" & Over	BSP	call
Adjustable Height - Pneumatic (Fix/Tilt)	BAT	\$ 999
Casters ❶ - Dual Wheel Black Hard Wheel (72" only)	CAS55	\$ 138
Casters ❶ - Dual Wheel Black Soft Wheel (72" only)	CAS57	\$ 138
Mix - Dual Wheel Casters & Glides	BMD	\$ 131
Self-Leveling Glides ❶	GLD04	\$ 39
Stretcher Rail (Fix/Tilt) Finish Same as Base	BTS	\$ 196
Slim-Tilt	BST	\$ 121

NOTE: N/A WITH FOLDING MODESTY PANEL

Finish Options		
Chrome		\$ 133
Nickel		\$ 181
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)	TLK	\$ 204
Table Link (30" ends only)	TLE	\$ 108
Lightweight Laminate Core (to 96" length)	TLL	\$ 194
Special Laminate	TSP	call
Custom Cutout (per cutout)	TCC	\$ 97
Laptop Locker (each)	TLA	\$ 1120
(available on fixed tables only, see page 36 in All Tables Price List for additional information)		
Electronic Lock (per locker)	TLEL	\$ 292
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock ..	TLPU	\$ 461

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty Mount	WBM	\$ 78
Basket, Under Top Mount	WBT	\$ 78
Cable Hook Legway	WCK	\$ 96
Canvas Legway	WCL	\$ 80
Plastic Legway	WRL	\$ 63
1 Oval Brush Grommet - Location A	WOA	\$ 78
2 Oval Brush Grommets - Location E	WOE	\$ 156
1 Oval Brush Grommet - Provide Location Print ..	WOG	\$ 78
1 Round Grommet - Location A	WRA	\$ 61
2 Round Grommets - Location E	WRE	\$ 122
1 Round Grommet - Provide Location Print	WRG	\$ 61

Accessories		
Keyboard Platform w/Mouse Surface	AKP27M	\$ 618
CPU Holder (3" - 9" adjustment)	ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment)	ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment)	ACPU3F	\$ 126
Table Transport	ATT3054	\$ 1511
Table Floor Mount Bracket Set	AFB	\$ 45



Questions?

1.800.876.2120

Black = Fixed Bases
Blue = Slim-Tilt Bases

	top > edge >	Laminate PVC	Laminate Wood
		Flat 	Flat
edge ordering code (square corner) > top thickness >		LP7S 1"	LW7S 1"

Base Style	Table Description	Model #	Product Wt	top thickness price >	
				1"	1"
<p>T1</p> <p>Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.</p>	20 x 48 Fix	EGT1 2048REFX	49	968	1239
	20 x 48 Slim-Tilt	EGT1 2048REST	59	1389	1662
	20 x 48 Fix w/FixMod	EGT1 2048REFX XM	62	1211	1649
	20 x 48 Fix w/RemMod	EGT1 2048REFX RM	52	1230	1661
	20 x 48 Slim-Tilt w/RemMod	EGT1 2048REST RM	62	1682	2120
	20 x 48 Slim-Tilt w/HangMod	EGT1 2048REST HM	72	1682	2120
	20 x 48 Fix w/FixLightweightFormMod	EGT1 2048REFX XL	61	1230	1661
	20 x 48 Fix w/RemLightweightFormMod	EGT1 2048REFX RL	61	1230	1661
	20 x 48 Fix w/FixFormMod	EGT1 2048REFX XF	71	1327	1624
	20 x 60 Fix	EGT1 2060REFX	55	1050	1357
	20 x 60 Slim-Tilt	EGT1 2060REST	67	1468	1779
	20 x 60 Fix w/FixMod	EGT1 2060REFX XM	70	1398	2018
	20 x 60 Fix w/RemMod	EGT1 2060REFX RM	58	1434	2058
	20 x 60 Slim-Tilt w/RemMod	EGT1 2060REST RM	70	1858	2478
	20 x 60 Slim-Tilt w/HangMod	EGT1 2060REST HM	82	1858	2478
	20 x 60 Fix w/FixLightweightFormMod	EGT1 2060REFX XL	70	1434	2060
	20 x 60 Fix w/RemLightweightFormMod	EGT1 2060REFX RL	70	1434	2060
	20 x 60 Fix w/FixFormMod	EGT1 2060REFX XF	82	1662	1973
	20 x 72 Fix	EGT1 2072REFX	61	1098	1472
	20 x 72 Slim-Tilt	EGT1 2072REST	76	1518	1893
	20 x 72 Fix w/FixMod	EGT1 2072REFX XM	78	1514	2461
	20 x 72 Fix w/RemMod	EGT1 2072REFX RM	65	1550	2498
	20 x 72 Slim-Tilt w/RemMod	EGT1 2072REST RM	80	1974	2922
	20 x 72 Slim-Tilt w/HangMod	EGT1 2072REST HM	93	1974	2922
	20 x 72 Fix w/FixLightweightFormMod	EGT1 2072REFX XL	79	1552	2501
	20 x 72 Fix w/RemLightweightFormMod	EGT1 2072REFX RL	79	1552	2501
	20 x 72 Fix w/FixFormMod	EGT1 2072REFX XF	93	1712	2085
	20 x 84 Fix	EGT1 2084REFX	83	1211	1732
20 x 84 Slim-Tilt	EGT1 2084REST	86	1634	2153	
20 x 84 Fix w/FixMod	EGT1 2084REFX XM	103	1731	2570	
20 x 84 Fix w/RemMod	EGT1 2084REFX RM	87	1754	2588	
20 x 84 Slim-Tilt w/RemMod	EGT1 2084REST RM	90	2278	3554	
20 x 84 Slim-Tilt w/HangMod	EGT1 2084REST HM	106	2278	3554	

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options

Code Price

Casters - Dual Wheel Black Hard		
Wheel (to 72" length)	CAS55	\$ 138
Casters - Dual Wheel Black Soft		
Wheel (to 72" length)	CAS57	\$ 138

Finish Options

Chrome		\$ 528
Nickel		\$ 577
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options

Table Link (all four sides)	TLK	\$ 204
Table Link (20" ends only)	TLE	\$ 108
Special Laminate	TSP	call
Custom Cutout (per cutout)	TCC	\$ 97

Power & Data Options

Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options



1 Oval Brush Grommet - Location A	WOA	\$ 78
2 Oval Brush Grommets - Location E	WOE	\$ 156
1 Oval Brush Grommet - Provide Location Print	WOG	\$ 78
1 Round Grommet - Location A	WRA	\$ 61
2 Round Grommets - Location E	WRE	\$ 122
1 Round Grommet - Provide Location Print	WRG	\$ 61




Questions?

1.800.876.2120

Black = Fixed Bases
Blue = Slim-Tilt Bases

	top > edge >	Laminate PVC	Laminate Wood
		Flat 	Flat 
edge ordering code (square corner) > top thickness >		LP7S 1"	LW7S 1"
	top thickness price >	1"	1"

Base Style	Table Description	Model #	Product Wt	1"	1"
 T1	T1 20 x 90 Fix	EGT1 2090REFX	88	1285	1922
	20 x 90 Slim-Tilt	EGT1 2090REST	91	1679	2321
	20 x 90 Fix w/FixMod	EGT1 2090REFX XM	110	2037	3315
	20 x 90 Fix w/RemMod	EGT1 2090REFX RM	92	2071	3348
	20 x 90 Slim-Tilt w/RemMod	EGT1 2090REST RM	95	2492	3768
	20 x 90 Slim-Tilt w/HangMod	EGT1 2090REST HM	113	2492	3768
	20 x 96 Fix	EGT1 2096REFX	92	1319	1957
	20 x 96 Slim-Tilt	EGT1 2096REST	96	1739	2379
	20 x 96 Fix w/FixMod	EGT1 2096REFX XM	116	2037	3315
	20 x 96 Fix w/RemMod	EGT1 2096REFX RM	97	2071	3348
	20 x 96 Slim-Tilt w/RemMod	EGT1 2096REST RM	101	2492	3768
	20 x 96 Slim-Tilt w/HangMod	EGT1 2096REST HM	120	2492	3768

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Finish Options

Code Price

Chrome.....		\$ 528
Nickel.....		\$ 577
Powder Coat - Standard.....	n/c	
Powder Coat - Premium.....		\$ 133
Platinum.....		\$ 397

Top Options

Table Link (all four sides).....	TLK	\$ 204
Table Link (20" ends only).....	TLE	\$ 108
Special Laminate.....	TSP	call
Custom Cutout (per cutout).....	TCC	\$ 97

Power & Data Options

Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options

1 Oval Brush Grommet - Location A.....	WOA	\$ 78
2 Oval Brush Grommets - Location E.....	WOE	\$ 156
1 Oval Brush Grommet - Provide Location Print.....	WOG	\$ 78
1 Round Grommet - Location A.....	WRA	\$ 61
2 Round Grommets - Location E.....	WRE	\$ 122
1 Round Grommet - Provide Location Print.....	WRG	\$ 61



Questions?

1.800.876.2120

Black = Fixed Bases
Blue = Slim-Tilt Bases

	top > edge >	Laminate PVC	Laminate Wood
		Flat 	Flat
edge ordering code (square corner) > top thickness >		LP7S 1"	LW7S 1"

Base Style	Table Description	Model #	Product Wt	top thickness price >	
				1"	1"
<p>T1</p> <p>Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.</p>	24 x 48 Fix	EGT1 2448REFX	55	1015	1382
	24 x 48 Slim-Tilt	EGT1 2448REST	64	1439	1805
	24 x 48 Fix w/FixMod	EGT1 2448REFX XM	68	1272	1305
	24 x 48 Fix w/RemMod	EGT1 2448REFX RM	57	1290	1346
	24 x 48 Slim-Tilt w/RemMod	EGT1 2448REST RM	66	1726	1767
	24 x 48 Slim-Tilt w/HangMod	EGT1 2448REST HM	77	1726	1767
	24 x 48 Fix w/FixLightweightFormMod	EGT1 2448REFX XL	67	1290	1346
	24 x 48 Fix w/RemLightweightFormMod	EGT1 2448REFX RL	67	1290	1346
	24 x 48 Fix w/FixFormMod	EGT1 2448REFX XF	77	1382	1428
	24 x 60 Fix	EGT1 2460REFX	63	1084	1542
	24 x 60 Slim-Tilt	EGT1 2460REST	75	1505	1805
	24 x 60 Fix w/FixMod	EGT1 2460REFX XM	78	1433	1495
	24 x 60 Fix w/RemMod	EGT1 2460REFX RM	66	1473	1536
	24 x 60 Slim-Tilt w/RemMod	EGT1 2460REST RM	78	1893	1953
	24 x 60 Slim-Tilt w/HangMod	EGT1 2460REST HM	90	1893	1953
	24 x 60 Fix w/FixLightweightFormMod	EGT1 2460REFX XL	78	1473	1536
	24 x 60 Fix w/RemLightweightFormMod	EGT1 2460REFX RL	78	1473	1536
	24 x 60 Fix w/FixFormMod	EGT1 2460REFX XF	90	1696	1758
	24 x 72 Fix	EGT1 2472REFX	70	1244	1737
	24 x 72 Slim-Tilt	EGT1 2472REST	85	1662	2163
	24 x 72 Fix w/FixMod	EGT1 2472REFX XM	87	1653	1707
	24 x 72 Fix w/RemMod	EGT1 2472REFX RM	74	1691	1746
	24 x 72 Slim-Tilt w/RemMod	EGT1 2472REST RM	89	2112	2168
	24 x 72 Slim-Tilt w/HangMod	EGT1 2472REST HM	102	2112	2168
	24 x 72 Fix w/FixLightweightFormMod	EGT1 2472REFX XL	88	1694	1747
	24 x 72 Fix w/RemLightweightFormMod	EGT1 2472REFX RL	88	1694	1747
	24 x 72 Fix w/FixFormMod	EGT1 2472REFX XF	102	1852	1906
	24 x 84 Fix	EGT1 2484REFX	94	1312	1926
24 x 84 Slim-Tilt	EGT1 2484REST	97	1734	2348	
24 x 84 Fix w/FixMod	EGT1 2484REFX XM	114	1857	1863	
24 x 84 Fix w/RemMod	EGT1 2484REFX RM	98	1881	1890	
24 x 84 Slim-Tilt w/RemMod	EGT1 2484REST RM	101	2316	3316	
24 x 84 Slim-Tilt w/HangMod	EGT1 2484REST HM	117	2316	3316	

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Casters - Dual Wheel Black Hard		
Wheel (to 72" length)	CAS55	\$ 138
Casters - Dual Wheel Black Soft		
Wheel (to 72" length)	CAS57	\$ 138

Finish Options		
Chrome		\$ 528
Nickel		\$ 577
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)	TLK	\$ 204
Table Link (24" ends only)	TLE	\$ 108
Special Laminate	TSP	call
Custom Cutout (per cutout)	TCC	\$ 97

Power & Data Options
 Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
1 Oval Brush Grommet - Location AWOA	\$ 78
2 Oval Brush Grommets - Location EWOE	\$ 156
1 Oval Brush Grommet - Provide Location PrintWOG	\$ 78
1 Round Grommet - Location AWRA	\$ 61
2 Round Grommets - Location EWRE	\$ 122
1 Round Grommet - Provide Location PrintWRG	\$ 61



Questions?

1.800.876.2120

Black = Fixed Bases
Blue = Slim-Tilt Bases

	top > edge >	Laminate PVC	Laminate Wood
		Flat 	Flat
edge ordering code (square corner) > top thickness >		LP7S 1"	LW7S 1"
		1"	1"

Base Style	Table Description	Model #	Product Wt	top thickness price >	
				1"	1"
 T1	T1 24 x 90 Fix	EGT1 2490REFX	100	1419	2091
	24 x 90 Slim-Tilt	EGT1 2490REST	103	1848	2496
	24 x 90 Fix w/FixMod	EGT1 2490REFX XM	122	2250	3532
	24 x 90 Fix w/RemMod	EGT1 2490REFX RM	104	2346	3052
	24 x 90 Slim-Tilt w/RemMod	EGT1 2490REST RM	107	2766	3472
	24 x 90 Slim-Tilt w/HangMod	EGT1 2490REST HM	125	2766	3472
	24 x 96 Fix	EGT1 2496REFX	105	1516	2221
	24 x 96 Slim-Tilt	EGT1 2496REST	109	1937	2644
	24 x 96 Fix w/FixMod	EGT1 2496REFX XM	129	2250	3532
	24 x 96 Fix w/RemMod	EGT1 2496REFX RM	110	2346	3052
	24 x 96 Slim-Tilt w/RemMod	EGT1 2496REST RM	114	2766	3472
	24 x 96 Slim-Tilt w/HangMod	EGT1 2496REST HM	133	2766	3472

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Finish Options

Code Price

Chrome.....		\$ 528
Nickel.....		\$ 577
Powder Coat - Standard.....	n/c	
Powder Coat - Premium.....		\$ 133
Platinum.....		\$ 397

Top Options

Table Link (all four sides).....	TLK	\$ 204
Table Link (24" ends only).....	TLE	\$ 108
Special Laminate.....	TSP	call
Custom Cutout (per cutout).....	TCC	\$ 97

Power & Data Options

Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options

1 Oval Brush Grommet - Location A.....	WOA	\$ 78
2 Oval Brush Grommets - Location E.....	WOE	\$ 156
1 Oval Brush Grommet - Provide Location Print.....	WOG	\$ 78
1 Round Grommet - Location A.....	WRA	\$ 61
2 Round Grommets - Location E.....	WRE	\$ 122
1 Round Grommet - Provide Location Print.....	WRG	\$ 61

Eliga



VERSTEEL

Questions?

1.800.876.2120

Black = Fixed Bases
Blue = Slim-Tilt Bases

	top > edge >	Laminate PVC	Laminate Wood
		Flat 	Flat
edge ordering code (square corner) > top thickness >		LP7S 1"	LW7S 1"

Base Style	Table Description	Model #	Product Wt	top thickness price >	
				1"	1"
<p>T1</p> <p>Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.</p>	30 x 48 Fix	EGT1 3048REFX	63	1120	1503
	30 x 48 Slim-Tilt	EGT1 3048REST	75	1543	1926
	30 x 48 Fix w/FixMod	EGT1 3048REFX XM	76	1377	1926
	30 x 48 Fix w/RemMod	EGT1 3048REFX RM	66	1401	1940
	30 x 48 Slim-Tilt w/RemMod	EGT1 3048REST RM	78	1840	2392
	30 x 48 Slim-Tilt w/HangMod	EGT1 3048REST HM	88	1840	2392
	30 x 48 Fix w/FixLightweightFormMod	EGT1 3048REFX XL	75	1401	1940
	30 x 48 Fix w/RemLightweightFormMod	EGT1 3048REFX RL	75	1401	2261
	30 x 48 Fix w/FixFormMod	EGT1 3048REFX XF	85	1500	1910
	30 x 60 Fix	EGT1 3060REFX	73	1189	1682
	30 x 60 Slim-Tilt	EGT1 3060REST	87	1610	2102
	30 x 60 Fix w/FixMod	EGT1 3060REFX XM	88	1540	2342
	30 x 60 Fix w/RemMod	EGT1 3060REFX RM	76	1578	2379
	30 x 60 Slim-Tilt w/RemMod	EGT1 3060REST RM	90	2000	2801
	30 x 60 Slim-Tilt w/HangMod	EGT1 3060REST HM	102	2000	2801
	30 x 60 Fix w/FixLightweightFormMod	EGT1 3060REFX XL	88	1578	2378
	30 x 60 Fix w/RemLightweightFormMod	EGT1 3060REFX RL	88	1578	2378
	30 x 60 Fix w/FixFormMod	EGT1 3060REFX XF	100	1800	2293
	30 x 72 Fix	EGT1 3072REFX	83	1281	1860
	30 x 72 Slim-Tilt	EGT1 3072REST	100	1704	2280
	30 x 72 Fix w/FixMod	EGT1 3072REFX XM	100	1695	2849
	30 x 72 Fix w/RemMod	EGT1 3072REFX RM	87	1734	2885
	30 x 72 Slim-Tilt w/RemMod	EGT1 3072REST RM	104	2156	3306
	30 x 72 Slim-Tilt w/HangMod	EGT1 3072REST HM	117	2156	3306
	30 x 72 Fix w/FixLightweightFormMod	EGT1 3072REFX XL	101	1735	2886
	30 x 72 Fix w/RemLightweightFormMod	EGT1 3072REFX RL	101	1735	2886
	30 x 72 Fix w/FixFormMod	EGT1 3072REFX XF	115	1895	2473
	30 x 84 Fix	EGT1 3084REFX	109	1374	2098
	30 x 84 Slim-Tilt	EGT1 3084REST	114	1794	2519
	30 x 84 Fix w/FixMod	EGT1 3084REFX XM	129	1929	3068
	30 x 84 Fix w/RemMod	EGT1 3084REFX RM	113	1956	3086
	30 x 84 Slim-Tilt w/RemMod	EGT1 3084REST RM	118	2315	3793
	30 x 84 Slim-Tilt w/HangMod	EGT1 3084REST HM	134	2315	3793

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options

Code Price

Casters - Dual Wheel Black Hard		
Wheel (to 72" length)	CAS55	\$ 138
Casters - Dual Wheel Black Soft		
Wheel (to 72" length)	CAS57	\$ 138

Finish Options

Chrome		\$ 528
Nickel		\$ 577
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options

Table Link (all four sides)	TLK	\$ 204
Table Link (30" ends only)	TLE	\$ 108
Special Laminate	TSP	call
Custom Cutout (per cutout)	TCC	\$ 97

Power & Data Options

Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options

1 Oval Brush Grommet - Location A	WOA	\$ 78
2 Oval Brush Grommets - Location E	WOE	\$ 156
1 Oval Brush Grommet - Provide Location Print	WOG	\$ 78
1 Round Grommet - Location A	WRA	\$ 61
2 Round Grommets - Location E	WRE	\$ 122
1 Round Grommet - Provide Location Print	WRG	\$ 61

Eliga



VERSTEEL

Questions?

1.800.876.2120

Black = Fixed Bases
Blue = Slim-Tilt Bases

	top > edge >	Laminate PVC	Laminate Wood
		Flat 	Flat
edge ordering code (square corner) > top thickness >		LP7S 1"	LW7S 1"
		1"	1"

Base Style	Table Description	Model #	Product Wt	top thickness price >	
				1"	1"
 T1	T1 30 x 90 Fix	EGT1 3090REFX	116	1465	2265
	30 x 90 Slim-Tilt	EGT1 3090REST	121	1881	2638
	30 x 90 Fix w/FixMod	EGT1 3090REFX XM	138	2262	3763
	30 x 90 Fix w/RemMod	EGT1 3090REFX RM	120	2296	3798
	30 x 90 Slim-Tilt w/RemMod	EGT1 3090REST RM	125	2718	4219
	30 x 90 Slim-Tilt w/HangMod	EGT1 3090REST HM	143	2718	4219
	30 x 96 Fix	EGT1 3096REFX	122	1542	2406
	30 x 96 Slim-Tilt	EGT1 3096REST	128	1965	2829
	30 x 96 Fix w/FixMod	EGT1 3096REFX XM	146	2262	3763
	30 x 96 Fix w/RemMod	EGT1 3096REFX RM	127	2296	3798
	30 x 96 Slim-Tilt w/RemMod	EGT1 3096REST RM	133	2718	4219
	30 x 96 Slim-Tilt w/HangMod	EGT1 3096REST HM	152	2718	4219

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Finish Options

Code Price

Chrome.....		\$ 528
Nickel.....		\$ 577
Powder Coat - Standard.....	n/c	
Powder Coat - Premium.....		\$ 133
Platinum.....		\$ 397

Top Options

Table Link (all four sides).....	.TLK	\$ 204
Table Link (30" ends only).....	.TLE	\$ 108
Special Laminate.....	.TSP	call
Custom Cutout (per cutout).....	.TCC	\$ 97

Power & Data Options

Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options

1 Oval Brush Grommet - Location A.....	.WOA	\$ 78
2 Oval Brush Grommets - Location E.....	.WOE	\$ 156
1 Oval Brush Grommet - Provide Location Print.....	.WOG	\$ 78
1 Round Grommet - Location A.....	.WRA	\$ 61
2 Round Grommets - Location E.....	.WRE	\$ 122
1 Round Grommet - Provide Location Print.....	.WRG	\$ 61

Eliga



VERSTEEL

Questions?

1.800.876.2120

Black = Fixed Bases
Blue = Slim-Tilt Bases

	top > edge >	Laminate PVC	Laminate Wood
		Flat 	Flat
edge ordering code (square corner) > top thickness >		LP7S 1"	LW7S 1"

Base Style	Table Description	Model #	Product Wt	top thickness price >	
				1"	1"
<p>T1</p> <p>Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.</p>	36 x 48 Fix	EGT1 3648REFX	71	1232	1653
	36 x 48 Slim-Tilt	EGT1 3648REST	83	1686	2105
	36 x 48 Fix w/FixMod	EGT1 3648REFX XM	84	1515	2119
	36 x 48 Fix w/RemMod	EGT1 3648REFX RM	74	1541	2135
	36 x 48 Slim-Tilt w/RemMod	EGT1 3648REST RM	86	2010	2617
	36 x 48 Slim-Tilt w/HangMod	EGT1 3648REST HM	96	2010	2617
	36 x 48 Fix w/FixLightweightFormMod	EGT1 3648REFX XL	83	1541	2135
	36 x 48 Fix w/RemLightweightFormMod	EGT1 3648REFX RL	83	1541	2488
	36 x 48 Fix w/FixFormMod	EGT1 3648REFX XF	93	1651	2102
	36 x 60 Fix	EGT1 3660REFX	83	1309	1847
	36 x 60 Slim-Tilt	EGT1 3660REST	97	1758	2299
	36 x 60 Fix w/FixMod	EGT1 3660REFX XM	98	1694	2575
	36 x 60 Fix w/RemMod	EGT1 3660REFX RM	86	1735	2616
	36 x 60 Slim-Tilt w/RemMod	EGT1 3660REST RM	100	2187	3071
	36 x 60 Slim-Tilt w/HangMod	EGT1 3660REST HM	112	2187	3071
	36 x 60 Fix w/FixLightweightFormMod	EGT1 3660REFX XL	98	1735	2615
	36 x 60 Fix w/RemLightweightFormMod	EGT1 3660REFX RL	98	1735	2615
	36 x 60 Fix w/FixFormMod	EGT1 3660REFX XF	110	1982	2523
	36 x 72 Fix	EGT1 3672REFX	95	1409	2046
	36 x 72 Slim-Tilt	EGT1 3672REST	112	1862	2494
	36 x 72 Fix w/FixMod	EGT1 3672REFX XM	112	1864	3135
	36 x 72 Fix w/RemMod	EGT1 3672REFX RM	99	1908	3173
	36 x 72 Slim-Tilt w/RemMod	EGT1 3672REST RM	114	2357	3626
	36 x 72 Slim-Tilt w/HangMod	EGT1 3672REST HM	129	2357	3626
	36 x 72 Fix w/FixLightweightFormMod	EGT1 3672REFX XL	113	1910	3176
	36 x 72 Fix w/RemLightweightFormMod	EGT1 3672REFX RL	113	1910	3176
	36 x 72 Fix w/FixFormMod	EGT1 3672REFX XF	127	2085	2720
	36 x 84 Fix	EGT1 3684REFX	123	1511	2306
	36 x 84 Slim-Tilt	EGT1 3684REST	128	1960	2760
	36 x 84 Fix w/FixMod	EGT1 3684REFX XM	143	2124	3373
	36 x 84 Fix w/RemMod	EGT1 3684REFX RM	127	2151	3395
	36 x 84 Slim-Tilt w/RemMod	EGT1 3684REST RM	132	2534	4162
	36 x 84 Slim-Tilt w/HangMod	EGT1 3684REST HM	148	2534	4162

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options

Code Price

Casters - Dual Wheel Black Hard		
Wheel (to 72" length)	CAS55	\$ 138
Casters - Dual Wheel Black Soft		
Wheel (to 72" length)	CAS57	\$ 138

Finish Options

Chrome		\$ 528
Nickel		\$ 577
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options

Table Link (all four sides)	TLK	\$ 204
Table Link (36" ends only)	TLE	\$ 108
Special Laminate	TSP	call
Custom Cutout (per cutout)	TCC	\$ 97

Power & Data Options

Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options

1 Oval Brush Grommet - Location A	WOA	\$ 78
2 Oval Brush Grommets - Location E	WOE	\$ 156
1 Oval Brush Grommet - Provide Location Print	WOG	\$ 78
1 Round Grommet - Location A	WRA	\$ 61
2 Round Grommets - Location E	WRE	\$ 122
1 Round Grommet - Provide Location Print	WRG	\$ 61

Eliga



VERSTEEL

Questions?

1.800.876.2120

Black = Fixed Bases
Blue = Slim-Tilt Bases

	top > edge >	Laminate PVC	Laminate Wood
		Flat 	Flat
edge ordering code (square corner) > top thickness >		LP7S 1"	LW7S 1"
		1"	1"

Base Style	Table Description	Model #	Product Wt	top thickness price >	
				1"	1"
 T1	T1 36 x 90 Fix	EGT1 3690REFX	131	1610	2491
	36 x 90 Slim-Tilt	EGT1 3690REST	136	2055	2889
	36 x 90 Fix w/FixMod	EGT1 3690REFX XM	153	2489	4140
	36 x 90 Fix w/RemMod	EGT1 3690REFX RM	135	2524	4178
	36 x 90 Slim-Tilt w/RemMod	EGT1 3690REST RM	140	2977	4628
	36 x 90 Slim-Tilt w/HangMod	EGT1 3690REST HM	158	2977	4628
	36 x 96 Fix	EGT1 3696REFX	138	1696	2646
	36 x 96 Slim-Tilt	EGT1 3696REST	144	2148	3098
	36 x 96 Fix w/FixMod	EGT1 3696REFX XM	162	2489	4140
	36 x 96 Fix w/RemMod	EGT1 3696REFX RM	143	2524	4178
	36 x 96 Slim-Tilt w/RemMod	EGT1 3696REST RM	149	2977	4628
	36 x 96 Slim-Tilt w/HangMod	EGT1 3696REST HM	168	2977	4628

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Finish Options	Code	Price
Chrome.....		\$ 528
Nickel.....		\$ 577
Powder Coat - Standard.....		n/c
Powder Coat - Premium.....		\$ 133
Platinum.....		\$ 397

Top Options		
Table Link (all four sides).....	.TLK	\$ 204
Table Link (36" ends only).....	.TLE	\$ 108
Special Laminate.....	.TSP	call
Custom Cutout (per cutout).....	.TCC	\$ 97

Power & Data Options
 Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
1 Oval Brush Grommet - Location A.....	.WOA	\$ 78
2 Oval Brush Grommets - Location E.....	.WOE	\$ 156
1 Oval Brush Grommet - Provide Location Print.....	.WOG	\$ 78
1 Round Grommet - Location A.....	.WRA	\$ 61
2 Round Grommets - Location E.....	.WRE	\$ 122
1 Round Grommet - Provide Location Print.....	.WRG	\$ 61

Eliga



VERSTEEL

Questions?

1.800.876.2120

Black = Fixed Bases
Blue = Slim-Tilt Bases

	top > edge >	Laminate PVC	Laminate Wood
		Flat 	Flat
edge ordering code (square corner) > top thickness >		LP7S 1"	LW7S 1"
		1"	1"

Base Style	Table Description	Model #	Product Wt	top thickness price >	
				1"	1"
<p>TC</p> <p>Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.</p>	24 x 48 Fix	EGTC 2448REFX	55	1015	1382
	24 x 48 Slim-Tilt	EGTC 2448REST	64	1439	1805
	24 x 48 Fix w/FixMod	EGTC 2448REFX XM	68	1272	1305
	24 x 48 Fix w/RemMod	EGTC 2448REFX RM	57	1290	1346
	24 x 48 Slim-Tilt w/RemMod	EGTC 2448REST RM	66	1726	1767
	24 x 48 Slim-Tilt w/HangMod	EGTC 2448REST HM	77	1726	1767
	24 x 48 Fix w/FixLightweightFormMod	EGTC 2448REFX XL	67	1290	1346
	24 x 48 Fix w/RemLightweightFormMod	EGTC 2448REFX RL	67	1290	1346
	24 x 48 Fix w/FixFormMod	EGTC 2448REFX XF	77	1382	1428
	24 x 60 Fix	EGTC 2460REFX	63	1084	1542
	24 x 60 Slim-Tilt	EGTC 2460REST	75	1439	1805
	24 x 60 Fix w/FixMod	EGTC 2460REFX XM	78	1433	1495
	24 x 60 Fix w/RemMod	EGTC 2460REFX RM	66	1473	1536
	24 x 60 Slim-Tilt w/RemMod	EGTC 2460REST RM	78	1893	1953
	24 x 60 Slim-Tilt w/HangMod	EGTC 2460REST HM	90	1893	1953
	24 x 60 Fix w/FixLightweightFormMod	EGTC 2460REFX XL	78	1473	1536
	24 x 60 Fix w/RemLightweightFormMod	EGTC 2460REFX RL	78	1473	1536
	24 x 60 Fix w/FixFormMod	EGTC 2460REFX XF	90	1696	1758
	24 x 72 Fix	EGTC 2472REFX	70	1244	1737
	24 x 72 Slim-Tilt	EGTC 2472REST	85	1662	2163
	24 x 72 Fix w/FixMod	EGTC 2472REFX XM	87	1653	1707
	24 x 72 Fix w/RemMod	EGTC 2472REFX RM	74	1691	1746
	24 x 72 Slim-Tilt w/RemMod	EGTC 2472REST RM	89	2112	2168
	24 x 72 Slim-Tilt w/HangMod	EGTC 2472REST HM	102	2112	2168
	24 x 72 Fix w/FixLightweightFormMod	EGTC 2472REFX XL	88	1694	1747
	24 x 72 Fix w/RemLightweightFormMod	EGTC 2472REFX RL	88	1694	1747
	24 x 72 Fix w/FixFormMod	EGTC 2472REFX XF	102	1852	1906
	24 x 84 Fix	EGTC 2484REFX	94	1312	1926
24 x 84 Slim-Tilt	EGTC 2484REST	97	1734	2348	
24 x 84 Fix w/FixMod	EGTC 2484REFX XM	114	1857	1863	
24 x 84 Fix w/RemMod	EGTC 2484REFX RM	98	1881	1890	
24 x 84 Slim-Tilt w/RemMod	EGTC 2484REST RM	101	2316	3316	
24 x 84 Slim-Tilt w/HangMod	EGTC 2484REST HM	117	2316	3316	

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options

Code Price

Casters - Dual Wheel Black Hard		
Wheel (to 72" length)	CAS55	\$ 138
Casters - Dual Wheel Black Soft		
Wheel (to 72" length)	CAS57	\$ 138

Finish Options

Chrome		\$ 528
Nickel		\$ 577
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options

Table Link (all four sides)	TLK	\$ 204
Table Link (24" ends only)	TLE	\$ 108
Special Laminate	TSP	call
Custom Cutout (per cutout)	TCC	\$ 97

Power & Data Options

Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options



1 Oval Brush Grommet - Location A	WOA	\$ 78
2 Oval Brush Grommets - Location E	WOE	\$ 156
1 Oval Brush Grommet - Provide Location Print	WOG	\$ 78
1 Round Grommet - Location A	WRA	\$ 61
2 Round Grommets - Location E	WRE	\$ 122
1 Round Grommet - Provide Location Print	WRG	\$ 61




Questions?

1.800.876.2120

Black = Fixed Bases
Blue = Slim-Tilt Bases

	top > edge >	Laminate PVC	Laminate Wood
		Flat 	Flat 
edge ordering code (square corner) > top thickness >		LP7S 1"	LW7S 1"
		1"	1"

Base Style	Table Description	Model #	Product Wt	top thickness price >	
				1"	1"
 TC	TC 24 x 90 Fix	EGTC 2490REFX	100	1419	2091
	24 x 90 Slim-Tilt	EGTC 2490REST	103	1848	2496
	24 x 90 Fix w/FixMod	EGTC 2490REFX XM	122	2250	3532
	24 x 90 Fix w/RemMod	EGTC 2490REFX RM	104	2346	3052
	24 x 90 Slim-Tilt w/RemMod	EGTC 2490REST RM	107	2766	3472
	24 x 90 Slim-Tilt w/HangMod	EGTC 2490REST HM	125	2766	3472
	24 x 96 Fix	EGTC 2496REFX	105	1516	2221
	24 x 96 Slim-Tilt	EGTC 2496REST	109	1937	2644
	24 x 96 Fix w/FixMod	EGTC 2496REFX XM	129	2250	3532
	24 x 96 Fix w/RemMod	EGTC 2496REFX RM	110	2346	3052
	24 x 96 Slim-Tilt w/RemMod	EGTC 2496REST RM	114	2766	3472
	24 x 96 Slim-Tilt w/HangMod	EGTC 2496REST HM	133	2766	3472

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Finish Options

Code Price

Chrome.....		\$ 528
Nickel.....		\$ 577
Powder Coat - Standard.....	n/c	
Powder Coat - Premium.....		\$ 133
Platinum.....		\$ 397

Top Options

Table Link (all four sides).....	TLK	\$ 204
Table Link (24" ends only).....	TLE	\$ 108
Special Laminate.....	TSP	call
Custom Cutout (per cutout).....	TCC	\$ 97

Power & Data Options

Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options



1 Oval Brush Grommet - Location A.....	WOA	\$ 78
2 Oval Brush Grommets - Location E.....	WOE	\$ 156
1 Oval Brush Grommet - Provide Location Print.....	WOG	\$ 78
1 Round Grommet - Location A.....	WRA	\$ 61
2 Round Grommets - Location E.....	WRE	\$ 122
1 Round Grommet - Provide Location Print.....	WRG	\$ 61




Questions?

1.800.876.2120

Black = Fixed Bases
Blue = Slim-Tilt Bases

	top > edge >	Laminate PVC	Laminate Wood
		Flat 	Flat 
edge ordering code (square corner) > top thickness >		LP7S 1"	LW7S 1"
		1"	1"

Base Style	Table Description	Model #	Product Wt	top thickness price >	
				1"	1"
 <p>TC</p> <p>Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.</p>	30 x 48 Fix	EGTC 3048REFX	63	1120	1503
	30 x 48 Slim-Tilt	EGTC 3048REST	75	1543	1926
	30 x 48 Fix w/FixMod	EGTC 3048REFX XM	76	1377	1926
	30 x 48 Fix w/RemMod	EGTC 3048REFX RM	66	1401	1940
	30 x 48 Slim-Tilt w/RemMod	EGTC 3048REST RM	78	1840	2392
	30 x 48 Slim-Tilt w/HangMod	EGTC 3048REST HM	88	1840	2392
	30 x 48 Fix w/FixLightweightFormMod	EGTC 3048REFX XL	75	1401	1940
	30 x 48 Fix w/RemLightweightFormMod	EGTC 3048REFX RL	75	1401	2261
	30 x 48 Fix w/FixFormMod	EGTC 3048REFX XF	85	1500	1910
	30 x 60 Fix	EGTC 3060REFX	73	1189	1682
	30 x 60 Slim-Tilt	EGTC 3060REST	87	1610	2102
	30 x 60 Fix w/FixMod	EGTC 3060REFX XM	88	1540	2342
	30 x 60 Fix w/RemMod	EGTC 3060REFX RM	76	1578	2379
	30 x 60 Slim-Tilt w/RemMod	EGTC 3060REST RM	90	2000	2801
	30 x 60 Slim-Tilt w/HangMod	EGTC 3060REST HM	102	2000	2801
	30 x 60 Fix w/FixLightweightFormMod	EGTC 3060REFX XL	88	1578	2378
	30 x 60 Fix w/RemLightweightFormMod	EGTC 3060REFX RL	88	1578	2378
	30 x 60 Fix w/FixFormMod	EGTC 3060REFX XF	100	1800	2293
	30 x 72 Fix	EGTC 3072REFX	83	1281	1860
	30 x 72 Slim-Tilt	EGTC 3072REST	100	1704	2280
	30 x 72 Fix w/FixMod	EGTC 3072REFX XM	100	1695	2849
	30 x 72 Fix w/RemMod	EGTC 3072REFX RM	87	1734	2885
	30 x 72 Slim-Tilt w/RemMod	EGTC 3072REST RM	104	2156	3306
	30 x 72 Slim-Tilt w/HangMod	EGTC 3072REST HM	117	2156	3306
	30 x 72 Fix w/FixLightweightFormMod	EGTC 3072REFX XL	101	1735	2886
	30 x 72 Fix w/RemLightweightFormMod	EGTC 3072REFX RL	101	1735	2886
	30 x 72 Fix w/FixFormMod	EGTC 3072REFX XF	115	1895	2473
	30 x 84 Fix	EGTC 3084REFX	109	1374	2098
	30 x 84 Slim-Tilt	EGTC 3084REST	114	1794	2519
	30 x 84 Fix w/FixMod	EGTC 3084REFX XM	129	1929	3068
	30 x 84 Fix w/RemMod	EGTC 3084REFX RM	113	1956	3086
	30 x 84 Slim-Tilt w/RemMod	EGTC 3084REST RM	118	2315	3793
	30 x 84 Slim-Tilt w/HangMod	EGTC 3084REST HM	134	2315	3793

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options

Code Price

Casters - Dual Wheel Black Hard		
Wheel (to 72" length)	CAS55	\$ 138
Casters - Dual Wheel Black Soft		
Wheel (to 72" length)	CAS57	\$ 138

Finish Options

Chrome		\$ 528
Nickel		\$ 577
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options

Table Link (all four sides)	TLK	\$ 204
Table Link (30" ends only)	TLE	\$ 108
Special Laminate	TSP	call
Custom Cutout (per cutout)	TCC	\$ 97

Power & Data Options

Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options

1 Oval Brush Grommet - Location A	WOA	\$ 78
2 Oval Brush Grommets - Location E	WOE	\$ 156
1 Oval Brush Grommet - Provide Location Print	WOG	\$ 78
1 Round Grommet - Location A	WRA	\$ 61
2 Round Grommets - Location E	WRE	\$ 122
1 Round Grommet - Provide Location Print	WRG	\$ 61

Eliga



VERSTEEL

Questions?

1.800.876.2120

Black = Fixed Bases
Blue = Slim-Tilt Bases

	top > edge >	Laminate PVC	Laminate Wood
		Flat 	Flat
edge ordering code (square corner) > top thickness >		LP7S 1"	LW7S 1"
		1"	1"

Base Style	Table Description	Model #	Product Wt	top thickness price >	
				1"	1"
 TC	TC 30 x 90 Fix	EGTC 3090REFX	116	1465	2265
	30 x 90 Slim-Tilt	EGTC 3090REST	121	1881	2638
	30 x 90 Fix w/FixMod	EGTC 3090REFX XM	138	2262	3763
	30 x 90 Fix w/RemMod	EGTC 3090REFX RM	120	2296	3798
	30 x 90 Slim-Tilt w/RemMod	EGTC 3090REST RM	125	2718	4219
	30 x 90 Slim-Tilt w/HangMod	EGTC 3090REST HM	143	2718	4219
	30 x 96 Fix	EGTC 3096REFX	122	1542	2406
	30 x 96 Slim-Tilt	EGTC 3096REST	128	1965	2829
	30 x 96 Fix w/FixMod	EGTC 3096REFX XM	146	2262	3763
	30 x 96 Fix w/RemMod	EGTC 3096REFX RM	127	2296	3798
	30 x 96 Slim-Tilt w/RemMod	EGTC 3096REST RM	133	2718	4219
	30 x 96 Slim-Tilt w/HangMod	EGTC 3096REST HM	152	2718	4219

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Finish Options

Code Price

Chrome.....		\$ 528
Nickel.....		\$ 577
Powder Coat - Standard.....		n/c
Powder Coat - Premium.....		\$ 133
Platinum.....		\$ 397

Top Options

Table Link (all four sides).....	TLK	\$ 204
Table Link (30" ends only).....	TLE	\$ 108
Special Laminate.....	TSP	call
Custom Cutout (per cutout).....	TCC	\$ 97

Power & Data Options

Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options

1 Oval Brush Grommet - Location A.....	WOA	\$ 78
2 Oval Brush Grommets - Location E.....	WOE	\$ 156
1 Oval Brush Grommet - Provide Location Print.....	WOG	\$ 78
1 Round Grommet - Location A.....	WRA	\$ 61
2 Round Grommets - Location E.....	WRE	\$ 122
1 Round Grommet - Provide Location Print.....	WRG	\$ 61



Questions?

1.800.876.2120

Black = Fixed Bases

Red = Folding Bases

= Overlapping Folding Bases

Blue = Tilt Bases

= Quickship Program Product

= Quickship Program Product

= Quickship Program Product

top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Urethane/PVC (user side only)
	Flat 	Flat 	Bumper 	Ergo
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
	Fluted 	Fluted 	Reverse Bevel Acrylic 	PVC on remaining sides
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	
top thickness price >	1 1/4"	1 1/4"	1 1/4"	1 1/4"

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"
	T1 18 x 48 Fix w/FixMod	PTT1 1848REFX XM	65	1086	1657	1902
	18 x 48 Fix w/RemMod	PTT1 1848REFX RM	65	1120	1690	1936
	18 x 48 Fold w/RemMod	PTT1 1848REFO RM	67	1447	2018	2262
	18 x 48 Tilt w/HangMod	PTT1 1848RETL HM	77	1386	1959	2204
	18 x 48 Tilt w/RemMod	PTT1 1848RETL RM	77	1386	1959	2204
	18 x 48 Fix w/FixLightweightFormMod	PTT1 1848REFX XL OR XLS	65	1120	1371	1936
	18 x 48 Fix w/RemLightweightFormMod	PTT1 1848REFX RL OR RLS	65	1120	1371	1936
	18 x 48 Fold w/RemLightweightFormMod	PTT1 1848REFO RL OR RLS	67	1447	1696	2262
	18 x 48 Tilt w/RemLightweightFormMod	PTT1 1848RETL RL OR RLS	77	1386	1637	2204
	18 x 48 Fix w/FixFormMod	PTT1 1848REFX XF OR XFS	65	1326	1573	2139
	18 x 60 Fix w/FixMod	PTT1 1860REFX XM	76	1161	1732	2174
	18 x 60 Fix w/RemMod	PTT1 1860REFX RM	76	1193	1767	2210
	18 x 60 Fold w/RemMod	PTT1 1860REFD RM	78	1521	2092	2536
	18 x 60 Tilt w/HangMod	PTT1 1860RETL HM	88	1463	2033	2476
	18 x 60 Tilt w/RemMod	PTT1 1860RETL RM	88	1463	2033	2476
	18 x 60 Fix w/FixLightweightFormMod	PTT1 1860REFX XL OR XLS	75	1193	1477	2210
	18 x 60 Fix w/RemLightweightFormMod	PTT1 1860REFX RL OR RLS	75	1193	1477	2210
	18 x 60 Fold w/RemLightweightFormMod	PTT1 1860REFD RL OR RLS	77	1521	1806	2536
	18 x 60 Tilt w/RemLightweightFormMod	PTT1 1860RETL RL OR RLS	87	1463	1747	2476
	18 x 60 Fix w/FixFormMod	PTT1 1860REFX XF OR XFS	88	1401	1686	2415
18 x 72 Fix w/FixMod	PTT1 1872REFX XM	87	1263	2135	2448	
18 x 72 Fix w/RemMod	PTT1 1872REFX RM	87	1295	2170	2484	
18 x 72 Fold w/RemMod	PTT1 1872REFD RM	89	1624	2495	2810	
18 x 72 Tilt w/HangMod	PTT1 1872RETL HM	99	1566	2439	2754	
18 x 72 Tilt w/RemMod	PTT1 1872RETL RM	99	1566	2439	2754	
18 x 72 Fix w/FixLightweightFormMod	PTT1 1872REFX XL OR XLS	88	1295	1642	2484	
18 x 72 Fix w/RemLightweightFormMod	PTT1 1872REFX RL OR RLS	88	1295	1642	2484	
18 x 72 Fold w/RemLightweightFormMod	PTT1 1872REFD RL OR RLS	90	1624	1968	2810	
18 x 72 Tilt w/RemLightweightFormMod	PTT1 1872RETL RL OR RLS	100	1566	1910	2754	
18 x 72 Fix w/FixFormMod	PTT1 1872REFX XF OR XFS	102	1445	1790	2633	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Assembled Folding Table	BAF	\$ 62
Alternate Table Height 32" & Under	BAH	\$ 80
Alternate Table Height 32" & Over	BSP	call
Adjustable Height - Pin (Fix/Tilt)	BAP	\$ 179
Adjustable Height - Pneumatic (Fix/Tilt)	BAT	\$ 999
Bullet End Caps	BBE	\$ 104
Casters - Dual Wheel Black Hard Wheel (to 72" length)	CAS55	\$ 138
Casters - Dual Wheel Black Soft Wheel (to 72" length)	CAS57	\$ 138
Self-Leveling Glides 	GLD04	\$ 39
Stretcher Rail (Fix/Tilt) Finish Same as Base	BTS	\$ 196
Slim-Tilt	BST	\$ 121

NOTE: N/A WITH FOLDING MODESTY PANEL

Finish Options		
Chrome		\$ 133
Nickel		\$ 181
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)	TLK	\$ 204
Table Link (18" ends only)	TLE	\$ 108
Lightweight Laminate Core (to 96" length)	TLL	\$ 194
Special Laminate	TSP	call
Custom Cutout (per cutout)	TCC	\$ 97

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty Mount	WBM	\$ 78
Basket, Under Top Mount	WBT	\$ 78
Cable Hook Legway	WCK	\$ 96
Canvas Legway	WCL	\$ 80
Plastic Legway	WRL	\$ 63
1 Oval Brush Grommet - Location A	WOA	\$ 78
2 Oval Brush Grommets - Location E	WOE	\$ 156
1 Oval Brush Grommet - Provide Location Print	WOG	\$ 78
1 Round Grommet - Location A	WRA	\$ 61
2 Round Grommets - Location E	WRE	\$ 122
1 Round Grommet - Provide Location Print	WRG	\$ 61

Accessories		
CPU Holder (3" - 9" adjustment)	ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment)	ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment)	ACPU3F	\$ 126
Table Transport	ATT3054	\$ 1511
Table Floor Mount Bracket Set	AFB	\$ 45



Questions?

1.800.876.2120

Black = Fixed Bases

Red = Folding Bases

Blue = Tilt Bases

QS = Quickship Program Product

QS = Quickship Program Product

QS = Quickship Program Product

top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Urethane/PVC (user side only)
	Flat 	Flat 	Bumper 	Ergo
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	Fluted 	Fluted 	Reverse Bevel Acrylic 	PVC on remaining sides
	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	
top thickness price >	1 1/4"	1 1/4"	1 1/4"	1 1/4"

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"
	18 x 84 Fix w/FixMod	PTT1 1884REFX XM QS	98	1449	2512	2783
	18 x 84 Fix w/RemMod	PTT1 1884REFX RM QS	98	1480	2541	2811
	18 x 84 Fold w/RemMod	PTT1 1884REFD RM QS	100	1809	2867	3138
	18 x 84 Tilt w/HangMod	PTT1 1884RETL HM QS	110	1748	2809	3079
	18 x 84 Tilt w/RemMod	PTT1 1884RETL RM QS	110	1748	2809	3079
	18 x 90 Fix w/FixMod	PTT1 1890REFX XM QS	104	1547	2719	3251
	18 x 90 Fix w/RemMod	PTT1 1890REFX RM QS	104	1575	2750	3280
	18 x 90 Fold w/RemMod	PTT1 1890REFD RM QS	106	1906	3077	3607
	18 x 90 Tilt w/HangMod	PTT1 1890RETL HM QS	116	1845	3018	3548
	18 x 90 Tilt w/RemMod	PTT1 1890RETL RM QS	116	1845	3018	3548
	18 x 96 Fix w/FixMod	PTT1 1896REFX XM QS	109	1547	2719	3251
	18 x 96 Fix w/RemMod	PTT1 1896REFX RM QS	109	1575	2750	3280
	18 x 96 Fold w/RemMod	PTT1 1896REFD RM QS	111	1906	3077	3607
	18 x 96 Tilt w/HangMod	PTT1 1896RETL HM QS	121	1845	3018	3548
	18 x 96 Tilt w/RemMod	PTT1 1896RETL RM QS	121	1845	3018	3548

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Assembled Folding TableBAF	\$ 62
Alternate Table Height 32" & UnderBAH	\$ 80
Alternate Table Height 32" & OverBSP	call
Adjustable Height - Pin (Fix/Tilt)BAP	\$ 179
Adjustable Height - Pneumatic (Fix/Tilt)BAT	\$ 999
Bullet End CapsBBE	\$ 104
Self-Leveling Glides ●GLD04	\$ 39
Stretcher Rail (Fix/Tilt) Finish Same as BaseBTS	\$ 196
Slim-TiltBST	\$ 121

NOTE: N/A WITH FOLDING MODESTY PANEL

Finish Options		
Chrome		\$ 133
Nickel		\$ 181
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)TLK	\$ 204
Table Link (18" ends only)TLE	\$ 108
Lightweight Laminate Core (to 96" length)TLL	\$ 194
Special LaminateTSP	call
Custom Cutout (per cutout)TCC	\$ 97

Power & Data Options
 Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty MountWBM	\$ 78
Basket, Under Top MountWBT	\$ 78
Cable Hook LegwayWCK	\$ 96
Canvas LegwayWCL	\$ 80
Plastic LegwayWRL	\$ 63
1 Oval Brush Grommet - Location AWOA	\$ 78
2 Oval Brush Grommets - Location EWOE	\$ 156
1 Oval Brush Grommet - Provide Location PrintWOG	\$ 78
1 Round Grommet - Location AWRA	\$ 61
2 Round Grommets - Location EWRE	\$ 122
1 Round Grommet - Provide Location PrintWRG	\$ 61

Accessories		
CPU Holder (3" - 9" adjustment)ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment)ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment)ACPU3F	\$ 126
Table TransportATT3054	\$ 1511
Table Floor Mount Bracket SetAFB	\$ 45



Questions?

1.800.876.2120

Black = Fixed Bases

Red = Folding Bases

= Overlapping Folding Bases

Blue = Tilt Bases

= Quickship Program Product

= Quickship Program Product

= Quickship Program Product

top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Urethane/PVC (user side only)
	Flat 	Flat 	Bumper 	Ergo
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	Fluted 	Fluted 	Reverse Bevel Acrylic 	PVC on remaining sides
	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	
top thickness price >	1 1/4"	1 1/4"	1 1/4"	

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"
	T1 20 x 48 Fix w/FixMod	PTT1 2048REFX XM QS	68	1127	1787	2078
	20 x 48 Fix w/RemMod	PTT1 2048REFX RM QS	68	1162	1819	2112
	20 x 48 Fold w/RemMod	PTT1 2048REFO RM QS	70	1490	2148	2441
	20 x 48 Tilt w/HangMod	PTT1 2048RETL HM QS	80	1427	2087	2379
	20 x 48 Tilt w/RemMod	PTT1 2048RETL RM QS	80	1427	2087	2379
	20 x 48 Fix w/FixLightweightFormMod	PTT1 2048REFX XL OR XLS	68	1162	1497	2112
	20 x 48 Fix w/RemLightweightFormMod	PTT1 2048REFX RL OR RLS	68	1162	1497	2112
	20 x 48 Fold w/RemLightweightFormMod	PTT1 2048REFO RL OR RLS	70	1490	1824	2441
	20 x 48 Tilt w/RemLightweightFormMod	PTT1 2048RETL RL OR RLS	80	1427	1767	2379
	20 x 48 Fix w/FixFormMod	PTT1 2048REFX XF OR XFS	68	1370	1704	2319
	20 x 60 Fix w/FixMod	PTT1 2060REFX XM QS	80	1188	1846	2320
	20 x 60 Fix w/RemMod	PTT1 2060REFX RM QS	80	1223	1883	2355
	20 x 60 Fold w/RemMod	PTT1 2060REFD RM QS	82	1548	2209	2680
	20 x 60 Tilt w/HangMod	PTT1 2060RETL HM QS	92	1491	2149	2621
	20 x 60 Tilt w/RemMod	PTT1 2060RETL RM QS	92	1491	2149	2621
	20 x 60 Fix w/FixLightweightFormMod	PTT1 2060REFX XL OR XLS	79	1223	1643	2355
	20 x 60 Fix w/RemLightweightFormMod	PTT1 2060REFX RL OR RLS	79	1223	1643	2355
	20 x 60 Fold w/RemLightweightFormMod	PTT1 2060REFD RL OR RLS	81	1548	1969	2680
	20 x 60 Tilt w/RemLightweightFormMod	PTT1 2060RETL RL OR RLS	91	1491	1911	2621
	20 x 60 Fix w/FixFormMod	PTT1 2060REFX XF OR XFS	92	1427	1847	2560
20 x 72 Fix w/FixMod	PTT1 2072REFX XM QS	92	1390	2375	2654	
20 x 72 Fix w/RemMod	PTT1 2072REFX RM QS	92	1424	2411	2686	
20 x 72 Fold w/RemMod	PTT1 2072REFD RM QS	94	1751	2737	3014	
20 x 72 Tilt w/HangMod	PTT1 2072RETL HM QS	104	1693	2678	2955	
20 x 72 Tilt w/RemMod	PTT1 2072RETL RM QS	104	1693	2678	2955	
20 x 72 Fix w/FixLightweightFormMod	PTT1 2072REFX XL OR XLS	93	1424	1883	2686	
20 x 72 Fix w/RemLightweightFormMod	PTT1 2072REFX RL OR RLS	93	1424	1883	2686	
20 x 72 Fold w/RemLightweightFormMod	PTT1 2072REFD RL OR RLS	95	1751	2209	3014	
20 x 72 Tilt w/RemLightweightFormMod	PTT1 2072RETL RL OR RLS	105	1693	2149	2955	
20 x 72 Fix w/FixFormMod	PTT1 2072REFX XF OR XFS	107	1572	2031	2834	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Assembled Folding TableBAF	\$ 62
Alternate Table Height 32" & UnderBAH	\$ 80
Alternate Table Height 32" & OverBSP	call
Adjustable Height - Pin (Fix/Tilt)BAP	\$ 179
Adjustable Height - Pneumatic (Fix/Tilt)BAT	\$ 999
Bullet End CapsBBE	\$ 104
Casters - Dual Wheel Black Hard Wheel (to 72" length)CAS55	\$ 138
Casters - Dual Wheel Black Soft Wheel (to 72" length)CAS57	\$ 138
Mix - Dual Wheel Casters & GlidesBMD	\$ 131
Self-Leveling Glides GLD04	\$ 39
Stretcher Rail (Fix/Tilt) Finish Same as BaseBTS	\$ 196
Slim-TiltBST	\$ 121

NOTE: N/A WITH FOLDING MODESTY PANEL

Finish Options		
Chrome		\$ 133
Nickel		\$ 181
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)TLK	\$ 204
Table Link (20" ends only)TLE	\$ 108
Lightweight Laminate Core (to 96" length)TLL	\$ 194
Special LaminateTSP	call
Custom Cutout (per cutout)TCC	\$ 97

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty MountWBM	\$ 78
Basket, Under Top MountWBT	\$ 78
Cable Hook LegwayWCK	\$ 96
Canvas LegwayWCL	\$ 80
Plastic LegwayWRL	\$ 63
1 Oval Brush Grommet - Location AWOA	\$ 78
2 Oval Brush Grommets - Location EWOE	\$ 156
1 Oval Brush Grommet - Provide Location Print ..	.WOG	\$ 78
1 Round Grommet - Location AWRA	\$ 61
2 Round Grommets - Location EWRE	\$ 122
1 Round Grommet - Provide Location PrintWRG	\$ 61

Accessories		
CPU Holder (3" - 9" adjustment)ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment)ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment)ACPU3F	\$ 126
Table TransportATT3054	\$ 1511
Table Floor Mount Bracket SetAFB	\$ 45



Questions?

1.800.876.2120

Black = Fixed Bases

Red = Folding Bases

Blue = Tilt Bases

QS = Quickship Program Product

QS = Quickship Program Product

QS = Quickship Program Product

top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Urethane/PVC (user side only)
	Flat 	Flat 	Bumper 	Ergo
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	Fluted 	Fluted 	Reverse Bevel Acrylic 	PVC on remaining sides
	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	
top thickness price >	1 1/4"	1 1/4"	1 1/4"	1 1/4"

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"
<p>T1</p>	20 x 84 Fix w/FixMod	PTT1 2084REFX XM QS	104	1539	2686	3032
	20 x 84 Fix w/RemMod	PTT1 2084REFX RM QS	104	1569	2717	3061
	20 x 84 Fold w/RemMod	PTT1 2084REFD RM QS	106	1894	3042	3389
	20 x 84 Tilt w/HangMod	PTT1 2084RETL HM QS	116	1836	2984	3329
	20 x 84 Tilt w/RemMod	PTT1 2084RETL RM QS	116	1836	2984	3329
	20 x 90 Fix w/FixMod	PTT1 2090REFX XM QS	110	1724	2959	3513
	20 x 90 Fix w/RemMod	PTT1 2090REFX RM QS	110	1752	2990	3540
	20 x 90 Fold w/RemMod	PTT1 2090REFD RM QS	112	2079	3316	3870
	20 x 90 Tilt w/HangMod	PTT1 2090RETL HM QS	122	2020	3257	3809
	20 x 90 Tilt w/RemMod	PTT1 2090RETL RM QS	122	2020	3257	3809
	20 x 96 Fix w/FixMod	PTT1 2096REFX XM QS	116	1724	2959	3513
	20 x 96 Fix w/RemMod	PTT1 2096REFX RM QS	116	1752	2990	3540
	20 x 96 Fold w/RemMod	PTT1 2096REFD RM QS	118	2079	3316	3870
	20 x 96 Tilt w/HangMod	PTT1 2096RETL HM QS	128	2020	3257	3809
	20 x 96 Tilt w/RemMod	PTT1 2096RETL RM QS	128	2020	3257	3809

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Assembled Folding TableBAF	\$ 62
Alternate Table Height 32" & UnderBAH	\$ 80
Alternate Table Height 32" & OverBSP	call
Adjustable Height - Pin (Fix/Tilt)BAP	\$ 179
Adjustable Height - Pneumatic (Fix/Tilt)BAT	\$ 999
Bullet End CapsBBE	\$ 104
Self-Leveling Glides ●GLD04	\$ 39
Stretcher Rail (Fix/Tilt) Finish Same as BaseBTS	\$ 196
Slim-TiltBST	\$ 121

NOTE: N/A WITH FOLDING MODESTY PANEL

Finish Options		
Chrome		\$ 133
Nickel		\$ 181
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)TLK	\$ 204
Table Link (20" ends only)TLE	\$ 108
Lightweight Laminate Core (to 96" length)TLL	\$ 194
Special LaminateTSP	call
Custom Cutout (per cutout)TCC	\$ 97

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty MountWBM	\$ 78
Basket, Under Top MountWBT	\$ 78
Cable Hook LegwayWCK	\$ 96
Canvas LegwayWCL	\$ 80
Plastic LegwayWRL	\$ 63
1 Oval Brush Grommet - Location AWOA	\$ 78
2 Oval Brush Grommets - Location EWOE	\$ 156
1 Oval Brush Grommet - Provide Location PrintWOG	\$ 78
1 Round Grommet - Location AWRA	\$ 61
2 Round Grommets - Location EWRE	\$ 122
1 Round Grommet - Provide Location PrintWRG	\$ 61

Accessories		
CPU Holder (3" - 9" adjustment)ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment)ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment)ACPU3F	\$ 126
Table TransportATT3054	\$ 1511
Table Floor Mount Bracket SetAFB	\$ 45



Questions?

1.800.876.2120

Black = Fixed Bases

Red = Folding Bases

= Overlapping Folding Bases

Blue = Tilt Bases

= Quickship Program Product

= Quickship Program Product

= Quickship Program Product

	top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Urethane/PVC (user side only)
		Flat 	Flat 	Bumper 	Ergo
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
		Fluted 	Fluted 	Reverse Bevel Acrylic 	
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	PVC on remaining sides
	top thickness price >	1 1/4"	1 1/4"	1 1/4"	

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"
	T1 24 x 48 Fix w/FixMod	PTT1 2448REFX XM QS	76	1127	1787	2078
	24 x 48 Fix w/RemMod	PTT1 2448REFX RM QS	76	1162	1819	2112
	24 x 48 Fold w/RemMod	PTT1 2448REFO RM QS	80	1490	2148	2441
	24 x 48 Tilt w/FoldMod	PTT1 2448RETL FM QS	88	1493	2150	2443
	24 x 48 Tilt w/HangMod	PTT1 2448RETL HM QS	88	1427	2087	2379
	24 x 48 Tilt w/RemMod	PTT1 2448RETL RM QS	88	1427	2087	2379
	24 x 48 Fix w/FixLightweightFormMod	PTT1 2448REFX XL OR XLS	76	1162	1497	2112
	24 x 48 Fix w/RemLightweightFormMod	PTT1 2448REFX RL OR RLS	76	1162	1497	2112
	24 x 48 Fold w/RemLightweightFormMod	PTT1 2448REFO RL OR RLS	80	1490	1824	2441
	24 x 48 Tilt w/RemLightweightFormMod	PTT1 2448RETL RL OR RLS	88	1427	1767	2379
	24 x 48 Fix w/FixFormMod	PTT1 2448REFX XF OR XFS	76	1370	1704	2319
	24 x 48 Tilt w/FoldFormMod	PTT1 2448RETL FF OR FFS	88	1635	1971	2587
	24 x 60 Fix w/FixMod	PTT1 2460REFX XM QS	89	1188	1846	2320
	24 x 60 Fix w/RemMod	PTT1 2460REFX RM QS	89	1223	1883	2355
	24 x 60 Fold w/RemMod	PTT1 2460REFD RM QS	93	1548	2209	2680
	24 x 60 Fold w/FoldMod	PTT1 2460REFD FM QS	93	1613	2272	2743
	24 x 60 Tilt w/FoldMod	PTT1 2460RETL FM QS	101	1554	2213	2686
	24 x 60 Tilt w/HangMod	PTT1 2460RETL HM QS	101	1491	2149	2621
	24 x 60 Tilt w/RemMod	PTT1 2460RETL RM QS	101	1491	2149	2621
	24 x 60 Fix w/FixLightweightFormMod	PTT1 2460REFX XL OR XLS	88	1223	1643	2355
24 x 60 Fix w/RemLightweightFormMod	PTT1 2460REFX RL OR RLS	88	1223	1643	2355	
24 x 60 Fold w/RemLightweightFormMod	PTT1 2460REFD RL OR RLS	92	1548	1969	2680	
24 x 60 Tilt w/RemLightweightFormMod	PTT1 2460RETL RL OR RLS	100	1491	1911	2621	
24 x 60 Fix w/FixFormMod	PTT1 2460REFX XF OR XFS	101	1427	1847	2560	
24 x 60 Tilt w/FoldFormMod	PTT1 2460RETL FF OR FFS	105	1696	2115	2830	
24 x 60 Fold w/FoldFormMod	PTT1 2460REFD FF OR FFS	113	1755	2174	2887	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Assembled Folding TableBAF	\$ 62
Alternate Table Height 32" & UnderBAH	\$ 80
Alternate Table Height 32" & OverBSP	call
Adjustable Height - Pin (Fix/Tilt)BAP	\$ 179
Adjustable Height - Pneumatic (Fix/Tilt)BAT	\$ 999
Bullet End CapsBBE	\$ 104
Casters ❶ - Dual Wheel Black Hard WheelCAS55	\$ 138
Casters ❷ - Dual Wheel Black Soft WheelCAS57	\$ 138
Mix - Dual Wheel Casters & GlidesBMD	\$ 131
Self-Leveling Glides ❸GLD04	\$ 39
Stretcher Rail (Fix/Tilt) Finish Same as BaseBTS	\$ 196
Slim-TiltBST	\$ 121

NOTE: N/A WITH FOLDING MODESTY PANEL

Finish Options		
Chrome		\$ 133
Nickel		\$ 181
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)TLK	\$ 204
Table Link (24" ends only)TLE	\$ 108
Lightweight Laminate Core (to 96" length)TLL	\$ 194
Special LaminateTSP	call
Custom Cutout (per cutout)TCC	\$ 97
Laptop Locker (each)TLA	\$ 1120
(available on fixed tables only, see page 36 in All Tables Price List for additional information)		
Electronic Lock (per locker)TLEL	\$ 292
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock ..	.TLPU	\$ 461

Power & Data Options
Please reference the Power & Data section (page 40) or the
Power & Data Price List

Wire Management Options		
Basket, Modesty MountWBM	\$ 78
Basket, Under Top MountWBT	\$ 78
Cable Hook LegwayWCK	\$ 96
Canvas LegwayWCL	\$ 80
Plastic LegwayWRL	\$ 63
1 Oval Brush Grommet - Location AWOA	\$ 78
2 Oval Brush Grommets - Location EWOE	\$ 156
1 Oval Brush Grommet - Provide Location Print ..	.WOG	\$ 78
1 Round Grommet - Location AWRA	\$ 61
2 Round Grommets - Location EWRE	\$ 122
1 Round Grommet - Provide Location PrintWRG	\$ 61

Accessories		
Keyboard Platform w/Mouse SurfaceAKP27M	\$ 618
CPU Holder (3" - 9" adjustment)ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment)ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment)ACPU3F	\$ 126
Table TransportATT3054	\$ 1511
Table Floor Mount Bracket SetAFB	\$ 45



Questions?

1.800.876.2120

Black = Fixed Bases

Red = Folding Bases

Blue = Tilt Bases

OS = Quickship Program Product

OS = Quickship Program Product

OS = Quickship Program Product

top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Urethane/PVC (user side only)
	Flat 	Flat 	Bumper 	Ergo
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	Fluted 	Fluted 	Reverse Bevel Acrylic 	PVC on remaining sides
	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	
top thickness price >	1 1/4"	1 1/4"	1 1/4"	

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"
	T1 24 x 72 Fix w/FixMod	PTT1 2472REFX XM OS	103	1390	2375	2654
	24 x 72 Fix w/RemMod	PTT1 2472REFX RM OS	103	1424	2411	2686
	24 x 72 Fold w/RemMod	PTT1 2472REFD RM OS	107	1751	2737	3014
	24 x 72 Tilt w/FoldMod	PTT1 2472RETL FM OS	115	1755	2739	3016
	24 x 72 Tilt w/HangMod	PTT1 2472RETL HM OS	115	1693	2678	2955
	24 x 72 Tilt w/RemMod	PTT1 2472RETL RM OS	115	1693	2678	2955
	24 x 72 Fix w/FixLightweightFormMod	PTT1 2472REFX XL OR XLS	103	1424	1883	2686
	24 x 72 Fix w/RemLightweightFormMod	PTT1 2472REFX RL OR RLS	103	1424	1883	2686
	24 x 72 Fold w/RemLightweightFormMod	PTT1 2472REFD RL OR RLS	107	1751	2209	3014
	24 x 72 Tilt w/RemLightweightFormMod	PTT1 2472RETL RL OR RLS	115	1693	2149	2955
	24 x 72 Fix w/FixFormMod	PTT1 2472REFX XF OR XFS	118	1572	2031	2834
	24 x 72 Tilt w/FoldFormMod	PTT1 2472RETL FF OR FFS	130	1841	2298	3102
	24 x 84 Fix w/FixMod	PTT1 2484REFX XM OS	116	1539	2686	3032
	24 x 84 Fix w/RemMod	PTT1 2484REFX RM OS	116	1569	2717	3061
	24 x 84 Fold w/RemMod	PTT1 2484REFD RM OS	120	1894	3042	3389
	24 x 84 Tilt w/FoldMod	PTT1 2484RETL FM OS	128	1919	3071	3415
	24 x 84 Tilt w/HangMod	PTT1 2484RETL HM OS	128	1836	2984	3329
	24 x 84 Tilt w/RemMod	PTT1 2484RETL RM OS	128	1836	2984	3329
	24 x 90 Fix w/FixMod	PTT1 2490REFX XM OS	124	1724	2959	3513
	24 x 90 Fix w/RemMod	PTT1 2490REFX RM OS	124	1752	2990	3540
24 x 90 Fold w/RemMod	PTT1 2490REFD RM OS	128	2079	3316	3870	
24 x 90 Tilt w/FoldMod	PTT1 2490RETL FM OS	136	2108	3344	3897	
24 x 90 Tilt w/HangMod	PTT1 2490RETL HM OS	136	2020	3257	3809	
24 x 90 Tilt w/RemMod	PTT1 2490RETL RM OS	136	2020	3257	3809	
24 x 96 Fix w/FixMod	PTT1 2496REFX XM OS	130	1724	2959	3513	
24 x 96 Fix w/RemMod	PTT1 2496REFX RM OS	130	1752	2990	3540	
24 x 96 Fold w/RemMod	PTT1 2496REFD RM OS	134	2079	3316	3870	
24 x 96 Tilt w/FoldMod	PTT1 2496RETL FM OS	142	2108	3344	3897	
24 x 96 Tilt w/HangMod	PTT1 2496RETL HM OS	142	2020	3257	3809	
24 x 96 Tilt w/RemMod	PTT1 2496RETL RM OS	142	2020	3257	3809	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Assembled Folding TableBAF	\$ 62
Alternate Table Height 32" & UnderBAH	\$ 80
Alternate Table Height 32" & OverBSP	call
Adjustable Height - Pin (Fix/Tilt)BAP	\$ 179
Adjustable Height - Pneumatic (Fix/Tilt)BAT	\$ 999
Bullet End CapsBBE	\$ 104
Casters - Dual Wheel Black Hard Wheel (to 72" length)CAS55	\$ 138
Casters - Dual Wheel Black Soft Wheel (to 72" length)CAS57	\$ 138
Mix - Dual Wheel Casters & GlidesBMD	\$ 131
Self-Leveling Glides GLD04	\$ 39
Stretcher Rail (Fix/Tilt) Finish Same as BaseBTS	\$ 196
Slim-TiltBST	\$ 121

NOTE: N/A WITH FOLDING MODESTY PANEL

Finish Options		
Chrome		\$ 133
Nickel		\$ 181
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)TLK	\$ 204
Table Link (24" ends only)TLE	\$ 108
Lightweight Laminate Core (to 96" length)TLL	\$ 194
Special LaminateTSP	call
Custom Cutout (per cutout)TCC	\$ 97
Laptop Locker (each)TLA	\$ 1120
<small>(available on fixed tables only, see page 36 in All Tables Price List for additional information)</small>		
Electronic Lock (per locker)TLEL	\$ 292
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lockTLPU	\$ 461

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty MountWBM	\$ 78
Basket, Under Top MountWBT	\$ 78
Cable Hook LegwayWCK	\$ 96
Canvas LegwayWCL	\$ 80
Plastic LegwayWRL	\$ 63
1 Oval Brush Grommet - Location AWOA	\$ 78
2 Oval Brush Grommets - Location EWOE	\$ 156
1 Oval Brush Grommet - Provide Location PrintWOG	\$ 78
1 Round Grommet - Location AWRA	\$ 61
2 Round Grommets - Location EWRE	\$ 122
1 Round Grommet - Provide Location PrintWRG	\$ 61

Accessories		
Keyboard Platform w/Mouse SurfaceAKP27M	\$ 618
CPU Holder (3" - 9" adjustment)ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment)ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment)ACPU3F	\$ 126
Table TransportATT3054	\$ 1511
Table Floor Mount Bracket SetAFB	\$ 45



Questions?

1.800.876.2120

Black = Fixed Bases

Red = Folding Bases

= Overlapping Folding Bases

Blue = Tilt Bases

= Quickship Program Product

= Quickship Program Product

= Quickship Program Product

top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Urethane/PVC (user side only)
	Flat 	Flat 	Bumper 	Ergo
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	Fluted 	Fluted 	Reverse Bevel Acrylic 	PVC on remaining sides
	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	
top thickness price >	1 1/4"	1 1/4"	1 1/4"	

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"
	T1 30 x 48 Fix w/FixMod	PTT1 3048REFX XM QS	87	1223	1911	2259
	30 x 48 Fix w/RemMod	PTT1 3048REFX RM QS	87	1255	1945	2293
	30 x 48 Fold w/RemMod	PTT1 3048REFO RM QS	91	1586	2274	2620
	30 x 48 Tilt w/FoldMod	PTT1 3048RETL FM QS	99	1588	2277	2622
	30 x 48 Tilt w/HangMod	PTT1 3048RETL HM QS	99	1524	2212	2560
	30 x 48 Tilt w/RemMod	PTT1 3048RETL RM QS	99	1524	2212	2560
	30 x 48 Fix w/FixLightweightFormMod	PTT1 3048REFX XL OR XLS	87	1255	1608	2293
	30 x 48 Fix w/RemLightweightFormMod	PTT1 3048REFX RL OR RLS	87	1255	1608	2293
	30 x 48 Fold w/RemLightweightFormMod	PTT1 3048REFO RL OR RLS	91	1586	1936	2620
	30 x 48 Tilt w/RemLightweightFormMod	PTT1 3048RETL RL OR RLS	99	1524	1873	2560
	30 x 48 Fix w/FixFormMod	PTT1 3048REFX XF OR XFS	87	1464	1814	2497
	30 x 48 Tilt w/FoldFormMod	PTT1 3048RETL FF OR FFS	99	1730	2079	2765
	30 x 60 Fix w/FixMod	PTT1 3060REFX XM QS	102	1285	1973	2518
	30 x 60 Fix w/RemMod	PTT1 3060REFX RM QS	102	1317	2007	2553
	30 x 60 Fold w/RemMod	PTT1 3060REFD RM QS	106	1644	2333	2881
	30 x 60 Fold w/FoldMod	PTT1 3060REFD FM QS	106	1709	2397	2940
	30 x 60 Tilt w/FoldMod	PTT1 3060RETL FM QS	114	1648	2335	2883
	30 x 60 Tilt w/HangMod	PTT1 3060RETL HM QS	114	1585	2272	2818
	30 x 60 Tilt w/RemMod	PTT1 3060RETL RM QS	114	1585	2272	2818
	30 x 60 Fix w/FixLightweightFormMod	PTT1 3060REFX XL OR XLS QS	102	1317	1769	2553
30 x 60 Fix w/RemLightweightFormMod	PTT1 3060REFX RL OR RLS QS	102	1317	1769	2553	
30 x 60 Fold w/RemLightweightFormMod	PTT1 3060REFD RL OR RLS QS	106	1644	2095	2881	
30 x 60 Tilt w/RemLightweightFormMod	PTT1 3060RETL RL OR RLS QS	114	1585	2034	2818	
30 x 60 Fix w/FixFormMod	PTT1 3060REFX XF OR XFS QS	114	1524	1974	2760	
30 x 60 Tilt w/FoldFormMod	PTT1 3060RETL FF OR FFS QS	126	1790	2238	3024	
30 x 60 Fold w/FoldFormMod	PTT1 3060REFD FF OR FFS QS	118	1848	2300	3084	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Assembled Folding TableBAF	\$ 62
Alternate Table Height 32" & UnderBAH	\$ 80
Alternate Table Height 32" & OverBSP	call
Adjustable Height - Pin (Fix/Tilt)BAP	\$ 179
Adjustable Height - Pneumatic (Fix/Tilt)BAT	\$ 999
Bullet End CapsBBE	\$ 104
Casters ❶ - Dual Wheel Black Hard WheelCAS55	\$ 138
Casters ❷ - Dual Wheel Black Soft WheelCAS57	\$ 138
Mix - Dual Wheel Casters & GlidesBMD	\$ 131
Self-Leveling Glides ❸GLD04	\$ 39
Stretcher Rail (Fix/Tilt) Finish Same as BaseBTS	\$ 196
Slim-TiltBST	\$ 121

NOTE: N/A WITH FOLDING MODESTY PANEL

Finish Options		
Chrome		\$ 133
Nickel		\$ 181
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)TLK	\$ 204
Table Link (30" ends only)TLE	\$ 108
Lightweight Laminate Core (to 96" length)TLL	\$ 194
Special LaminateTSP	call
Custom Cutout (per cutout)TCC	\$ 97
Laptop Locker (each)TLA	\$ 1120
<small>(available on fixed tables only, see page 36 in All Tables Price List for additional information)</small>		
Electronic Lock (per locker)TLEL	\$ 292
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock ..	.TLPU	\$ 461

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty MountWBM	\$ 78
Basket, Under Top MountWBT	\$ 78
Cable Hook LegwayWCK	\$ 96
Canvas LegwayWCL	\$ 80
Plastic LegwayWRL	\$ 63
1 Oval Brush Grommet - Location AWOA	\$ 78
2 Oval Brush Grommets - Location EWOE	\$ 156
1 Oval Brush Grommet - Provide Location Print ..	.WOG	\$ 78
1 Round Grommet - Location AWRA	\$ 61
2 Round Grommets - Location EWRE	\$ 122
1 Round Grommet - Provide Location PrintWRG	\$ 61

Accessories		
Keyboard Platform w/Mouse SurfaceAKP27M	\$ 618
CPU Holder (3" - 9" adjustment)ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment)ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment)ACPU3F	\$ 126
Table TransportATT3054	\$ 1511
Table Floor Mount Bracket SetAFB	\$ 45



Questions?

1.800.876.2120

- Black = Fixed Bases
- Red = Folding Bases
- Blue = Tilt Bases
- ≡OS = Quickship Program Product
- ≡OS = Quickship Program Product
- ≡OS = Quickship Program Product

	top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Urethane/PVC (user side only)
		Flat 	Flat 	Bumper 	Ergo
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
		Fluted 	Fluted 	Reverse Bevel Acrylic 	PVC on remaining sides
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	
	top thickness price >	1 1/4"	1 1/4"	1 1/4"	

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"
	30 x 72 Fix w/FixMod	PTT1 3072REFX XM ≡OS	119	1424	2484	2867
	30 x 72 Fix w/RemMod	PTT1 3072REFX RM ≡OS	119	1460	2518	2903
	30 x 72 Fold w/RemMod	PTT1 3072REFD RM ≡OS	123	1789	2843	3231
	30 x 72 Tilt w/FoldMod	PTT1 3072RETL FM ≡OS	131	1790	2849	3232
	30 x 72 Tilt w/HangMod	PTT1 3072RETL HM ≡OS	131	1727	2788	3171
	30 x 72 Tilt w/RemMod	PTT1 3072RETL RM ≡OS	131	1727	2788	3171
	30 x 72 Fix w/FixLightweightFormMod	PTT1 3072REFX XL OR XLS	119	1460	1989	2903
	30 x 72 Fix w/RemLightweightFormMod	PTT1 3072REFX RL OR RLS	119	1460	1989	2903
	30 x 72 Fold w/RemLightweightFormMod	PTT1 3072REFD RL OR RLS	123	1789	2319	3231
	30 x 72 Tilt w/RemLightweightFormMod	PTT1 3072RETL RL OR RLS	131	1727	2259	3171
	30 x 72 Fix w/FixFormMod	PTT1 3072REFX XF OR XFS	133	1608	2137	3052
	30 x 72 Tilt w/FoldFormMod	PTT1 3072RETL FF OR FFS	145	1875	2407	3318
	30 x 84 Fix w/FixMod	PTT1 3084REFX XM ≡OS	134	1591	2841	3247
	30 x 84 Fix w/RemMod	PTT1 3084REFX RM ≡OS	134	1621	2874	3276
	30 x 84 Fold w/RemMod	PTT1 3084REFD RM ≡OS	138	1946	3201	3603
	30 x 84 Tilt w/FoldMod	PTT1 3084RETL FM ≡OS	146	1976	3229	3630
	30 x 84 Tilt w/HangMod	PTT1 3084RETL HM ≡OS	146	1888	3141	3545
	30 x 84 Tilt w/RemMod	PTT1 3084RETL RM ≡OS	146	1888	3141	3545
	30 x 90 Fix w/FixMod	PTT1 3090REFX XM ≡OS	143	1749	3125	3758
	30 x 90 Fix w/RemMod	PTT1 3090REFX RM ≡OS	143	1778	3157	3787
	30 x 90 Fold w/RemMod	PTT1 3090REFD RM ≡OS	147	2107	3484	4118
	30 x 90 Tilt w/FoldMod	PTT1 3090RETL FM ≡OS	155	2134	3513	4144
	30 x 90 Tilt w/HangMod	PTT1 3090RETL HM ≡OS	155	2047	3425	4057
	30 x 90 Tilt w/RemMod	PTT1 3090RETL RM ≡OS	155	2047	3425	4057
	30 x 96 Fix w/FixMod	PTT1 3096REFX XM ≡OS	151	1749	3125	3758
	30 x 96 Fix w/RemMod	PTT1 3096REFX RM ≡OS	151	1778	3157	3787
	30 x 96 Fold w/RemMod	PTT1 3096REFD RM ≡OS	155	2107	3484	4118
	30 x 96 Tilt w/FoldMod	PTT1 3096RETL FM ≡OS	163	2134	3513	4144
	30 x 96 Tilt w/HangMod	PTT1 3096RETL HM ≡OS	163	2047	3425	4057
	30 x 96 Tilt w/RemMod	PTT1 3096RETL RM ≡OS	163	2047	3425	4057

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Assembled Folding TableBAF	\$ 62
Alternate Table Height 32" & UnderBAH	\$ 80
Alternate Table Height 32" & OverBSP	call
Adjustable Height - Pin (Fix/Tilt)BAP	\$ 179
Adjustable Height - Pneumatic (Fix/Tilt)BAT	\$ 999
Bullet End CapsBBE	\$ 104
Casters - Dual Wheel Black Hard Wheel (to 72" length)CAS55	\$ 138
Casters - Dual Wheel Black Soft Wheel (to 72" length)CAS57	\$ 138
Mix - Dual Wheel Casters & GlidesBMD	\$ 131
Self-Leveling Glides GLD04	\$ 39
Stretcher Rail (Fix/Tilt) Finish Same as BaseBTS	\$ 196
Slim-TiltBST	\$ 121

NOTE: N/A WITH FOLDING MODESTY PANEL

Finish Options		
Chrome		\$ 133
Nickel		\$ 181
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)TLK	\$ 204
Table Link (30" ends only)TLE	\$ 108
Lightweight Laminate Core (to 96" length)TLL	\$ 194
Special LaminateTSP	call
Custom Cutout (per cutout)TCC	\$ 97
Laptop Locker (each)TLA	\$ 1120
<small>(available on fixed tables only, see page 36 in All Tables Price List for additional information)</small>		
Electronic Lock (per locker)TLEL	\$ 292
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock ..	.TLPU	\$ 461

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty MountWBM	\$ 78
Basket, Under Top MountWBT	\$ 78
Cable Hook LegwayWCK	\$ 96
Canvas LegwayWCL	\$ 80
Plastic LegwayWRL	\$ 63
1 Oval Brush Grommet - Location AWOA	\$ 78
2 Oval Brush Grommets - Location EWOE	\$ 156
1 Oval Brush Grommet - Provide Location Print ..	.WOG	\$ 78
1 Round Grommet - Location AWRA	\$ 61
2 Round Grommets - Location EWRE	\$ 122
1 Round Grommet - Provide Location PrintWRG	\$ 61

Accessories		
Keyboard Platform w/Mouse SurfaceAKP27M	\$ 618
CPU Holder (3" - 9" adjustment)ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment)ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment)ACPU3F	\$ 126
Table TransportATT3054	\$ 1511
Table Floor Mount Bracket SetAFB	\$ 45



Questions?

1.800.876.2120

Black = Fixed Bases

Red = Folding Bases

= Overlapping Folding Bases

= Quickship Program Product

= Quickship Program Product

	top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Urethane/PVC (user side only)
		Flat 	Flat 	Bumper 	Ergo
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
		Fluted 	Fluted 	Reverse Bevel Acrylic 	
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	PVC on remaining sides
	top thickness price >	1 1/4"	1 1/4"	1 1/4"	

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"
	18 x 48 Fix w/FixMod	PTTC 1848REFX XM	65	1086	1657	1902
	18 x 48 Fix w/RemMod	PTTC 1848REFX RM	65	1120	1690	1936
	18 x 48 Fold w/RemMod	PTTC 1848REFO RM	67	1447	2018	2262
	18 x 48 Fix w/FixLightweightFormMod	PTTC 1848REFX XL OR XLS	65	1120	1371	1936
	18 x 48 Fix w/RemLightweightFormMod	PTTC 1848REFX RL OR RLS	65	1120	1371	1936
	18 x 48 Fold w/RemLightweightFormMod	PTTC 1848REFO RL OR RLS	67	1447	1696	2262
	18 x 48 Fix w/FixFormMod	PTTC 1848REFX XF OR XFS	65	1326	1573	2139
	18 x 60 Fix w/FixMod	PTTC 1860REFX XM	76	1161	1732	2174
	18 x 60 Fix w/RemMod	PTTC 1860REFX RM	76	1193	1767	2210
	18 x 60 Fold w/RemMod	PTTC 1860REFD RM	78	1521	2092	2536
	18 x 60 Fix w/FixLightweightFormMod	PTTC 1860REFX XL OR XLS	75	1193	1477	2210
	18 x 60 Fix w/RemLightweightFormMod	PTTC 1860REFX RL OR RLS	75	1193	1477	2210
	18 x 60 Fold w/RemLightweightFormMod	PTTC 1860REFD RL OR RLS	77	1521	1806	2536
	18 x 60 Fix w/FixFormMod	PTTC 1860REFX XF OR XFS	88	1401	1686	2415
	18 x 72 Fix w/FixMod	PTTC 1872REFX XM	87	1263	2135	2448
	18 x 72 Fix w/RemMod	PTTC 1872REFX RM	87	1295	2170	2484
	18 x 72 Fold w/RemMod	PTTC 1872REFD RM	89	1624	2495	2810
	18 x 72 Fix w/FixLightweightFormMod	PTTC 1872REFX XL OR XLS	88	1295	1642	2484
	18 x 72 Fix w/RemLightweightFormMod	PTTC 1872REFX RL OR RLS	88	1295	1642	2484
	18 x 72 Fold w/RemLightweightFormMod	PTTC 1872REFD RL OR RLS	90	1624	1968	2810
18 x 72 Fix w/FixFormMod	PTTC 1872REFX XF OR XFS	102	1445	1790	2633	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Assembled Folding TableBAF	\$ 62
Alternate Table Height 32" & UnderBAH	\$ 80
Alternate Table Height 32" & OverBSP	call
Adjustable Height - Pin (Fix)BAP	\$ 179
Adjustable Height - Pneumatic (Fix)BAT	\$ 999
Bullet End CapsBBE	\$ 104
Casters ❶ - Dual Wheel Black Hard WheelCAS55	\$ 138
Casters ❷ - Dual Wheel Black Soft WheelCAS57	\$ 138
Mix - Dual Wheel Casters & GlidesBMD	\$ 131
Self-Leveling Glides ❸GLD04	\$ 39
Stretcher Rail (Fix/Tilt) Finish Same as BaseBTS	\$ 196

Finish Options		
Chrome		\$ 133
Nickel		\$ 181
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)TLK	\$ 204
Table Link (18" ends only)TLE	\$ 108
Lightweight Laminate Core (to 96" length)TLL	\$ 194
Special LaminateTSP	call
Custom Cutout (per cutout)TCC	\$ 97

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty MountWBM	\$ 78
Basket, Under Top MountWBT	\$ 78
Cable Hook LegwayWCK	\$ 96
Canvas LegwayWCL	\$ 80
Plastic LegwayWRL	\$ 63
1 Oval Brush Grommet - Location AWOA	\$ 78
1 Oval Brush Grommet - Provide Location PrintWOG	\$ 78
1 Round Grommet - Location AWRA	\$ 61
1 Round Grommet - Provide Location PrintWRG	\$ 61

Accessories		
CPU Holder (3" - 9" adjustment)ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment)ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment)ACPU3F	\$ 126
Table TransportATT3054	\$ 1511
Table Floor Mount Bracket SetAFB	\$ 45



Questions?

1.800.876.2120

Black = Fixed Bases

Red = Folding Bases

QS = Quickship Program Product

OS = Quickship Program Product

	top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Urethane/PVC (user side only)
		Flat 	Flat 	Bumper 	Ergo
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
		Fluted 	Fluted 	Reverse Bevel Acrylic 	
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	PVC on remaining sides
	top thickness price >	1 1/4"		1 1/4"	1 1/4"

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"
<p>TC</p>	18 x 84 Fix w/FixMod	PTTC 1884REFX XM QS	98	1449	2512	2783
	18 x 84 Fix w/RemMod	PTTC 1884REFX RM QS	98	1480	2541	2811
	18 x 84 Fold w/RemMod	PTTC 1884REFD RM QS	100	1809	2867	3138
	18 x 90 Fix w/FixMod	PTTC 1890REFX XM QS	104	1547	2719	3251
	18 x 90 Fix w/RemMod	PTTC 1890REFX RM QS	104	1575	2750	3280
	18 x 90 Fold w/RemMod	PTTC 1890REFD RM QS	106	1906	3077	3607
	18 x 96 Fix w/FixMod	PTTC 1896REFX XM QS	109	1547	2719	3251
	18 x 96 Fix w/RemMod	PTTC 1896REFX RM QS	109	1575	2750	3280
	18 x 96 Fold w/RemMod	PTTC 1896REFD RM QS	111	1906	3077	3607

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Assembled Folding TableBAF	\$ 62
Alternate Table Height 32" & UnderBAH	\$ 80
Alternate Table Height 32" & OverBSP	call
Adjustable Height - Pin (Fix)BAP	\$ 179
Adjustable Height - Pneumatic (Fix)BAT	\$ 999
Bullet End CapsBBE	\$ 104
Self-Leveling Glides ●GLD04	\$ 39
Stretcher Rail (Fix/Tilt) Finish Same as BaseBTS	\$ 196

Finish Options		
Chrome		\$ 133
Nickel		\$ 181
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)TLK	\$ 204
Table Link (18" ends only)TLE	\$ 108
Lightweight Laminate Core (to 96" length)TLL	\$ 194
Special LaminateTSP	call
Custom Cutout (per cutout)TCC	\$ 97

Power & Data Options
 Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty MountWBM	\$ 78
Basket, Under Top MountWBT	\$ 78
Cable Hook LegwayWCK	\$ 96
Canvas LegwayWCL	\$ 80
Plastic LegwayWRL	\$ 63
1 Oval Brush Grommet - Location AWOA	\$ 78
1 Oval Brush Grommet - Provide Location PrintWOG	\$ 78
1 Round Grommet - Location AWRA	\$ 61
1 Round Grommet - Provide Location PrintWRG	\$ 61

Accessories		
CPU Holder (3" - 9" adjustment)ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment)ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment)ACPU3F	\$ 126
Table TransportATT3054	\$ 1511
Table Floor Mount Bracket SetAFB	\$ 45



Questions?

1.800.876.2120

Black = Fixed Bases

Red = Folding Bases

= Overlapping Folding Bases

= Quickship Program Product

= Quickship Program Product

top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Urethane/PVC (user side only)
	Flat 	Flat 	Bumper 	Ergo
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
	Fluted 	Fluted 	Reverse Bevel Acrylic 	PVC on remaining sides
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	
top thickness price >	1 1/4"	1 1/4"	1 1/4"	1 1/4"

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"
	TC 20 x 48 Fix w/FixMod	PTTC 2048REFX XM	68	1127	1787	2078
	20 x 48 Fix w/RemMod	PTTC 2048REFX RM	68	1162	1819	2112
	20 x 48 Fold w/RemMod	PTTC 2048REFO RM	70	1490	2148	2441
	20 x 48 Fix w/FixLightweightFormMod	PTTC 2048REFX XL OR XLS	68	1162	1497	2112
	20 x 48 Fix w/RemLightweightFormMod	PTTC 2048REFX RL OR RLS	68	1162	1497	2112
	20 x 48 Fold w/RemLightweightFormMod	PTTC 2048REFO RL OR RLS	70	1490	1824	2441
	20 x 48 Fix w/FixFormMod	PTTC 2048REFX XF OR XFS	68	1370	1704	2319
	20 x 60 Fix w/FixMod	PTTC 2060REFX XM	80	1188	1846	2320
	20 x 60 Fix w/RemMod	PTTC 2060REFX RM	80	1223	1883	2355
	20 x 60 Fold w/RemMod	PTTC 2060REFD RM	82	1548	2209	2680
	20 x 60 Fix w/FixLightweightFormMod	PTTC 2060REFX XL OR XLS	79	1223	1643	2355
	20 x 60 Fix w/RemLightweightFormMod	PTTC 2060REFX RL OR RLS	79	1223	1643	2355
	20 x 60 Fold w/RemLightweightFormMod	PTTC 2060REFD RL OR RLS	81	1548	1969	2680
	20 x 60 Fix w/FixFormMod	PTTC 2060REFX XF OR XFS	92	1427	1847	2560
	20 x 72 Fix w/FixMod	PTTC 2072REFX XM	92	1390	2375	2654
	20 x 72 Fix w/RemMod	PTTC 2072REFX RM	92	1424	2411	2686
	20 x 72 Fold w/RemMod	PTTC 2072REFD RM	94	1751	2737	3014
	20 x 72 Fix w/FixLightweightFormMod	PTTC 2072REFX XL OR XLS	93	1424	1883	2686
	20 x 72 Fix w/RemLightweightFormMod	PTTC 2072REFX RL OR RLS	93	1424	1883	2686
	20 x 72 Fold w/RemLightweightFormMod	PTTC 2072REFD RL OR RLS	95	1751	2209	3014
20 x 72 Fix w/FixFormMod	PTTC 2072REFX XF OR XFS	107	1572	2031	2834	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Assembled Folding TableBAF	\$ 62
Alternate Table Height 32" & UnderBAH	\$ 80
Alternate Table Height 32" & OverBSP	call
Adjustable Height - Pin (Fix)BAP	\$ 179
Adjustable Height - Pneumatic (Fix)BAT	\$ 999
Bullet End CapsBBE	\$ 104
Casters ❶ - Dual Wheel Black Hard WheelCAS55	\$ 138
Casters ❷ - Dual Wheel Black Soft WheelCAS57	\$ 138
Mix - Dual Wheel Casters & GlidesBMD	\$ 131
Self-Leveling Glides ❸GLD04	\$ 39
Stretcher Rail (Fix/Tilt) Finish Same as BaseBTS	\$ 196

Finish Options		
Chrome		\$ 133
Nickel		\$ 181
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)TLK	\$ 204
Table Link (20" ends only)TLE	\$ 108
Lightweight Laminate Core (to 96" length)TLL	\$ 194
Special LaminateTSP	call
Custom Cutout (per cutout)TCC	\$ 97

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty MountWBM	\$ 78
Basket, Under Top MountWBT	\$ 78
Cable Hook LegwayWCK	\$ 96
Canvas LegwayWCL	\$ 80
Plastic LegwayWRL	\$ 63
1 Oval Brush Grommet - Location AWOA	\$ 78
1 Oval Brush Grommet - Provide Location PrintWOG	\$ 78
1 Round Grommet - Location AWRA	\$ 61
1 Round Grommet - Provide Location PrintWRG	\$ 61

Accessories		
CPU Holder (3" - 9" adjustment)ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment)ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment)ACPU3F	\$ 126
Table TransportATT3054	\$ 1511
Table Floor Mount Bracket SetAFB	\$ 45



Questions?

1.800.876.2120

Black = Fixed Bases

Red = Folding Bases

QS = Quickship Program Product

QS = Quickship Program Product

top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Urethane/PVC (user side only)
	Flat 	Flat 	Bumper 	Ergo
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
	Fluted 	Fluted 	Reverse Bevel Acrylic 	PVC on remaining sides
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	
top thickness price >	1 1/4"		1 1/4"	1 1/4"

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"	
<p>TC</p>	20 x 84 Fix w/FixMod	PTTC 2084REFX XM QS	104	1539	2686	3032	
	20 x 84 Fix w/RemMod	PTTC 2084REFX RM QS	104	1569	2717	3061	
	20 x 84 Fold w/RemMod	PTTC 2084REFD RM QS	106	1894	3042	3389	
	20 x 90 Fix w/FixMod	PTTC 2090REFX XM QS	110	1724	2959	3513	
	20 x 90 Fix w/RemMod	PTTC 2090REFX RM QS	110	1752	2990	3540	
	20 x 90 Fold w/RemMod	PTTC 2090REFD RM QS	112	2079	3316	3870	
	20 x 96 Fix w/FixMod	PTTC 2096REFX XM QS	116	1724	2959	3513	
	20 x 96 Fix w/RemMod	PTTC 2096REFX RM QS	116	1752	2990	3540	
	20 x 96 Fold w/RemMod	PTTC 2096REFD RM QS	118	2079	3316	3870	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Assembled Folding TableBAF	\$ 62
Alternate Table Height 32" & UnderBAH	\$ 80
Alternate Table Height 32" & OverBSP	call
Adjustable Height - Pin (Fix)BAP	\$ 179
Adjustable Height - Pneumatic (Fix)BAT	\$ 999
Self-Leveling GlidesGLD04	\$ 39
Stretcher Rail (Fix/Tilt) Finish Same as BaseBTS	\$ 196

Finish Options		
Chrome		\$ 133
Nickel		\$ 181
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)TLK	\$ 204
Table Link (20" ends only)TLE	\$ 108
Lightweight Laminate Core (to 96" length)TLL	\$ 194
Special LaminateTSP	call
Custom Cutout (per cutout)TCC	\$ 97

Power & Data Options
 Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty MountWBM	\$ 78
Basket, Under Top MountWBT	\$ 78
Cable Hook LegwayWCK	\$ 96
Canvas LegwayWCL	\$ 80
Plastic LegwayWRL	\$ 63
1 Oval Brush Grommet - Location AWOA	\$ 78
1 Oval Brush Grommet - Provide Location PrintWOG	\$ 78
1 Round Grommet - Location AWRA	\$ 61
1 Round Grommet - Provide Location PrintWRG	\$ 61

Accessories		
CPU Holder (3" - 9" adjustment)ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment)ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment)ACPU3F	\$ 126
Table TransportATT3054	\$ 1511
Table Floor Mount Bracket SetAFB	\$ 45



Questions?

1.800.876.2120

- Black = Fixed Bases
- Red = Folding Bases
- = Overlapping Folding Bases
- Blue = Tilt Bases
- = Quickship Program Product
- = Quickship Program Product
- = Quickship Program Product

top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Urethane/PVC (user side only)
	Flat 	Flat 	Bumper 	Ergo
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
	Fluted 	Fluted 	Reverse Bevel Acrylic 	PVC on remaining sides
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	
top thickness price >	1 1/4"	1 1/4"	1 1/4"	1 1/4"

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"
	TC 24 x 48 Fix w/FixMod	PTTC 2448REFX XM QS	76	1127	1787	2078
	24 x 48 Fix w/RemMod	PTTC 2448REFX RM QS	76	1162	1819	2112
	24 x 48 Fold w/RemMod	PTTC 2448REFO RM QS	80	1490	2148	2441
	24 x 48 Tilt w/HangMod	PTTC 2448RETL HM QS	88	1427	2087	2379
	24 x 48 Tilt w/RemMod	PTTC 2448RETL RM QS	88	1427	2087	2379
	24 x 48 Fix w/FixLightweightFormMod	PTTC 2448REFX XL OR XLS	76	1162	1497	2112
	24 x 48 Fix w/RemLightweightFormMod	PTTC 2448REFX RL OR RLS	76	1162	1497	2112
	24 x 48 Fold w/RemLightweightFormMod	PTTC 2448REFO RL OR RLS	80	1490	1824	2441
	24 x 48 Tilt w/RemLightweightFormMod	PTTC 2448RETL RL OR RLS	88	1427	1767	2379
	24 x 48 Fix w/FixFormMod	PTTC 2448REFX XF OR XFS	76	1370	1704	2319
	24 x 60 Fix w/FixMod	PTTC 2460REFX XM QS	89	1188	1846	2320
	24 x 60 Fix w/RemMod	PTTC 2460REFX RM QS	89	1223	1883	2355
	24 x 60 Fold w/RemMod	PTTC 2460REFD RM QS	93	1548	2209	2680
	24 x 60 Fold w/FoldMod	PTTC 2460REFD FM QS	93	1613	2272	2743
	24 x 60 Tilt w/HangMod	PTTC 2460RETL HM QS	101	1491	2149	2621
	24 x 60 Tilt w/RemMod	PTTC 2460RETL RM QS	101	1491	2149	2621
	24 x 60 Fix w/FixLightweightFormMod	PTTC 2460REFX XL OR XLS	88	1223	1643	2355
	24 x 60 Fix w/RemLightweightFormMod	PTTC 2460REFX RL OR RLS	88	1223	1643	2355
	24 x 60 Fold w/RemLightweightFormMod	PTTC 2460REFD RL OR RLS	92	1548	1969	2680
	24 x 60 Tilt w/RemLightweightFormMod	PTTC 2460RETL RL OR RLS	100	1491	1911	2621
24 x 60 Fix w/FixFormMod	PTTC 2460REFX XF OR XFS	101	1427	1847	2560	
24 x 60 Fold w/FoldFormMod	PTTC 2460REFD FF OR FFS	105	1755	2174	2887	
24 x 72 Fix w/FixMod	PTTC 2472REFX XM QS	103	1390	2375	2654	
24 x 72 Fix w/RemMod	PTTC 2472REFX RM QS	103	1424	2411	2686	
24 x 72 Fold w/RemMod	PTTC 2472REFD RM QS	107	1751	2737	3014	
24 x 72 Tilt w/HangMod	PTTC 2472RETL HM QS	115	1693	2678	2955	
24 x 72 Tilt w/RemMod	PTTC 2472RETL RM QS	115	1693	2678	2955	
24 x 72 Fix w/FixLightweightFormMod	PTTC 2472REFX XL OR XLS	103	1424	1883	2686	
24 x 72 Fix w/RemLightweightFormMod	PTTC 2472REFX RL OR RLS	103	1424	1883	2686	
24 x 72 Fold w/RemLightweightFormMod	PTTC 2472REFD RL OR RLS	107	1751	2209	3014	
24 x 72 Tilt w/RemLightweightFormMod	PTTC 2472RETL RL OR RLS	115	1693	2149	2955	
24 x 72 Fix w/FixFormMod	PTTC 2472REFX XF OR XFS	118	1572	2031	2834	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Assembled Folding TableBAF	\$ 62
Alternate Table Height 32" & UnderBAH	\$ 80
Alternate Table Height 32" & OverBSP	call
Adjustable Height - Pin (Fix/Tilt)BAP	\$ 179
Adjustable Height - Pneumatic (Fix/Tilt)BAT	\$ 999
Bullet End CapsBBE	\$ 104
Casters ❶ - Dual Wheel Black Hard WheelCAS55	\$ 138
Casters ❷ - Dual Wheel Black Soft WheelCAS57	\$ 138
Mix - Dual Wheel Casters & GlidesBMD	\$ 131
Self-Leveling Glides ❸GLD04	\$ 39
Stretcher Rail (Fix/Tilt) Finish Same as BaseBTS	\$ 196

Finish Options		
Chrome		\$ 133
Nickel		\$ 181
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)TLK	\$ 204
Table Link (24" ends only)TLE	\$ 108
Lightweight Laminate Core (to 96" length)TLL	\$ 194
Special LaminateTSP	call
Custom Cutout (per cutout)TCC	\$ 97
Laptop Locker (each)TLA	\$ 1120
(available on fixed tables only, see page 36 in All Tables Price List for additional information)		
Electronic Lock (per locker)TLEL	\$ 292
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock ..	.TLPU	\$ 461

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty MountWBM	\$ 78
Basket, Under Top MountWBT	\$ 78
Cable Hook LegwayWCK	\$ 96
Canvas LegwayWCL	\$ 80
Plastic LegwayWRL	\$ 63
1 Oval Brush Grommet - Location AWOA	\$ 78
2 Oval Brush Grommets - Location EWOE	\$ 156
1 Oval Brush Grommet - Provide Location Print ..	.WOG	\$ 78
1 Round Grommet - Location AWRA	\$ 61
2 Round Grommets - Location EWRE	\$ 122
1 Round Grommet - Provide Location PrintWRG	\$ 61

Accessories		
Keyboard Platform w/Mouse SurfaceAKP27M	\$ 618
CPU Holder (3" - 9" adjustment)ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment)ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment)ACPU3F	\$ 126
Table TransportATT3054	\$ 1511
Table Floor Mount Bracket SetAFB	\$ 45



Questions?

1.800.876.2120

Black = Fixed Bases

Red = Folding Bases

Blue = Tilt Bases

OS = Quickship Program Product

OS = Quickship Program Product

OS = Quickship Program Product

	top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Urethane/PVC (user side only)
		Flat 	Flat 	Bumper 	Ergo
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
		Fluted 	Fluted 	Reverse Bevel Acrylic 	
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	PVC on remaining sides
	top thickness price >	1 1/4"	1 1/4"	1 1/4"	

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"
<p>TC</p>	24 x 84 Fix w/FixMod	PTTC 2484REFX XM OS	116	1539	2686	3032
	24 x 84 Fix w/RemMod	PTTC 2484REFX RM OS	116	1569	2717	3061
	24 x 84 Fold w/RemMod	PTTC 2484REFD RM OS	120	1894	3042	3389
	24 x 84 Tilt w/HangMod	PTTC 2484RETL HM OS	128	1836	2984	3329
	24 x 84 Tilt w/RemMod	PTTC 2484RETL RM OS	128	1836	2984	3329
	24 x 90 Fix w/FixMod	PTTC 2490REFX XM OS	124	1724	2959	3513
	24 x 90 Fix w/RemMod	PTTC 2490REFX RM OS	124	1752	2990	3540
	24 x 90 Fold w/RemMod	PTTC 2490REFD RM OS	128	2079	3316	3870
	24 x 90 Tilt w/HangMod	PTTC 2490RETL HM OS	136	2020	3257	3809
	24 x 90 Tilt w/RemMod	PTTC 2490RETL RM OS	136	2020	3257	3809
	24 x 96 Fix w/FixMod	PTTC 2496REFX XM OS	130	1724	2959	3513
	24 x 96 Fix w/RemMod	PTTC 2496REFX RM OS	130	1752	2990	3540
	24 x 96 Fold w/RemMod	PTTC 2496REFD RM OS	134	2079	3316	3870
	24 x 96 Tilt w/HangMod	PTTC 2496RETL HM OS	142	2020	3257	3809
	24 x 96 Tilt w/RemMod	PTTC 2496RETL RM OS	142	2020	3257	3809

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Assembled Folding TableBAF	\$ 62
Alternate Table Height 32" & UnderBAH	\$ 80
Alternate Table Height 32" & OverBSP	call
Adjustable Height - Pin (Fix/Tilt)BAP	\$ 179
Adjustable Height - Pneumatic (Fix/Tilt)BAT	\$ 999
Bullet End CapsBBE	\$ 104
Self-Leveling Glides ●GLD04	\$ 39
Stretcher Rail (Fix/Tilt) Finish Same as BaseBTS	\$ 196

Finish Options		
Chrome		\$ 133
Nickel		\$ 181
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)TLK	\$ 204
Table Link (24" ends only)TLE	\$ 108
Lightweight Laminate Core (to 96" length)TLL	\$ 194
Special LaminateTSP	call
Custom Cutout (per cutout)TCC	\$ 97
Laptop Locker (each)TLA	\$ 1120
(available on fixed tables only, see page 36 in All Tables Price List for additional information)		
Electronic Lock (per locker)TLEL	\$ 292
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lockTLPU	\$ 461

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty MountWBM	\$ 78
Basket, Under Top MountWBT	\$ 78
Cable Hook LegwayWCK	\$ 96
Canvas LegwayWCL	\$ 80
Plastic LegwayWRL	\$ 63
1 Oval Brush Grommet - Location AWOA	\$ 78
2 Oval Brush Grommets - Location EWOE	\$ 156
1 Oval Brush Grommet - Provide Location PrintWOG	\$ 78
1 Round Grommet - Location AWRA	\$ 61
2 Round Grommets - Location EWRE	\$ 122
1 Round Grommet - Provide Location PrintWRG	\$ 61

Accessories		
Keyboard Platform w/Mouse SurfaceAKP27M	\$ 618
CPU Holder (3" - 9" adjustment)ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment)ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment)ACPU3F	\$ 126
Table TransportATT3054	\$ 1511
Table Floor Mount Bracket SetAFB	\$ 45



Questions?

1.800.876.2120

Black = Fixed Bases

Red = Folding Bases

= Overlapping Folding Bases

Blue = Tilt Bases

= Quickship Program Product

= Quickship Program Product

= Quickship Program Product

top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Urethane/PVC (user side only)
	Flat 	Flat 	Bumper 	Ergo
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	Fluted 	Fluted 	Reverse Bevel Acrylic 	PVC on remaining sides
	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	
top thickness price >	1 1/4"	1 1/4"	1 1/4"	1 1/4"

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"
	30 x 48 Fix w/FixMod	PTTC 3048REFX XM QS	87	1223	1911	2259
	30 x 48 Fix w/RemMod	PTTC 3048REFX RM QS	87	1255	1945	2293
	30 x 48 Fold w/RemMod	PTTC 3048REFO RM QS	91	1586	2274	2620
	30 x 48 Tilt w/FoldMod	PTTC 3048RETL FM QS	99	1588	2277	2622
	30 x 48 Tilt w/HangMod	PTTC 3048RETL HM QS	99	1524	2212	2560
	30 x 48 Tilt w/RemMod	PTTC 3048RETL RM QS	99	1524	2212	2560
	30 x 48 Fix w/FixLightweightFormMod	PTTC 3048REFX XL OR XLS	87	1255	1608	2293
	30 x 48 Fix w/RemLightweightFormMod	PTTC 3048REFX RL OR RLS	87	1255	1608	2293
	30 x 48 Fold w/RemLightweightFormMod	PTTC 3048REFO RL OR RLS	91	1586	1936	2620
	30 x 48 Tilt w/RemLightweightFormMod	PTTC 3048RETL RL OR RLS	99	1524	1873	2560
	30 x 48 Fix w/FixFormMod	PTTC 3048REFX XF OR XFS	87	1464	1814	2497
	30 x 48 Tilt w/FoldFormMod	PTTC 3048RETL FF OR FFS	99	1730	2079	2765
	30 x 60 Fix w/FixMod	PTTC 3060REFX XM QS	102	1285	1973	2518
	30 x 60 Fix w/RemMod	PTTC 3060REFX RM QS	102	1317	2007	2553
	30 x 60 Fold w/RemMod	PTTC 3060REFD RM QS	106	1644	2333	2881
	30 x 60 Fold w/FoldMod	PTTC 3060REFD FM QS	106	1709	2397	2940
30 x 60 Tilt w/FoldMod	PTTC 3060RETL FM QS	114	1648	2335	2883	
30 x 60 Tilt w/HangMod	PTTC 3060RETL HM QS	114	1585	2272	2818	
30 x 60 Tilt w/RemMod	PTTC 3060RETL RM QS	114	1585	2272	2818	
30 x 60 Fix w/FixLightweightFormMod	PTTC 3060REFX XL OR XLS	102	1317	1769	2553	
30 x 60 Fix w/RemLightweightFormMod	PTTC 3060REFX RL OR RLS	102	1317	1769	2553	
30 x 60 Fold w/RemLightweightFormMod	PTTC 3060REFD RL OR RLS	106	1644	2095	2881	
30 x 60 Tilt w/RemLightweightFormMod	PTTC 3060RETL RL OR RLS	114	1585	2034	2818	
30 x 60 Fix w/FixFormMod	PTTC 3060REFX XF OR XFS	114	1524	1974	2760	
30 x 60 Tilt w/FoldFormMod	PTTC 3060RETL FF OR FFS	126	1790	2238	3024	
30 x 60 Fold w/FoldFormMod	PTTC 3060REFD FF OR FFS	118	1848	2300	3084	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Assembled Folding Table	BAF	\$ 62
Alternate Table Height 32" & Under	BAH	\$ 80
Alternate Table Height 32" & Over	BSP	call
Adjustable Height - Pin (Fix/Tilt)	BAP	\$ 179
Adjustable Height - Pneumatic (Fix/Tilt)	BAT	\$ 999
Bullet End Caps	BBE	\$ 104
Casters ❶ - Dual Wheel Black Hard Wheel	CAS55	\$ 138
Casters ❷ - Dual Wheel Black Soft Wheel	CAS57	\$ 138
Mix - Dual Wheel Casters & Glides	BMD	\$ 131
Self-Leveling Glides ❸	GLD04	\$ 39
Stretcher Rail (Fix/Tilt) Finish Same as Base	BTS	\$ 196

Finish Options		
Chrome		\$ 133
Nickel		\$ 181
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)	TLK	\$ 204
Table Link (30" ends only)	TLE	\$ 108
Lightweight Laminate Core (to 96" length)	TLL	\$ 194
Special Laminate	TSP	call
Custom Cutout (per cutout)	TCC	\$ 97
Laptop Locker (each)	TLA	\$ 1120
(available on fixed tables only, see page 36 in All Tables Price List for additional information)		
Electronic Lock (per locker)	TLEL	\$ 292
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock ..	TLP	\$ 461

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty Mount	WBM	\$ 78
Basket, Under Top Mount	WBT	\$ 78
Cable Hook Legway	WCK	\$ 96
Canvas Legway	WCL	\$ 80
Plastic Legway	WRL	\$ 63
1 Oval Brush Grommet - Location A	WOA	\$ 78
2 Oval Brush Grommets - Location E	WOE	\$ 156
1 Oval Brush Grommet - Provide Location Print ..	WOG	\$ 78
1 Round Grommet - Location A	WRA	\$ 61
2 Round Grommets - Location E	WRE	\$ 122
1 Round Grommet - Provide Location Print	WRG	\$ 61

Accessories		
Keyboard Platform w/Mouse Surface	AKP27M	\$ 618
CPU Holder (3" - 9" adjustment)	ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment)	ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment)	ACPU3F	\$ 126
Table Transport	ATT3054	\$ 1511
Table Floor Mount Bracket Set	AFB	\$ 45



Questions?

1.800.876.2120

- Black = Fixed Bases
- Red = Folding Bases
- Blue = Tilt Bases
- OS = Quickship Program Product
- OS = Quickship Program Product
- OS = Quickship Program Product

top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Urethane/PVC (user side only)
	Flat 	Flat 	Bumper 	Ergo
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	Fluted 	Fluted 	Reverse Bevel Acrylic 	PVC on remaining sides
	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	
top thickness price >	1 1/4"	1 1/4"	1 1/4"	

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"
	30 x 72 Fix w/FixMod	PTTC 3072REFX XM OS	119	1424	2484	2867
	30 x 72 Fix w/RemMod	PTTC 3072REFX RM OS	119	1460	2518	2903
	30 x 72 Fold w/RemMod	PTTC 3072REFD RM OS	123	1789	2843	3231
	30 x 72 Tilt w/FoldMod	PTTC 3072RETL FM OS	131	1790	2849	3232
	30 x 72 Tilt w/HangMod	PTTC 3072RETL HM OS	131	1727	2788	3171
	30 x 72 Tilt w/RemMod	PTTC 3072RETL RM OS	131	1727	2788	3171
	30 x 72 Fix w/FixLightweightFormMod	PTTC 3072REFX XL OR XLS	119	1460	1989	2903
	30 x 72 Fix w/RemLightweightFormMod	PTTC 3072REFX RL OR RLS	119	1460	1989	2903
	30 x 72 Fold w/RemLightweightFormMod	PTTC 3072REFD RL OR RLS	123	1789	2319	3231
	30 x 72 Tilt w/RemLightweightFormMod	PTTC 3072RETL RL OR RLS	131	1727	2259	3171
	30 x 72 Fix w/FixFormMod	PTTC 3072REFX XF OR XFS	133	1608	2137	3052
	30 x 72 Tilt w/FoldFormMod	PTTC 3072RETL FF OR FFS	145	1875	2407	3318
	30 x 84 Fix w/FixMod	PTTC 3084REFX XM OS	134	1591	2841	3247
	30 x 84 Fix w/RemMod	PTTC 3084REFX RM OS	134	1621	2874	3276
	30 x 84 Fold w/RemMod	PTTC 3084REFD RM OS	138	1946	3201	3603
	30 x 84 Tilt w/FoldMod	PTTC 3084RETL FM OS	146	1976	3229	3630
	30 x 84 Tilt w/HangMod	PTTC 3084RETL HM OS	146	1888	3141	3545
	30 x 84 Tilt w/RemMod	PTTC 3084RETL RM OS	146	1888	3141	3545
	30 x 90 Fix w/FixMod	PTTC 3090REFX XM OS	143	1749	3125	3758
	30 x 90 Fix w/RemMod	PTTC 3090REFX RM OS	143	1778	3157	3787
	30 x 90 Fold w/RemMod	PTTC 3090REFD RM OS	147	2107	3484	4118
	30 x 90 Tilt w/FoldMod	PTTC 3090RETL FM OS	155	2134	3513	4144
	30 x 90 Tilt w/HangMod	PTTC 3090RETL HM OS	155	2047	3425	4057
	30 x 90 Tilt w/RemMod	PTTC 3090RETL RM OS	155	2047	3425	4057
	30 x 96 Fix w/FixMod	PTTC 3096REFX XM OS	151	1749	3125	3758
	30 x 96 Fix w/RemMod	PTTC 3096REFX RM OS	151	1778	3157	3787
	30 x 96 Fold w/RemMod	PTTC 3096REFD RM OS	155	2107	3484	4118
	30 x 96 Tilt w/FoldMod	PTTC 3096RETL FM OS	163	2134	3513	4144
	30 x 96 Tilt w/HangMod	PTTC 3096RETL HM OS	163	2047	3425	4057
	30 x 96 Tilt w/RemMod	PTTC 3096RETL RM OS	163	2047	3425	4057

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Assembled Folding TableBAF	\$ 62
Alternate Table Height 32" & UnderBAH	\$ 80
Alternate Table Height 32" & OverBSP	call
Adjustable Height - Pin (Fix/Tilt)BAP	\$ 179
Adjustable Height - Pneumatic (Fix/Tilt)BAT	\$ 999
Bullet End CapsBBE	\$ 104
Casters - Dual Wheel Black Hard Wheel (72" only)CAS55	\$ 138
Casters - Dual Wheel Black Soft Wheel (72" only)CAS57	\$ 138
Mix - Dual Wheel Casters & GlidesBMD	\$ 131
Self-Leveling Glides GLD04	\$ 39
Stretcher Rail (Fix/Tilt) Finish Same as BaseBTS	\$ 196

Finish Options		
Chrome		\$ 133
Nickel		\$ 181
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)TLK	\$ 204
Table Link (30" ends only)TLE	\$ 108
Lightweight Laminate Core (to 96" length)TLL	\$ 194
Special LaminateTSP	call
Custom Cutout (per cutout)TCC	\$ 97
Laptop Locker (each)TLA	\$ 1120
(available on fixed tables only, see page 36 in All Tables Price List for additional information)		
Electronic Lock (per locker)TLEL	\$ 292
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock ..	.TLPU	\$ 461

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty MountWBM	\$ 78
Basket, Under Top MountWBT	\$ 78
Cable Hook LegwayWCK	\$ 96
Canvas LegwayWCL	\$ 80
Plastic LegwayWRL	\$ 63
1 Oval Brush Grommet - Location AWOA	\$ 78
2 Oval Brush Grommets - Location EWOE	\$ 156
1 Oval Brush Grommet - Provide Location Print ..	.WOG	\$ 78
1 Round Grommet - Location AWRA	\$ 61
2 Round Grommets - Location EWRE	\$ 122
1 Round Grommet - Provide Location PrintWRG	\$ 61

Accessories		
Keyboard Platform w/Mouse SurfaceAKP27M	\$ 618
CPU Holder (3" - 9" adjustment)ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment)ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment)ACPU3F	\$ 126
Table TransportATT3054	\$ 1511
Table Floor Mount Bracket SetAFB	\$ 45



Questions?

1.800.876.2120

Black = Fixed Bases

Blue = Tilt Bases

Base Style	Table Description	Model #	Product Wt	top > edge >				
				Laminate PVC	Laminate Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)	
				Flat 	Flat 	Bumper 	Ergo 	
				edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
					Fluted 	Fluted 	Reverse Bevel Acrylic 	
				edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	PVC on remaining sides
				top thickness price >	1 1/4"	1 1/4"	1 1/4"	
	T1							
	18 x 48 Fix w/FixMod	STT1 1848REFX XM	65	1195		1781	2049	
	18 x 48 Fix w/RemMod	STT1 1848REFX RM	65	1228		1818	2084	
	18 x 48 Slim Tilt w/HangMod	STT1 1848REST HM	77	1625		2212	2478	
	18 x 48 Slim Tilt w/RemMod	STT1 1848REST RM	77	1625		2212	2478	
	18 x 48 Fix w/FixLightweightFormMod	STT1 1848REFX XL OR XLS	65	1228		1485	2084	
	18 x 48 Fix w/RemLightweightFormMod	STT1 1848REFX RL OR RLS	65	1228		1485	2084	
	18 x 48 Slim Tilt w/RemLightweightFormMod	STT1 1848REST RL OR RLS	77	1625		1880	2478	
	18 x 48 Fix w/FixFormMod	STT1 1848REFX XF OR XFS	65	1441		1697	2298	
	18 x 60 Fix w/FixMod	STT1 1860REFX XM	76	1270		1858	2329	
	18 x 60 Fix w/RemMod	STT1 1860REFX RM	76	1306		1890	2366	
	18 x 60 Slim Tilt w/HangMod	STT1 1860REST HM	88	1697		2286	2760	
	18 x 60 Slim Tilt w/RemMod	STT1 1860REST RM	88	1697		2286	2760	
	18 x 60 Fix w/FixLightweightFormMod	STT1 1860REFX XL OR XLS	75	1306		1598	2366	
	18 x 60 Fix w/RemLightweightFormMod	STT1 1860REFX RL OR RLS	75	1306		1598	2366	
	18 x 60 Slim Tilt w/RemLightweightFormMod	STT1 1860REST RL OR RLS	87	1697		1990	2760	
	18 x 60 Fix w/FixFormMod	STT1 1860REFX XF OR XFS	88	1516		1812	2577	
	18 x 72 Fix w/FixMod	STT1 1872REFX XM	87	1377		2276	2613	
	18 x 72 Fix w/RemMod	STT1 1872REFX RM	87	1411		2308	2650	
	18 x 72 Slim Tilt w/HangMod	STT1 1872REST HM	99	1805		2705	3043	
	18 x 72 Slim Tilt w/RemMod	STT1 1872REST RM	99	1805		2705	3043	
	18 x 72 Fix w/FixLightweightFormMod	STT1 1872REFX XL OR XLS	88	1411		1768	2650	
	18 x 72 Fix w/RemLightweightFormMod	STT1 1872REFX RL OR RLS	88	1411		1768	2650	
	18 x 72 Slim Tilt w/RemLightweightFormMod	STT1 1872REST RL OR RLS	100	1805		2160	3043	
	18 x 72 Fix w/FixFormMod	STT1 1872REFX XF OR XFS	102	1563		1918	2800	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Alternate Table Height 32" & Under	BAH	\$ 80
Alternate Table Height 32" & Over	BSP	call
Casters ④ - Dual Wheel Black Hard		
Wheel	CAS55	\$ 138
Casters ④ - Dual Wheel Black Soft		
Wheel	CAS57	\$ 138
Mix - Dual Wheel Casters & Glides	BMD	\$ 131
Self-Leveling Glides ④	GLD04	\$ 39
Stretcher Rail (Fix) Finish Same as Base.....	BTS	\$ 196

Finish Options		
Chrome		\$ 133
Nickel.....		\$ 181
Powder Coat - Standard.....		n/c
Powder Coat - Premium		\$ 133
Platinum.....		\$ 397

Top Options		
Table Link (all four sides)	TLK	\$ 204
Table Link (18" ends only)	TLE	\$ 108
Lightweight Laminate Core (to 96" length).....	TLL	\$ 194
Special Laminate	TSP	call
Custom Cutout (per cutout)	TCC	\$ 97

Power & Data Options
 Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty Mount.....	WBM	\$ 78
Basket, Under Top Mount.....	WBT	\$ 78
Canvas Legway	WCL	\$ 80
1 Oval Brush Grommet - Location A.....	WOA	\$ 78
2 Oval Brush Grommets - Location E.....	WOE	\$ 156
1 Oval Brush Grommet - Provide Location Print ..	WOG	\$ 78
1 Round Grommet - Location A	WRA	\$ 61
2 Round Grommets - Location E.....	WRE	\$ 122
1 Round Grommet - Provide Location Print.....	WRG	\$ 61

Accessories		
CPU Holder (3" - 9" adjustment).....	ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment).....	ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment).....	ACPU3F	\$ 126
Table Transport	ATT3054	\$ 1511
Table Floor Mount Bracket Set	AFB	\$ 45



Questions?

1.800.876.2120

Black = Fixed Bases

Blue = Tilt Bases

Base Style	Table Description	Model #	Product Wt	top > edge >				
				Laminate PVC	Laminate Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)	
				Flat 	Flat 	Bumper 	Ergo 	
				edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness > 1 1/4"	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
					Fluted 	Fluted 	Reverse Bevel Acrylic 	
				edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness > 1 1/4"	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	PVC on remaining sides
				top thickness price >	1 1/4"	1 1/4"	1 1/4"	
	T1							
	18 x 84 Fix w/FixMod	STT1 1884REFX XM	98	1772		2864	3158	
	18 x 84 Fix w/RemMod	STT1 1884REFX RM	98	1800		2897	3189	
	18 x 84 Slim Tilt w/HangMod	STT1 1884REST HM	110	2196		3292	3583	
	18 x 84 Slim Tilt w/RemMod	STT1 1884REST RM	110	2196		3292	3583	
	18 x 90 Fix w/FixMod	STT1 1890REFX XM	104	1871		3079	3642	
	18 x 90 Fix w/RemMod	STT1 1890REFX RM	104	1904		3107	3671	
	18 x 90 Slim Tilt w/HangMod	STT1 1890REST HM	116	2298		3504	4067	
	18 x 90 Slim Tilt w/RemMod	STT1 1890REST RM	116	2298		3504	4067	
	18 x 96 Fix w/FixMod	STT1 1896REFX XM	109	1871		3079	3642	
	18 x 96 Fix w/RemMod	STT1 1896REFX RM	109	1904		3107	3671	
	18 x 96 Slim Tilt w/HangMod	STT1 1896REST HM	121	2298		3504	4067	
	18 x 96 Slim Tilt w/RemMod	STT1 1896REST RM	121	2298		3504	4067	

Note: The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Alternate Table Height 32" & Under	BAH	\$ 80
Alternate Table Height 32" & Over	BSP	call
Self-Leveling Glides ●	GLD04	\$ 39
Stretcher Rail (Fix) Finish Same as Base.....	BTS	\$ 196

Finish Options		
Chrome.....		\$ 133
Nickel.....		\$ 181
Powder Coat - Standard.....		n/c
Powder Coat - Premium		\$ 133
Platinum.....		\$ 397

Top Options		
Table Link (all four sides)	TLK	\$ 204
Table Link (18" ends only).....	TLE	\$ 108
Lightweight Laminate Core (to 96" length).....	TLL	\$ 194
Special Laminate	TSP	call
Custom Cutout (per cutout)	TCC	\$ 97

Power & Data Options
 Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty Mount.....	WBM	\$ 78
Basket, Under Top Mount.....	WBT	\$ 78
Canvas Legway.....	WCL	\$ 80
1 Oval Brush Grommet - Location A.....	WOA	\$ 78
2 Oval Brush Grommets - Location E.....	WOE	\$ 156
1 Oval Brush Grommet - Provide Location Print	WOG	\$ 78
1 Round Grommet - Location A	WRA	\$ 61
2 Round Grommets - Location E.....	WRE	\$ 122
1 Round Grommet - Provide Location Print.....	WRG	\$ 61

Accessories		
CPU Holder (3" - 9" adjustment).....	ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment).....	ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment).....	ACPU3F	\$ 126
Table Transport	ATT3054	\$ 1511
Table Floor Mount Bracket Set	AFB	\$ 45











Questions?

1.800.876.2120

Black = Fixed Bases

Blue = Tilt Bases

Base Style	Table Description	Model #	Product Wt	top > edge >				
				Laminate PVC	Laminate Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)	
				Flat 	Flat 	Bumper 	Ergo 	
				edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness > 1 1/4"	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
				Fluted 	Fluted 	Reverse Bevel Acrylic 		
				edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness > 1 1/4"	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	PVC on remaining sides
				top thickness price >	1 1/4"	1 1/4"	1 1/4"	
	T1 20 x 48 Fix w/FixMod	STT1 2048REFX XM	68	1244		1921	2237	
	20 x 48 Fix w/RemMod	STT1 2048REFX RM	68	1279		1956	2275	
	20 x 48 Slim Tilt w/HangMod	STT1 2048REST HM	80	1672		2351	2666	
	20 x 48 Slim Tilt w/RemMod	STT1 2048REST RM	80	1672		2351	2666	
	20 x 48 Fix w/FixLightweightFormMod	STT1 2048REFX XL OR XLS	68	1279		1624	2275	
	20 x 48 Fix w/RemLightweightFormMod	STT1 2048REFX RL OR RLS	68	1279		1624	2275	
	20 x 48 Slim Tilt w/RemLightweightFormMod	STT1 2048REST RL OR RLS	80	1672		2020	2666	
	20 x 48 Fix w/FixFormMod	STT1 2048REFX XF OR XFS	68	1490		1839	2486	
	20 x 60 Fix w/FixMod	STT1 2060REFX XM	80	1308		1984	2489	
	20 x 60 Fix w/RemMod	STT1 2060REFX RM	80	1342		2022	2523	
	20 x 60 Slim Tilt w/HangMod	STT1 2060REST HM	92	1734		2415	2915	
	20 x 60 Slim Tilt w/RemMod	STT1 2060REST RM	92	1734		2415	2915	
	20 x 60 Fix w/FixLightweightFormMod	STT1 2060REFX XL OR XLS	79	1342		1776	2523	
	20 x 60 Fix w/RemLightweightFormMod	STT1 2060REFX RL OR RLS	79	1342		1776	2523	
	20 x 60 Slim Tilt w/RemLightweightFormMod	STT1 2060REST RL OR RLS	91	1734		2415	2915	
	20 x 60 Fix w/FixFormMod	STT1 2060REFX XF OR XFS	92	1556		1987	2737	
	20 x 72 Fix w/FixMod	STT1 2072REFX XM	92	1516		2529	2831	
	20 x 72 Fix w/RemMod	STT1 2072REFX RM	92	1550		2566	2865	
	20 x 72 Slim Tilt w/HangMod	STT1 2072REST HM	104	1943		2957	3259	
	20 x 72 Slim Tilt w/RemMod	STT1 2072REST RM	104	1943		2957	3259	
	20 x 72 Fix w/FixLightweightFormMod	STT1 2072REFX XL OR XLS	93	1550		2022	2865	
	20 x 72 Fix w/RemLightweightFormMod	STT1 2072REFX RL OR RLS	93	1550		2022	2865	
	20 x 72 Slim Tilt w/RemLightweightFormMod	STT1 2072REST RL OR RLS	105	1943		2957	3259	
	20 x 72 Fix w/FixFormMod	STT1 2072REFX XF OR XFS	107	1703		2174	3019	
	20 x 84 Fix w/FixMod	STT1 2084REFX XM	104	1869		3052	3423	
	20 x 84 Fix w/RemMod	STT1 2084REFX RM	104	1903		3083	3456	
	20 x 84 Slim Tilt w/HangMod	STT1 2084REST HM	116	2296		3476	3849	
	20 x 84 Slim Tilt w/RemMod	STT1 2084REST RM	116	2296		3476	3849	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options		Code	Price
Alternate Table Height 32" & Under	BAH	\$	80
Alternate Table Height 32" & Over	BSP	call	
Casters ❶ - Dual Wheel Black Hard			
Wheel (up to 72" length)	CAS55	\$	138
Casters ❷ - Dual Wheel Black Soft			
Wheel (up to 72" length)	CAS57	\$	138
Mix - Dual Wheel Casters & Glides	BMD	\$	131
Self-Leveling Glides ❸	GLD04	\$	39
Stretcher Rail (Fix) Finish Same as Base	BTS	\$	196

Finish Options			
Chrome		\$	133
Nickel		\$	181
Powder Coat - Standard		n/c	
Powder Coat - Premium		\$	133
Platinum		\$	397

Top Options			
Table Link (all four sides)	TLK	\$	204
Table Link (20" ends only)	TLE	\$	108
Lightweight Laminate Core (to 96" length)	TLL	\$	194
Special Laminate	TSP	call	
Custom Cutout (per cutout)	TCC	\$	97

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options			
Basket, Modesty Mount	WBM	\$	78
Basket, Under Top Mount	WBT	\$	78
Canvas Legway	WCL	\$	80
1 Oval Brush Grommet - Location A	WOA	\$	78
2 Oval Brush Grommets - Location E	WOE	\$	156
1 Oval Brush Grommet - Provide Location Print	WOG	\$	78
1 Round Grommet - Location A	WRA	\$	61
2 Round Grommets - Location E	WRE	\$	122
1 Round Grommet - Provide Location Print	WRG	\$	61

Accessories			
CPU Holder (3" - 9" adjustment)	ACPU3-9F	\$	192
CPU Holder (5" - 8" adjustment)	ACPU5-8F	\$	126
CPU Holder (3" - 5" adjustment)	ACPU3F	\$	126
Table Transport	ATT3054	\$	1511
Table Floor Mount Bracket Set	AFB	\$	45











Questions?

1.800.876.2120

Black = Fixed Bases

Blue = Tilt Bases

Base Style	Table Description	Model #	Product Wt	top > edge >					
				Laminate PVC	Laminate Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)		
 <p>T1</p>				Flat 	Flat 	Bumper 	Ergo 		
				edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"	
					Fluted 	Fluted 	Reverse Bevel Acrylic 		
					edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	PVC on remaining sides
				top thickness price >	1 1/4"	1 1/4"	1 1/4"	1 1/4"	
					2061	3332	3916		
					2092	3365	3947		
					2485	3758	4341		
					2485	3758	4341		
					2061	3332	3916		
					2092	3365	3947		
					2485	3758	4341		
				2485	3758	4341			

Note: The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Alternate Table Height 32" & Under	.BAH	\$ 80
Alternate Table Height 32" & Over	.BSP	call
Self-Leveling Glides	.GLD04	\$ 39
Stretcher Rail (Fix) Finish Same as Base	.BTS	\$ 196

Finish Options		
Chrome		\$ 133
Nickel		\$ 181
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)	.TLK	\$ 204
Table Link (20" ends only)	.TLE	\$ 108
Lightweight Laminate Core (to 96" length)	.TLL	\$ 194
Special Laminate	.TSP	call
Custom Cutout (per cutout)	.TCC	\$ 97

Power & Data Options
 Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty Mount	.WBM	\$ 78
Basket, Under Top Mount	.WBT	\$ 78
Canvas Legway	.WCL	\$ 80
1 Oval Brush Grommet - Location A	.WOA	\$ 78
2 Oval Brush Grommets - Location E	.WOE	\$ 156
1 Oval Brush Grommet - Provide Location Print	.WOG	\$ 78
1 Round Grommet - Location A	.WRA	\$ 61
2 Round Grommets - Location E	.WRE	\$ 122
1 Round Grommet - Provide Location Print	.WRG	\$ 61

Accessories		
CPU Holder (3" - 9" adjustment)	.ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment)	.ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment)	.ACPU3F	\$ 126
Table Transport	.ATT3054	\$ 1511
Table Floor Mount Bracket Set	.AFB	\$ 45










Questions?

1.800.876.2120

Black = Fixed Bases

Blue = Tilt Bases

Base Style	Table Description	Model #	Product Wt	top > edge >				
				Laminate PVC	Laminate Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)	
T1				edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	Flat  LP2R or LP2S 1 1/4"	Flat  LW2R or LW2S 1 1/4"	Bumper  LB2R 1 1/4"	Ergo  LUPE2R or LUPE2S 1 1/4"
				edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	Fluted  LPF2R or LPF2S 1 1/4"	Fluted  LWF2R or LWF2S 1 1/4"	Reverse Bevel Acrylic  LMRA2R or LMRA2S 1 1/4"	PVC on remaining sides
				top thickness price >	1 1/4"	1 1/4"	1 1/4"	

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"
T1	24 x 48 Fix w/FixMod	STT1 2448REFX XM	76	1244	1921	2237
	24 x 48 Fix w/RemMod	STT1 2448REFX RM	76	1279	1956	2275
	24 x 48 Slim Tilt w/HangMod	STT1 2448REST HM	88	1672	2351	2666
	24 x 48 Slim Tilt w/RemMod	STT1 2448REST RM	88	1672	2351	2666
	24 x 48 Fix w/FixLightweightFormMod	STT1 2448REFX XL OR XLS	76	1279	1624	2275
	24 x 48 Fix w/RemLightweightFormMod	STT1 2448REFX RL OR RLS	76	1279	1624	2275
	24 x 48 Slim Tilt w/RemLightweightFormMod	STT1 2448REST RL OR RLS	88	1672	2020	2666
	24 x 48 Fix w/FixFormMod	STT1 2448REFX XF OR XFS	76	1490	1839	2486
	24 x 60 Fix w/FixMod	STT1 2460REFX XM	89	1308	1984	2489
	24 x 60 Fix w/RemMod	STT1 2460REFX RM	89	1342	2022	2523
	24 x 60 Slim Tilt w/HangMod	STT1 2460REST HM	101	1734	2415	2915
	24 x 60 Slim Tilt w/RemMod	STT1 2460REST RM	101	1734	2415	2915
	24 x 60 Fix w/FixLightweightFormMod	STT1 2460REFX XL OR XLS	88	1342	1776	2523
	24 x 60 Fix w/RemLightweightFormMod	STT1 2460REFX RL OR RLS	88	1342	1776	2523
	24 x 60 Slim Tilt w/RemLightweightFormMod	STT1 2460REST RL OR RLS	100	1734	2169	2915
	24 x 60 Fix w/FixFormMod	STT1 2460REFX XF OR XFS	101	1556	1987	2737

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Alternate Table Height 32" & Under	BAH	\$ 80
Alternate Table Height 32" & Over	BSP	call
Casters ❶ - Dual Wheel Black Hard		
Wheel	CAS55	\$ 138
Casters ❷ - Dual Wheel Black Soft		
Wheel	CAS57	\$ 138
Mix - Dual Wheel Casters & Glides	BMD	\$ 131
Self-Leveling Glides ❸	GLD04	\$ 39
Stretcher Rail (Fix) Finish Same as Base.....	BTS	\$ 196

Finish Options		
Chrome		\$ 133
Nickel.....		\$ 181
Powder Coat - Standard.....		n/c
Powder Coat - Premium		\$ 133
Platinum.....		\$ 397

Top Options		
Table Link (all four sides)	TLK	\$ 204
Table Link (24" ends only).....	TLE	\$ 108
Lightweight Laminate Core (to 96" length).....	TLL	\$ 194
Special Laminate	TSP	call
Custom Cutout (per cutout)	TCC	\$ 97
Laptop Locker (each).....	TLA	\$ 1120
(available on fixed tables only, see page 36 in All Tables Price List for additional information)		
Electronic Lock (per locker)	TLEL	\$ 292
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock ..	TLPU	\$ 461

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty Mount.....	WBM	\$ 78
Basket, Under Top Mount.....	WBT	\$ 78
Canvas Legway	WCL	\$ 80
1 Oval Brush Grommet - Location A.....	WOA	\$ 78
2 Oval Brush Grommets - Location E.....	WOE	\$ 156
1 Oval Brush Grommet - Provide Location Print ..	WOG	\$ 78
1 Round Grommet - Location A	WRA	\$ 61
2 Round Grommets - Location E.....	WRE	\$ 122
1 Round Grommet - Provide Location Print.....	WRG	\$ 61

Accessories		
Keyboard Platform w/Mouse Surface	AKP27M	\$ 618
CPU Holder (3" - 9" adjustment).....	ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment).....	ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment).....	ACPU3F	\$ 126
Table Transport	ATT3054	\$ 1511
Table Floor Mount Bracket Set	AFB	\$ 45



Questions?

1.800.876.2120

Black = Fixed Bases

Blue = Tilt Bases

Base Style	Table Description	Model #	Product Wt	top > edge >				
				Laminate PVC	Laminate Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)	
				Flat 	Flat 	Bumper 	Ergo 	
				edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness > 1 1/4"	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
					Fluted 	Fluted 	Reverse Bevel Acrylic 	
				edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness > 1 1/4"	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	PVC on remaining sides
				top thickness price >	1 1/4"	1 1/4"	1 1/4"	
	T1							
	24 x 72 Fix w/FixMod	STT1 2472REFX XM	103	1516		2529	2831	
	24 x 72 Fix w/RemMod	STT1 2472REFX RM	103	1550		2566	2865	
	24 x 72 Slim Tilt w/HangMod	STT1 2472REST HM	115	1943		2957	3259	
	24 x 72 Slim Tilt w/RemMod	STT1 2472REST RM	115	1943		2957	3259	
	24 x 72 Fix w/FixLightweightFormMod	STT1 2472REFX XL OR XLS	103	1550		2022	2865	
	24 x 72 Fix w/RemLightweightFormMod	STT1 2472REFX RL OR RLS	103	1550		2022	2865	
	24 x 72 Slim Tilt w/RemLightweightFormMod	STT1 2472REST RL OR RLS	115	1943		2415	3259	
	24 x 72 Fix w/FixFormMod	STT1 2472REFX XF OR XFS	118	1703		2174	3019	
	24 x 84 Fix w/FixMod	STT1 2484REFX XM	116	1869		3052	3423	
	24 x 84 Fix w/RemMod	STT1 2484REFX RM	116	1903		3083	3456	
	24 x 84 Slim Tilt w/HangMod	STT1 2484REST HM	128	2296		3476	3849	
	24 x 84 Slim Tilt w/RemMod	STT1 2484REST RM	128	2296		3476	3849	
	24 x 90 Fix w/FixMod	STT1 2490REFX XM	124	2061		3332	3916	
	24 x 90 Fix w/RemMod	STT1 2490REFX RM	124	2092		3365	3947	
	24 x 90 Slim Tilt w/HangMod	STT1 2490REST HM	136	2485		3758	4341	
	24 x 90 Slim Tilt w/RemMod	STT1 2490REST RM	136	2485		3758	4341	
	24 x 96 Fix w/FixMod	STT1 2496REFX XM	130	2061		3332	3916	
	24 x 96 Fix w/RemMod	STT1 2496REFX RM	130	2092		3365	3947	
	24 x 96 Slim Tilt w/HangMod	STT1 2496REST HM	142	2485		3758	4341	
	24 x 96 Slim Tilt w/RemMod	STT1 2496REST RM	142	2485		3758	4341	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Alternate Table Height 32" & Under	BAH	\$ 80
Alternate Table Height 32" & Over	BSP	call
Casters ④ - Dual Wheel Black Hard		
Wheel (72" only)	CAS55	\$ 138
Casters ④ - Dual Wheel Black Soft		
Wheel (72" only)	CAS57	\$ 138
Mix - Dual Wheel Casters & Glides	BMD	\$ 131
Self-Leveling Glides ④	GLD04	\$ 39
Stretcher Rail (Fix) Finish Same as Base	BTS	\$ 196

Finish Options		
Chrome		\$ 133
Nickel		\$ 181
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)	TLK	\$ 204
Table Link (24" ends only)	TLE	\$ 108
Lightweight Laminate Core (to 96" length)	TLL	\$ 194
Special Laminate	TSP	call
Custom Cutout (per cutout)	TCC	\$ 97
Laptop Locker (each)	TLA	\$ 1120
<small>(available on fixed tables only, see page 36 in All Tables Price List for additional information)</small>		
Electronic Lock (per locker)	TLEL	\$ 292
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock	TLP	\$ 461

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty Mount	WBM	\$ 78
Basket, Under Top Mount	WBT	\$ 78
Canvas Legway	WCL	\$ 80
1 Oval Brush Grommet - Location A	WOA	\$ 78
2 Oval Brush Grommets - Location E	WOE	\$ 156
1 Oval Brush Grommet - Provide Location Print	WOG	\$ 78
1 Round Grommet - Location A	WRA	\$ 61
2 Round Grommets - Location E	WRE	\$ 122
1 Round Grommet - Provide Location Print	WRG	\$ 61

Accessories		
Keyboard Platform w/Mouse Surface	AKP27M	\$ 618
CPU Holder (3" - 9" adjustment)	ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment)	ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment)	ACPU3F	\$ 126
Table Transport	ATT3054	\$ 1511
Table Floor Mount Bracket Set	AFB	\$ 45











Questions?

1.800.876.2120

Black = Fixed Bases

Blue = Tilt Bases

				top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
					Flat 	Flat 	Bumper 	Ergo 
				edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
					Fluted 	Fluted 	Reverse Bevel Acrylic 	
				edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	PVC on remaining sides
				top thickness price >	1 1/4"	1 1/4"	1 1/4"	1 1/4"
Base Style	Table Description	Model #	Product Wt					
	T1 30 x 48 Fix w/FixMod	STT1 3048REFX XM	87	1351		2060	2431	
	30 x 48 Fix w/RemMod	STT1 3048REFX RM	87	1384		2097	2467	
	30 x 48 Slim Tilt w/HangMod	STT1 3048REST HM	99	1779		2488	2861	
	30 x 48 Slim Tilt w/RemMod	STT1 3048REST RM	99	1779		2488	2861	
	30 x 48 Fix w/FixLightweightFormMod	STT1 3048REFX XL OR XLS	87	1384		1747	2467	
	30 x 48 Fix w/RemLightweightFormMod	STT1 3048REFX RL OR RLS	87	1384		1747	2467	
	30 x 48 Slim Tilt w/RemLightweightFormMod	STT1 3048REST RL OR RLS	99	1779		2139	2861	
	30 x 48 Fix w/FixFormMod	STT1 3048REFX XF OR XFS	87	1598		1957	2680	
	30 x 60 Fix w/FixMod	STT1 3060REFX XM	102	1411		2120	2698	
	30 x 60 Fix w/RemMod	STT1 3060REFX RM	102	1446		2157	2735	
	30 x 60 Slim Tilt w/HangMod	STT1 3060REST HM	114	1842		2551	3126	
	30 x 60 Slim Tilt w/RemMod	STT1 3060REST RM	114	1842		2551	3063	
	30 x 60 Fix w/FixLightweightFormMod	STT1 3060REFX XL OR XLS	102	1446		1911	2735	
	30 x 60 Fix w/RemLightweightFormMod	STT1 3060REFX RL OR RLS	102	1446		1911	2735	
	30 x 60 Slim Tilt w/RemLightweightFormMod	STT1 3060REST RL OR RLS	114	1842		2304	3126	
	30 x 60 Fix w/FixFormMod	STT1 3060REFX XF OR XFS	114	1659		2123	2948	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Alternate Table Height 32" & Under	BAH	\$ 80
Alternate Table Height 32" & Over	BSP	call
Casters ❶ - Dual Wheel Black Hard		
Wheel	CAS55	\$ 138
Casters ❷ - Dual Wheel Black Soft		
Wheel	CAS57	\$ 138
Mix - Dual Wheel Casters & Glides	BMD	\$ 131
Self-Leveling Glides ❸	GLD04	\$ 39
Stretcher Rail (Fix) Finish Same as Base.....	BTS	\$ 196

Finish Options		
Chrome		\$ 133
Nickel.....		\$ 181
Powder Coat - Standard.....		n/c
Powder Coat - Premium		\$ 133
Platinum.....		\$ 397

Top Options		
Table Link (all four sides)	TLK	\$ 204
Table Link (30" ends only).....	TLE	\$ 108
Lightweight Laminate Core (to 96" length).....	TLL	\$ 194
Special Laminate	TSP	call
Custom Cutout (per cutout)	TCC	\$ 97
Laptop Locker (each).....	TLA	\$ 1120
(available on fixed tables only, see page 36 in All Tables Price List for additional information)		
Electronic Lock (per locker)	TLEL	\$ 292
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock ..	TLPU	\$ 461

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty Mount.....	WBM	\$ 78
Basket, Under Top Mount.....	WBT	\$ 78
Canvas Legway	WCL	\$ 80
1 Oval Brush Grommet - Location A.....	WOA	\$ 78
2 Oval Brush Grommets - Location E.....	WOE	\$ 156
1 Oval Brush Grommet - Provide Location Print ..	WOG	\$ 78
1 Round Grommet - Location A	WRA	\$ 61
2 Round Grommets - Location E.....	WRE	\$ 122
1 Round Grommet - Provide Location Print.....	WRG	\$ 61

Accessories		
Keyboard Platform w/Mouse Surface	AKP27M	\$ 618
CPU Holder (3" - 9" adjustment).....	ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment).....	ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment).....	ACPU3F	\$ 126
Table Transport	ATT3054	\$ 1511
Table Floor Mount Bracket Set	AFB	\$ 45



Questions?

1.800.876.2120

Black = Fixed Bases

Blue = Tilt Bases

top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
	Flat 	Flat 	Bumper 	Ergo
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
	Fluted 	Fluted 	Reverse Bevel Acrylic 	PVC on remaining sides
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	
top thickness price >	1 1/4"	1 1/4"	1 1/4"	1 1/4"

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"
<p>T1</p>	T1 30 x 72 Fix w/FixMod	STT1 3072REFX XM	119	1560	2650	3060
	30 x 72 Fix w/RemMod	STT1 3072REFX RM	119	1594	2685	3096
	30 x 72 Slim Tilt w/HangMod	STT1 3072REST HM	131	1989	3080	3493
	30 x 72 Slim Tilt w/RemMod	STT1 3072REST RM	131	1989	3080	3493
	30 x 72 Fix w/FixLightweightFormMod	STT1 3072REFX XL OR XLS	119	1594	2141	3096
	30 x 72 Fix w/RemLightweightFormMod	STT1 3072REFX RL OR RLS	119	1594	2141	3096
	30 x 72 Slim Tilt w/RemLightweightFormMod	STT1 3072REST RL OR RLS	131	1989	2536	3493
	30 x 72 Fix w/FixFormMod	STT1 3072REFX XF OR XFS	133	1747	2293	3249
	30 x 84 Fix w/FixMod	STT1 3084REFX XM	134	1932	3224	3653
	30 x 84 Fix w/RemMod	STT1 3084REFX RM	134	1965	3252	3685
	30 x 84 Slim Tilt w/HangMod	STT1 3084REST HM	146	2356	3648	4076
	30 x 84 Slim Tilt w/RemMod	STT1 3084REST RM	146	2356	3648	4076
	30 x 90 Fix w/FixMod	STT1 3090REFX XM	143	2097	3515	4181
	30 x 90 Fix w/RemMod	STT1 3090REFX RM	143	2128	3545	4211
	30 x 90 Slim Tilt w/HangMod	STT1 3090REST HM	155	2522	3940	4606
	30 x 90 Slim Tilt w/RemMod	STT1 3090REST RM	155	2522	3940	4606
	30 x 96 Fix w/FixMod	STT1 3096REFX XM	151	2097	3515	4181
	30 x 96 Fix w/RemMod	STT1 3096REFX RM	151	2128	3545	4211
	30 x 96 Slim Tilt w/HangMod	STT1 3096REST HM	163	2522	3940	4606
	30 x 96 Slim Tilt w/RemMod	STT1 3096REST RM	163	2522	3940	4606

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Alternate Table Height 32" & Under	BAH	\$ 80
Alternate Table Height 32" & Over	BSP	call
Casters ④ - Dual Wheel Black Hard Wheel (72" only)	CAS55	\$ 138
Casters ④ - Dual Wheel Black Soft Wheel (72" only)	CAS57	\$ 138
Mix - Dual Wheel Casters & Glides	BMD	\$ 131
Self-Leveling Glides ④	GLD04	\$ 39
Stretcher Rail (Fix) Finish Same as Base	BTS	\$ 196

Finish Options		
Chrome		\$ 133
Nickel		\$ 181
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)	TLK	\$ 204
Table Link (30" ends only)	TLE	\$ 108
Lightweight Laminate Core (to 96" length)	TLL	\$ 194
Special Laminate	TSP	call
Custom Cutout (per cutout)	TCC	\$ 97
Laptop Locker (each)	TLA	\$ 1120
(available on fixed tables only, see page 36 in All Tables Price List for additional information)		
Electronic Lock (per locker)	TLEL	\$ 292
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock ..	TLPU	\$ 461

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty Mount	WBM	\$ 78
Basket, Under Top Mount	WBT	\$ 78
Canvas Legway	WCL	\$ 80
1 Oval Brush Grommet - Location A	WOA	\$ 78
2 Oval Brush Grommets - Location E	WOE	\$ 156
1 Oval Brush Grommet - Provide Location Print ..	WOG	\$ 78
1 Round Grommet - Location A	WRA	\$ 61
2 Round Grommets - Location E	WRE	\$ 122
1 Round Grommet - Provide Location Print	WRG	\$ 61

Accessories		
Keyboard Platform w/Mouse Surface	AKP27M	\$ 618
CPU Holder (3" - 9" adjustment)	ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment)	ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment)	ACPU3F	\$ 126
Table Transport	ATT3054	\$ 1511
Table Floor Mount Bracket Set	AFB	\$ 45

Ty



VERSTEEL

Questions?

1.800.876.2120

Black = Fixed Bases

Red = Folding Bases

= Overlapping Folding Bases

Blue = Tilt-Nest Bases

Base Style	Table Description	Model #	Product Wt	top > edge >				
				Laminate PVC	Laminate Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)	
				Flat 	Flat 	Bumper 	Ergo 	
				edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
					Fluted 	Fluted 		
				edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"		PVC on remaining sides
				top thickness price >	1 1/4"	1 1/4"	1 1/4"	1 1/4"
	1 20 x 48 Fix w/FixMod	TY1 2048REFX XM	68	1140		1739	1998	
	20 x 48 Fix w/RemMod	TY1 2048REFX RM	68	1176		1775	2033	
	20 x 48 Fold w/RemMod	TY1 2048REFO RM	70	1519	2119	2376		
	20 x 48 Tilt w/HangMod	TY1 2048REST HM	80	1458	2058	2314		
	20 x 48 Tilt w/RemMod	TY1 2048REST RM	80	1458	2058	2314		
	20 x 48 Fix w/FixLightweightFormMod	TY1 2048REFX XL OR XLS	68	1176	1439	2033		
	20 x 48 Fix w/RemLightweightFormMod	TY1 2048REFX RL OR RLS	68	1176	1439	2033		
	20 x 48 Fold w/RemLightweightFormMod	TY1 2048REFO RL OR RLS	70	1519	1781	2376		
	20 x 48 Tilt w/RemLightweightFormMod	TY1 2048REST RL OR RLS	80	1458	1719	2314		
	20 x 48 Fix w/FixFormMod	TY1 2048REFX XF OR XFS	68	1390	1652	2249		
	20 x 60 Fix w/FixMod	TY1 2060REFX XM	80	1220	1818	2283		
	20 x 60 Fix w/RemMod	TY1 2060REFX RM	80	1254	1853	2322		
	20 x 60 Fold w/RemMod	TY1 2060REFD RM	82	1595	2196	2662		
	20 x 60 Fold w/FoldMod	TY1 2060REFD FM	83	1665	2264	2730		
	20 x 60 Tilt w/HangMod	TY1 2060REST HM	92	1536	2134	2876		
	20 x 60 Tilt w/RemMod	TY1 2060REST RM	92	1536	2134	2876		
	20 x 60 Fix w/FixLightweightFormMod	TY1 2060REFX XL OR XLS	79	1254	1552	2322		
	20 x 60 Fix w/RemLightweightFormMod	TY1 2060REFX RL OR RLS	79	1254	1552	2322		
	20 x 60 Fold w/RemLightweightFormMod	TY1 2060REFD RL OR RLS	81	1595	1895	2662		
	20 x 60 Tilt w/RemLightweightFormMod	TY1 2060REST RL OR RLS	91	1536	1834	2876		
	20 x 60 Fix w/FixFormMod	TY1 2060REFX XF OR XFS	92	1470	1770	2811		
	20 x 60 Fold w/FoldFormMod	TY1 2060REFD FF OR FFS	93	1813	2111	2877		
	20 x 72 Fix w/FixMod	TY1 2072REFX XM	92	1327	2241	2849		
	20 x 72 Fix w/RemMod	TY1 2072REFX RM	92	1360	2277	2885		
	20 x 72 Fold w/RemMod	TY1 2072REFD RM	94	1704	2897	2952		
	20 x 72 Tilt w/HangMod	TY1 2072REST HM	104	1671	2835	2889		
	20 x 72 Tilt w/RemMod	TY1 2072REST RM	104	1671	2835	2889		
	20 x 72 Fix w/FixLightweightFormMod	TY1 2072REFX XL OR XLS	93	1360	1724	2885		
	20 x 72 Fix w/RemLightweightFormMod	TY1 2072REFX RL OR RLS	93	1360	1724	2885		
	20 x 72 Fold w/RemLightweightFormMod	TY1 2072REFD RL OR RLS	95	1704	2067	2952		
	20 x 72 Tilt w/RemLightweightFormMod	TY1 2072REST RL OR RLS	105	1671	2005	2889		
	20 x 72 Fix w/FixFormMod	TY1 2072REFX XF OR FFS	107	1517	1880	2764		

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Alternate Table Height 32" & Under	BAH	\$ 80
Alternate Table Height 32" & Over	BSP	call
Base Glides (subtract \$30 list per table)	GLD02	\$ -30
Stretcher Rail (Fix/Tilt) Finish Same as Base	BTS	\$ 196

Finish Options		
Chrome		\$ 330
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)	TLK	\$ 204
Table Link (30" ends only)	TLE	\$ 108
Lightweight Laminate Core (to 96" length)	TLL	\$ 194
Special Laminate	TSP	call
Custom Cutout (per cutout)	TCC	\$ 97
Laptop Locker (each)	TLA	\$ 1120
(available on fixed tables only, see page 36 in All Tables Price List for additional information)		
Electronic Lock (per locker)	TLEL	\$ 292
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock ..	TLPU	\$ 461

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty Mount	WBM	\$ 78
Basket, Under Top Mount	WBT	\$ 78
Cable Hook Legway	WCK	\$ 96
1 Oval Brush Grommet - Location A	WOA	\$ 78
2 Oval Brush Grommets - Location E	WOE	\$ 156
1 Oval Brush Grommet - Provide Location Print ..	WOG	\$ 78
1 Round Grommet - Location A	WRA	\$ 61
2 Round Grommets - Location E	WRE	\$ 122
1 Round Grommet - Provide Location Print	WRG	\$ 61

Accessories		
Keyboard Platform w/Mouse Surface	AKP27M	\$ 618
CPU Holder (3"- 9" adjustment)	ACPU3-9F	\$ 192
CPU Holder (5"- 8" adjustment)	ACPU5-8F	\$ 126
CPU Holder (3"- 5" adjustment)	ACPU3F	\$ 126
Table Floor Mount Bracket Set	AFB	\$ 45

Ty



VERSTEEL

Questions?
1.800.876.2120

Black = Fixed Bases
Red = Folding Bases
Blue = Tilt-Nest Bases

	top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
		Flat 	Flat 	Bumper 	Ergo
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
		Fluted 	Fluted 		
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"		PVC on remaining sides
	top thickness price >	1 1/4"	1 1/4"	1 1/4"	1 1/4"

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"
<p>1</p>	20 x 84 Fix w/FixMod	TY1 2084REFX XM	104	1616	2821	3184
	20 x 84 Fix w/RemMod	TY1 2084REFX RM	104	1645	2853	3216
	20 x 84 Fold w/RemMod	TY1 2084REFD RM	105	1988	3194	3558
	20 x 84 Tilt w/HangMod	TY1 2084REST HM	116	1928	3134	3495
	20 x 84 Tilt w/RemMod	TY1 2084REST RM	116	1928	3134	3495
	20 x 90 Fix w/FixMod	TY1 2090REFX XM	110	1811	3107	3687
	20 x 90 Fix w/RemMod	TY1 2090REFX RM	110	1841	3138	3717
	20 x 90 Fold w/RemMod	TY1 2090REFD RM	112	2182	3482	4061
	20 x 90 Tilt w/HangMod	TY1 2090REST HM	122	2123	3421	4000
	20 x 90 Tilt w/RemMod	TY1 2090REST RM	122	2123	3421	4000
	20 x 96 Fix w/FixMod	TY1 2096REFX XM	116	1811	3107	3687
	20 x 96 Fix w/RemMod	TY1 2096REFX RM	116	1841	3138	3717
	20 x 96 Fold w/RemMod	TY1 2096REFD RM	118	2182	3482	4061
	20 x 96 Tilt w/HangMod	TY1 2096REST HM	128	2123	3421	4000
	20 x 96 Tilt w/RemMod	TY1 2096REST RM	128	2123	3421	4000

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options		Code	Price
Alternate Table Height 32" & Under	BAH	\$	80
Alternate Table Height 32" & Over	BSP	call	
Base Glides (subtract \$30 list per table)	GLD02	\$	-30

Finish Options			
Chrome		\$	330
Powder Coat - Standard		n/c	
Powder Coat - Premium		\$	133
Platinum		\$	397

Top Options			
Table Link (all four sides)	TLK	\$	204
Table Link (30" ends only)	TLE	\$	108
Lightweight Laminate Core (to 96" length)	TLL	\$	194
Special Laminate	TSP	call	
Custom Cutout (per cutout)	TCC	\$	97
Laptop Locker (each)	TLA	\$	1120
(available on fixed tables only, see page 36 in All Tables Price List for additional information)			
Electronic Lock (per locker)	TLEL	\$	292
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock	TLPU	\$	461

Power & Data Options
 Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options			
Basket, Modesty Mount	WBM	\$	78
Basket, Under Top Mount	WBT	\$	78
Cable Hook Legway	WCK	\$	96
1 Oval Brush Grommet - Location A	WOA	\$	78
2 Oval Brush Grommets - Location E	WOE	\$	156
1 Oval Brush Grommet - Provide Location Print	WOG	\$	78
1 Round Grommet - Location A	WRA	\$	61
2 Round Grommets - Location E	WRE	\$	122
1 Round Grommet - Provide Location Print	WRG	\$	61

Accessories			
Keyboard Platform w/Mouse Surface	AKP27M	\$	618
CPU Holder (3"- 9" adjustment)	ACPU3-9F	\$	192
CPU Holder (5"- 8" adjustment)	ACPU5-8F	\$	126
CPU Holder (3"- 5" adjustment)	ACPU3F	\$	126
Table Floor Mount Bracket Set	AFB	\$	45

Ty



VERSTEEL

Questions?
1.800.876.2120

Black = Fixed Bases
Red = Folding Bases
📏 = Overlapping Folding Bases
Blue = Tilt-Nest Bases

	top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
		Flat 	Flat 	Bumper 	Ergo
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
		Fluted 	Fluted 		
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"		PVC on remaining sides
	top thickness price >	1 1/4"	1 1/4"	1 1/4"	1 1/4"

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"
	24 x 48 Fix w/FixMod	TY1 2448REFX XM	76	1184	1877	2181
	24 x 48 Fix w/RemMod	TY1 2448REFX RM	76	1221	1911	2218
	24 x 48 Fold 📏 w/RemMod	TY1 2448REFO RM	80	1565	2256	2562
	24 x 48 Tilt w/HangMod	TY1 2448REST HM	88	1499	2193	2498
	24 x 48 Tilt w/RemMod	TY1 2448REST RM	88	1499	2193	2498
	24 x 48 Fix w/FixLightweightFormMod	TY1 2448REFX XL OR XLS	76	1221	1572	2218
	24 x 48 Fix w/RemLightweightFormMod	TY1 2448REFX RL OR RLS	76	1221	1572	2218
	24 x 48 Fold 📏 w/RemLightweightFormMod	TY1 2448REFO RL OR RLS	80	1565	1916	2562
	24 x 48 Tilt w/RemLightweightFormMod	TY1 2448REST RL OR RLS	88	1499	1853	2498
	24 x 48 Fix w/FixFormMod	TY1 2448REFX XF OR XFS	76	1436	1789	2432
	24 x 60 Fix w/FixMod	TY1 2460REFX XM	89	1248	1939	2435
	24 x 60 Fix w/RemMod	TY1 2460REFX RM	89	1284	1977	2472
	24 x 60 Fold w/RemMod	TY1 2460REFD RM	93	1626	2320	2814
	24 x 60 Fold w/FoldMod	TY1 2460REFD FM	93	1693	2384	2883
	24 x 60 Tilt w/HangMod	TY1 2460REST HM	101	1566	2257	2754
	24 x 60 Tilt w/RemMod	TY1 2460REST RM	101	1566	2257	2754
	24 x 60 Fix w/FixLightweightFormMod	TY1 2460REFX XL OR XLS	88	1284	1725	2472
	24 x 60 Fix w/RemLightweightFormMod	TY1 2460REFX RL OR RLS	88	1284	1725	2472
	24 x 60 Fold w/RemLightweightFormMod	TY1 2460REFD RL OR RLS	92	1626	2068	2814
	24 x 60 Tilt w/RemLightweightFormMod	TY1 2460REST RL OR RLS	100	1566	2007	2754
24 x 60 Fix w/FixFormMod	TY1 2460REFX XF OR XFS	101	1499	1940	2688	
24 x 60 Fold w/FoldFormMod	TY1 2460REFD FF OR FFS	105	1843	2283	3030	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Alternate Table Height 32" & Under	BAH	\$ 80
Alternate Table Height 32" & Over	BSP	call
Base Glides (subtract \$30 list per table).....	GLD02	\$ -30
Stretcher Rail (Fix) Finish Same as Base.....	BTS	\$ 196

Finish Options		
Chrome.....		\$ 330
Powder Coat - Standard.....		n/c
Powder Coat - Premium		\$ 133
Platinum.....		\$ 397

Top Options		
Table Link (all four sides)	TLK	\$ 204
Table Link (30" ends only).....	TLE	\$ 108
Lightweight Laminate Core (to 96" length).....	TLL	\$ 194
Special Laminate	TSP	call
Custom Cutout (per cutout)	TCC	\$ 97
Laptop Locker (each).....	TLA	\$ 1120
<small>(available on fixed tables only, see page 36 in All Tables Price List for additional information)</small>		
Electronic Lock (per locker)	TLEL	\$ 292
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock ..	TLPU	\$ 461

Power & Data Options
 Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty Mount.....	WBM	\$ 78
Basket, Under Top Mount.....	WBT	\$ 78
Cable Hook Legway	WCK	\$ 96
1 Oval Brush Grommet - Location A.....	WOA	\$ 78
2 Oval Brush Grommets - Location E.....	WOE	\$ 156
1 Oval Brush Grommet - Provide Location Print ..	WOG	\$ 78
1 Round Grommet - Location A	WRA	\$ 61
2 Round Grommets - Location E.....	WRE	\$ 122
1 Round Grommet - Provide Location Print.....	WRG	\$ 61

Accessories		
Keyboard Platform w/Mouse Surface	AKP27M	\$ 618
CPU Holder (3"- 9" adjustment)	ACPU3-9F	\$ 192
CPU Holder (5"- 8" adjustment)	ACPU5-8F	\$ 126
CPU Holder (3"- 5" adjustment)	ACPU3F	\$ 126
Table Floor Mount Bracket Set	AFB	\$ 45

Ty



VERSTEEL

Questions?
1.800.876.2120

Black = Fixed Bases
Red = Folding Bases
Blue = Tilt-Nest Bases

	top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
		Flat 	Flat 	Bumper 	Ergo
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
		Fluted 	Fluted 		
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"		PVC on remaining sides
	top thickness price >	1 1/4"		1 1/4"	1 1/4"

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"
<p>1</p>	24 x 72 Fix w/FixMod	TY1 2472REFX XM	103	1460	2492	2787
	24 x 72 Fix w/RemMod	TY1 2472REFX RM	103	1496	2529	2821
	24 x 72 Fold w/RemMod	TY1 2472REFD RM	107	1840	2872	3162
	24 x 72 Tilt w/HangMod	TY1 2472REST HM	115	1778	2811	3102
	24 x 72 Tilt w/RemMod	TY1 2472REST RM	115	1778	2811	3102
	24 x 72 Fix w/FixLightweightFormMod	TY1 2472REFX XL OR XLS	103	1496	1977	2821
	24 x 72 Fix w/RemLightweightFormMod	TY1 2472REFX RL OR RLS	103	1496	1977	2821
	24 x 72 Fold w/RemLightweightFormMod	TY1 2472REFD RL OR RLS	107	1840	2320	3162
	24 x 72 Tilt w/RemLightweightFormMod	TY1 2472REST RL OR RLS	115	1778	2257	3102
	24 x 72 Fix w/FixFormMod	TY1 2472REFX XF OR XFS	118	1651	2131	2976
	24 x 84 Fix w/FixMod	TY1 2484REFX XM	116	1616	2821	3184
	24 x 84 Fix w/RemMod	TY1 2484REFX RM	116	1645	2853	3216
	24 x 84 Fold w/RemMod	TY1 2484REFD RM	120	1988	3194	3558
	24 x 84 Tilt w/HangMod	TY1 2484REST HM	136	1928	3134	3495
	24 x 84 Tilt w/RemMod	TY1 2484REST RM	136	1928	3134	3495
	24 x 90 Fix w/FixMod	TY1 2490REFX XM	124	1811	3107	3687
	24 x 90 Fix w/RemMod	TY1 2490REFX RM	124	1841	3138	3717
	24 x 90 Fold w/RemMod	TY1 2490REFD RM	128	2182	3482	4061
	24 x 90 Tilt w/HangMod	TY1 2490REST HM	136	2123	3421	4000
	24 x 90 Tilt w/RemMod	TY1 2490REST RM	136	2123	3421	4000
24 x 96 Fix w/FixMod	TY1 2496REFX XM	130	1811	3107	3687	
24 x 96 Fix w/RemMod	TY1 2496REFX RM	130	1841	3138	3717	
24 x 96 Fold w/RemMod	TY1 2496REFD RM	134	2182	3482	4061	
24 x 96 Tilt w/HangMod	TY1 2496REST HM	142	2123	3421	4000	
24 x 96 Tilt w/RemMod	TY1 2496REST RM	142	2123	3421	4000	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Alternate Table Height 32" & Under	BAH	\$ 80
Alternate Table Height 32" & Over	BSP	call
Base Glides (subtract \$30 list per table).....	GLD02	\$ -30
Stretcher Rail (Fix) Finish Same as Base.....	BTS	\$ 196

Finish Options		
Chrome.....		\$ 330
Powder Coat - Standard.....		n/c
Powder Coat - Premium		\$ 133
Platinum.....		\$ 397

Top Options		
Table Link (all four sides)	TLK	\$ 204
Table Link (30" ends only).....	TLE	\$ 108
Lightweight Laminate Core (to 96" length).....	TLL	\$ 194
Special Laminate	TSP	call
Custom Cutout (per cutout)	TCC	\$ 97
Laptop Locker (each).....	TLA	\$ 1120
(available on fixed tables only, see page 36 in All Tables Price List for additional information)		
Electronic Lock (per locker)	TLEL	\$ 292
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock ..	TLPU	\$ 461

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty Mount.....	WBM	\$ 78
Basket, Under Top Mount.....	WBT	\$ 78
Cable Hook Legway	WCK	\$ 96
1 Oval Brush Grommet - Location A.....	WOA	\$ 78
2 Oval Brush Grommets - Location E.....	WOE	\$ 156
1 Oval Brush Grommet - Provide Location Print ..	WOG	\$ 78
1 Round Grommet - Location A	WRA	\$ 61
2 Round Grommets - Location E.....	WRE	\$ 122
1 Round Grommet - Provide Location Print.....	WRG	\$ 61

Accessories		
Keyboard Platform w/Mouse Surface	AKP27M	\$ 618
CPU Holder (3"- 9" adjustment)	ACPU3-9F	\$ 192
CPU Holder (5"- 8" adjustment)	ACPU5-8F	\$ 126
CPU Holder (3"- 5" adjustment)	ACPU3F	\$ 126
Table Floor Mount Bracket Set	AFB	\$ 45

Ty



VERSTEEL

Questions?

1.800.876.2120

Black = Fixed Bases

Red = Folding Bases

= Overlapping Folding Bases

Blue = Tilt-Nest Bases

	top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
		Flat 	Flat 	Bumper 	Ergo
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
		Fluted 	Fluted 		
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"		PVC on remaining sides
	top thickness price >	1 1/4"	1 1/4"	1 1/4"	1 1/4"

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"
	1 30 x 48 Fix w/FixMod	TY1 3048REFX XM	87	1284	2007	2371
	30 x 48 Fix w/RemMod	TY1 3048REFX RM	87	1318	2043	2407
	30 x 48 Fold w/RemMod	TY1 3048REFO RM	91	1665	2388	2751
	30 x 48 Tilt w/HangMod	TY1 3048REST HM	99	1601	2324	2688
	30 x 48 Tilt w/RemMod	TY1 3048REST RM	99	1601	2324	2688
	30 x 48 Fix w/FixLightweightFormMod	TY1 3048REFX XL OR XLS	87	1318	1688	2407
	30 x 48 Fix w/RemLightweightFormMod	TY1 3048REFX RL OR RLS	87	1318	1688	2407
	30 x 48 Fold w/RemLightweightFormMod	TY1 3048REFO RL OR RLS	91	1665	2033	2751
	30 x 48 Tilt w/RemLightweightFormMod	TY1 3048REST RL OR RLS	99	1601	1967	2688
	30 x 48 Fix w/FixFormMod	TY1 3048REFX XF OR XFS	87	1537	1905	2622
	30 x 60 Fix w/FixMod	TY1 3060REFX XM	102	1350	2071	2643
	30 x 60 Fix w/RemMod	TY1 3060REFX RM	102	1382	2107	2680
	30 x 60 Fold w/RemMod	TY1 3060REFD RM	106	1726	2450	3024
	30 x 60 Fold w/FoldMod	TY1 3060REFD FM	106	1795	2516	3090
	30 x 60 Tilt w/HangMod	TY1 3060REST HM	114	1664	2384	2958
	30 x 60 Tilt w/RemMod	TY1 3060REST RM	114	1664	2384	2958
	30 x 60 Fix w/FixLightweightFormMod	TY1 3060REFX XL OR XLS	102	1382	1857	2680
	30 x 60 Fix w/RemLightweightFormMod	TY1 3060REFX RL OR RLS	102	1382	1857	2680
	30 x 60 Fold w/RemLightweightFormMod	TY1 3060REFD RL OR RLS	106	1726	2199	3024
	30 x 60 Tilt w/RemLightweightFormMod	TY1 3060REST RL OR RLS	114	1664	2135	2958
30 x 60 Fix w/FixFormMod	TY1 3060REFX XF OR XFS	114	1601	2072	2897	
30 x 60 Fold w/FoldFormMod	TY1 3060REFD FF OR FFS	118	1941	2415	3239	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Alternate Table Height 32" & Under	BAH	\$ 80
Alternate Table Height 32" & Over	BSP	call
Base Glides (subtract \$30 list per table)	GLD02	\$ -30
Stretcher Rail (Fix) Finish Same as Base	BTS	\$ 196

Finish Options		
Chrome		\$ 330
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)	TLK	\$ 204
Table Link (30° ends only)	TLE	\$ 108
Lightweight Laminate Core (to 96" length)	TLL	\$ 194
Special Laminate	TSP	call
Custom Cutout (per cutout)	TCC	\$ 97
Laptop Locker (each)	TLA	\$ 1120
(available on fixed tables only, see page 36 in All Tables Price List for additional information)		
Electronic Lock (per locker)	TLEL	\$ 292
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock ..	TLPU	\$ 461

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty Mount	WBM	\$ 78
Basket, Under Top Mount	WBT	\$ 78
Cable Hook Legway	WCK	\$ 96
1 Oval Brush Grommet - Location A	WOA	\$ 78
2 Oval Brush Grommets - Location E	WOE	\$ 156
1 Oval Brush Grommet - Provide Location Print ..	WOG	\$ 78
1 Round Grommet - Location A	WRA	\$ 61
2 Round Grommets - Location E	WRE	\$ 122
1 Round Grommet - Provide Location Print	WRG	\$ 61

Accessories		
Keyboard Platform w/Mouse Surface	AKP27M	\$ 618
CPU Holder (3"- 9" adjustment)	ACPU3-9F	\$ 192
CPU Holder (5"- 8" adjustment)	ACPU5-8F	\$ 126
CPU Holder (3"- 5" adjustment)	ACPU3F	\$ 126
Table Floor Mount Bracket Set	AFB	\$ 45

Ty



VERSTEEL

Questions?
1.800.876.2120

Black = Fixed Bases
Red = Folding Bases
Blue = Tilt-Nest Bases

top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
	Flat 	Flat 	Bumper 	Ergo
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
	Fluted 	Fluted 		
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	PVC on remaining sides
top thickness price >	1 1/4"	1 1/4"	1 1/4"	1 1/4"

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"
	1 30 x 72 Fix w/FixMod	TY1 3072REFX XM	119	1496	2609	3013
	30 x 72 Fix w/RemMod	TY1 3072REFX RM	119	1533	2643	3050
	30 x 72 Fold w/RemMod	TY1 3072REFD RM	123	1879	2988	3392
	30 x 72 Fold w/FoldMod	TY1 3072REFD FM	123	1940	3053	3457
	30 x 72 Tilt w/HangMod	TY1 3072REST HM	131	1814	2926	3329
	30 x 72 Tilt w/RemMod	TY1 3072REST RM	131	1814	2926	3329
	30 x 72 Fix w/FixLightweightFormMod	TY1 3072REFX XL OR XLS	119	1533	2091	3050
	30 x 72 Fix w/RemLightweightFormMod	TY1 3072REFX RL OR RLS	119	1533	2091	3050
	30 x 72 Fold w/RemLightweightFormMod	TY1 3072REFD RL OR RLS	123	1879	2432	3392
	30 x 72 Tilt w/RemLightweightFormMod	TY1 3072REST RL OR RLS	131	1814	2371	3329
	30 x 72 Fix w/FixFormMod	TY1 3072REFX XF OR XFS	133	1688	2243	3204
	30 x 84 Fix w/FixMod	TY1 3084REFX XM	134	1670	2985	3410
	30 x 84 Fix w/RemMod	TY1 3084REFX RM	134	1701	3018	3439
	30 x 84 Fold w/RemMod	TY1 3084REFD RM	138	2044	3362	3783
	30 x 84 Tilt w/HangMod	TY1 3084REST HM	146	1983	3299	3721
	30 x 84 Tilt w/RemMod	TY1 3084REST RM	146	1983	3299	3721
	30 x 90 Fix w/FixMod	TY1 3090REFX XM	143	1836	3282	3946
	30 x 90 Fix w/RemMod	TY1 3090REFX RM	143	1866	3315	3977
	30 x 90 Fold w/RemMod	TY1 3090REFD RM	147	2212	3658	4321
	30 x 90 Tilt w/HangMod	TY1 3090REST HM	155	2261	3595	4260
30 x 90 Tilt w/RemMod	TY1 3090REST RM	155	2261	3595	4260	
30 x 96 Fix w/FixMod	TY1 3096REFX XM	151	1836	3282	3946	
30 x 96 Fix w/RemMod	TY1 3096REFX RM	151	1866	3315	3977	
30 x 96 Fold w/RemMod	TY1 3096REFD RM	155	2212	3658	4321	
30 x 96 Tilt w/HangMod	TY1 3096REST HM	163	2148	3595	4260	
30 x 96 Tilt w/RemMod	TY1 3096REST RM	163	2148	3595	4260	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Alternate Table Height 32" & Under	BAH	\$ 80
Alternate Table Height 32" & Over	BSP	call
Base Glides (subtract \$30 list per table)	GLD02	\$ -30
Stretcher Rail (Fix) Finish Same as Base	BTS	\$ 196

Finish Options		
Chrome		\$ 330
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)	TLK	\$ 204
Table Link (30" ends only)	TLE	\$ 108
Lightweight Laminate Core (to 96" length)	TLL	\$ 194
Special Laminate	TSP	call
Custom Cutout (per cutout)	TCC	\$ 97
Laptop Locker (each)	TLA	\$ 1120
(available on fixed tables only, see page 36 in All Tables Price List for additional information)		
Electronic Lock (per locker)	TLEL	\$ 292
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock ..	TLPU	\$ 461

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty Mount	WBM	\$ 78
Basket, Under Top Mount	WBT	\$ 78
Cable Hook Legway	WCK	\$ 96
1 Oval Brush Grommet - Location A	WOA	\$ 78
2 Oval Brush Grommets - Location E	WOE	\$ 156
1 Oval Brush Grommet - Provide Location Print ..	WOG	\$ 78
1 Round Grommet - Location A	WRA	\$ 61
2 Round Grommets - Location E	WRE	\$ 122
1 Round Grommet - Provide Location Print	WRG	\$ 61

Accessories		
Keyboard Platform w/Mouse Surface	AKP27M	\$ 618
CPU Holder (3"- 9" adjustment)	ACPU3-9F	\$ 192
CPU Holder (5"- 8" adjustment)	ACPU5-8F	\$ 126
CPU Holder (3"- 5" adjustment)	ACPU3F	\$ 126
Table Floor Mount Bracket Set	AFB	\$ 45

Uno²



Questions?

1.800.876.2120

Black = Fixed Bases

Blue = Tilt Bases

top > edge >	Laminate PVC	Laminate Wood	Laminate 2mm Acrylic
	Flat 	Flat 	Reverse Bevel
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LP3R or LP3S 1 3/4"	LW2R or LW2S 1 1/4"
	Fluted 	Fluted 	
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LPF3R or LPF3S 1 3/4"	LWF2R or LWF2S 1 1/4"
top thickness price >	1 1/4"	1 3/4"	1 1/4"

Base Style	Table Description	Model #	Product Wt	top thickness price >		
<p>T1</p>	18 x 48 Fix w/FixMod	USTT1 1848REFX XM	70	1146	1241	1558
	18 x 48 Fix w/RemMod	USTT1 1848REFX RM	70	1162	1257	1569
	18 x 48 Tilt w/HangMod	USTT1 1848RETL HM	90	1465	1558	1882
	18 x 48 Tilt w/RemMod	USTT1 1848RETL RM	90	1465	1558	1882
	18 x 48 Fix w/SquareFixLightweightFormMod	USTT1 1848REFX XL OR XLS	70	1162	1257	1569
	18 x 48 Fix w/SquareRemLightweightFormMod	USTT1 1848REFX RL OR RLS	70	1162	1257	1569
	18 x 48 Tilt w/SquareRemLightweightFormMod	USTT1 1848RETL RL OR RLS	90	1465	1558	1882
	18 x 48 Fix w/FixFormMod	USTT1 1848REFX XF OR XFS	89	1253	1358	1536
	18 x 60 Fix w/FixMod	USTT1 1860REFX XM	90	1320	1381	1909
	18 x 60 Fix w/RemMod	USTT1 1860REFX RM	90	1356	1417	1946
	18 x 60 Tilt w/HangMod	USTT1 1860RETL HM	101	1635	1693	2222
	18 x 60 Tilt w/RemMod	USTT1 1860RETL RM	101	1635	1693	2222
	18 x 60 Fix w/SquareFixLightweightFormMod	USTT1 1860REFX XL OR XLS	90	1356	1417	1946
	18 x 60 Fix w/SquareRemLightweightFormMod	USTT1 1860REFX RL OR RLS	90	1356	1417	1946
	18 x 60 Tilt w/SquareRemLightweightFormMod	USTT1 1860RETL RL OR RLS	101	1635	1693	2222
	18 x 60 Fix w/FixFormMod	USTT1 1860REFX XF OR XFS	100	1570	1632	1865
	18 x 72 Fix w/FixMod	USTT1 1872REFX XM	113	1430	1514	2327
	18 x 72 Fix w/RemMod	USTT1 1872REFX RM	113	1468	1548	2365
	18 x 72 Tilt w/HangMod	USTT1 1872RETL HM	127	1742	1822	2638
	18 x 72 Tilt w/RemMod	USTT1 1872RETL RM	127	1742	1822	2638
	18 x 72 Fix w/SquareFixLightweightFormMod	USTT1 1872REFX XL OR XLS	113	1468	1548	2365
	18 x 72 Fix w/SquareRemLightweightFormMod	USTT1 1872REFX RL OR RLS	113	1468	1548	2365
	18 x 72 Tilt w/SquareRemLightweightFormMod	USTT1 1872RETL RL OR RLS	127	1742	1822	2638
	18 x 72 Fix w/FixFormMod	USTT1 1872REFX XF OR XFS	123	1619	1700	1973
	18 x 84 Fix w/FixMod	USTT1 1884REFX XM	100	1636	1739	2429
	18 x 84 Fix w/RemMod	USTT1 1884REFX RM	100	1658	1763	2446
	18 x 84 Tilt w/HangMod	USTT1 1884RETL HM	111	1952	2050	2765
	18 x 84 Tilt w/RemMod	USTT1 1884RETL RM	111	1952	2050	2765
18 x 90 Fix w/FixMod	USTT1 1890REFX XM	119	1927	2007	3134	
18 x 90 Fix w/RemMod	USTT1 1890REFX RM	119	1957	2041	3166	
18 x 90 Tilt w/HangMod	USTT1 1890RETL HM	129	2234	2314	3439	
18 x 90 Tilt w/RemMod	USTT1 1890RETL RM	129	2234	2314	3439	
18 x 96 Fix w/FixMod	USTT1 1896REFX XM	121	1927	2007	3134	
18 x 96 Fix w/RemMod	USTT1 1896REFX RM	121	1957	2041	3166	
18 x 96 Tilt w/HangMod	USTT1 1896RETL HM	131	2234	2314	3439	
18 x 96 Tilt w/RemMod	USTT1 1896RETL RM	131	2234	2314	3439	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Alternate Table Height 32" & Under	BAH	\$ 80
Alternate Table Height 32" & Over	.BSP	call
Casters ④ - Dual Wheel Black Hard Wheel	CAS27	\$ 138
Casters ④ - Dual Wheel Two-Tone		
Soft Wheel	CAS28	\$ 138
Mix - Dual Wheel Casters & Glides	.BMD	\$ 131
Self-Leveling Glides ④	GLD04	\$ 39
Stretcher Rail (Fix/Tilt) Finish Same as Base	.BTS	\$ 196
Slim-Tilt	.BST	\$ 121

NOTE: N/A WITH FOLDING MODESTY PANEL

Finish Options		
Chrome		\$ 528
Nickel		\$ 577
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)	.TLK	\$ 204
Table Link (18" ends only)	.TLE	\$ 108
Lightweight Laminate Core (to 96" length)	.TLL	\$ 194
Special Laminate	.TSP	call
Custom Cutout (per cutout)	.TCC	\$ 97

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty Mount	.WBM	\$ 78
Basket, Under Top Mount	.WBT	\$ 78
Wire Metal Legway (each)	.WUL	\$ 51
1 Oval Brush Grommet - Location A	.WOA	\$ 78
2 Oval Brush Grommets - Location E	.WOE	\$ 156
1 Oval Brush Grommet - Provide Location Print	.WOG	\$ 78
1 Round Grommet - Location A	.WRA	\$ 61
2 Round Grommets - Location E	.WRE	\$ 122
1 Round Grommet - Provide Location Print	.WRG	\$ 61

Accessories		
Keyboard Platform w/Mouse Surface	.AKP27M	\$ 618
CPU Holder (3" - 9" adjustment)	ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment)	ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment)	ACPU3F	\$ 126
Table Floor Mount Bracket Set	.AFB	\$ 45

Uno²



Questions?

1.800.876.2120

Black = Fixed Bases

Blue = Tilt Bases

top > edge >	Laminate PVC	Laminate Wood	Laminate 2mm Acrylic
	Flat 	Flat 	Reverse Bevel
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LP3R or LP3S 1 3/4"	LW2R or LW2S 1 1/4"
	Fluted 	Fluted 	
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LPF3R or LPF3S 1 3/4"	LWF2R or LWF2S 1 1/4"
top thickness price >	1 1/4"	1 3/4"	1 1/4"

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 3/4"	1 1/4"
<p>T1</p>	24 x 48 Fix w/FixMod	USTT1 2448REFX XM	96	1201	1231	1698
	24 x 48 Fix w/RemMod	USTT1 2448REFX RM	96	1221	1272	1712
	24 x 48 Tilt w/HangMod	USTT1 2448RETL HM	106	1508	1546	2027
	24 x 48 Tilt w/RemMod	USTT1 2448RETL RM	106	1508	1546	2027
	24 x 48 Fix w/SquareFixLightweightFormMod	USTT1 2448REFX XL OR XLS	96	1221	1272	1712
	24 x 48 Fix w/SquareRemLightweightFormMod	USTT1 2448REFX RL OR RLS	96	1221	1272	1712
	24 x 48 Tilt w/SquareRemLightweightFormMod	USTT1 2448RETL RL OR RLS	106	1508	1546	2027
	24 x 48 Fix w/FixFormMod	USTT1 2448REFX XF OR XFS	107	1308	1351	1672
	24 x 60 Fix w/FixMod	USTT1 2460REFX XM	109	1355	1414	2084
	24 x 60 Fix w/RemMod	USTT1 2460REFX RM	109	1393	1449	2119
	24 x 60 Tilt w/HangMod	USTT1 2460RETL HM	119	1667	1725	2394
	24 x 60 Tilt w/RemMod	USTT1 2460RETL RM	119	1667	1725	2394
	24 x 60 Fix w/SquareFixLightweightFormMod	USTT1 2460REFX XL OR XLS	109	1393	1449	2119
	24 x 60 Fix w/SquareRemLightweightFormMod	USTT1 2460REFX RL OR RLS	109	1393	1449	2119
	24 x 60 Tilt w/SquareRemLightweightFormMod	USTT1 2460RETL RL OR RLS	119	1667	1725	2394
	24 x 60 Fix w/FixFormMod	USTT1 2460REFX XF OR XFS	120	1605	1662	2039
	24 x 72 Fix w/FixMod	USTT1 2472REFX XM	130	1563	1613	2580
	24 x 72 Fix w/RemMod	USTT1 2472REFX RM	130	1602	1650	2616
	24 x 72 Tilt w/HangMod	USTT1 2472RETL HM	142	1877	1925	2891
	24 x 72 Tilt w/RemMod	USTT1 2472RETL RM	142	1877	1925	2891
	24 x 72 Fix w/SquareFixLightweightFormMod	USTT1 2472REFX XL OR XLS	130	1602	1650	2616
	24 x 72 Fix w/SquareRemLightweightFormMod	USTT1 2472REFX RL OR RLS	130	1602	1650	2616
	24 x 72 Tilt w/SquareRemLightweightFormMod	USTT1 2472RETL RL OR RLS	142	1877	1925	2891
	24 x 72 Fix w/FixFormMod	USTT1 2472REFX XF OR XFS	140	1752	1800	2226
	24 x 84 Fix w/FixMod	USTT1 2484REFX XM	119	1754	1762	2678
	24 x 84 Fix w/RemMod	USTT1 2484REFX RM	119	1778	1789	2697
	24 x 84 Tilt w/HangMod	USTT1 2484RETL HM	129	2067	2073	3013
	24 x 84 Tilt w/RemMod	USTT1 2484RETL RM	129	2067	2073	3013
24 x 90 Fix w/FixMod	USTT1 2490REFX XM	156	2127	2146	3338	
24 x 90 Fix w/RemMod	USTT1 2490REFX RM	156	2217	2236	2885	
24 x 90 Tilt w/HangMod	USTT1 2490RETL HM	166	2491	2511	3159	
24 x 90 Tilt w/RemMod	USTT1 2490RETL RM	166	2491	2511	3159	
24 x 96 Fix w/FixMod	USTT1 2496REFX XM	162	2127	2146	3338	
24 x 96 Fix w/RemMod	USTT1 2496REFX RM	162	2217	2236	2885	
24 x 96 Tilt w/HangMod	USTT1 2496RETL HM	172	2491	2511	3159	
24 x 96 Tilt w/RemMod	USTT1 2496RETL RM	172	2491	2511	3159	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options		Code	Price
Alternate Table Height 32" & Under	BAH	\$	80
Alternate Table Height 32" & Over	BSP		call
Casters - Dual Wheel Black Hard Wheel	CAS27	\$	138
Casters - Dual Wheel Two-Tone			
Soft Wheel	CAS28	\$	138
Mix - Dual Wheel Casters & Glides	BMD	\$	131
Self-Leveling Glides	GLD04	\$	39
Stretcher Rail (Fix/Tilt) Finish Same as Base	BTS	\$	196
Slim-Tilt	BST	\$	121

NOTE: N/A WITH FOLDING MODESTY PANEL

Finish Options			
Chrome		\$	528
Nickel		\$	577
Powder Coat - Standard		n/c	
Powder Coat - Premium		\$	133
Platinum		\$	397

Top Options			
Table Link (all four sides)	TLK	\$	204
Table Link (24" ends only)	TLE	\$	108
Lightweight Laminate Core (to 96" length)	TLL	\$	194
Special Laminate	TSP		call
Custom Cutout (per cutout)	TCC	\$	97
Laptop Locker (each)	TLA	\$	1120
(available on fixed tables only, see page 36 in All Tables Price List for additional information)			
Electronic Lock (per locker)	TELE	\$	292
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock	TLPU	\$	461

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options			
Basket, Modesty Mount	WBM	\$	78
Basket, Under Top Mount	WBT	\$	78
Wire Metal Legway (each)	WUL	\$	51
1 Oval Brush Grommet - Location A	WOA	\$	78
2 Oval Brush Grommets - Location E	WOE	\$	156
1 Oval Brush Grommet - Provide Location Print	WOG	\$	78
1 Round Grommet - Location A	WRA	\$	61
2 Round Grommets - Location E	WRE	\$	122
1 Round Grommet - Provide Location Print	WRG	\$	61

Accessories			
Keyboard Platform w/Mouse Surface	AKP27M	\$	618
CPU Holder (3"- 9" adjustment)	ACPU3-9F	\$	192
CPU Holder (5"- 8" adjustment)	ACPU5-8F	\$	126
CPU Holder (3"- 5" adjustment)	ACPU3F	\$	126
Table Floor Mount Bracket Set	AFB	\$	45

Uno²



Questions?

1.800.876.2120

Black = Fixed Bases

Blue = Tilt Bases

	top > edge >	Laminate PVC	Laminate Wood	Laminate 2mm Acrylic
		Flat 	Flat 	Reverse Bevel
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LP3R or LP3S 1 3/4"	LW2R or LW2S 1 1/4"
				LMRA2R or LMRA2S 1 1/4"
		Fluted 	Fluted 	
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LPF3R or LPF3S 1 3/4"	LWF2R or LWF2S 1 1/4"
	top thickness price >	1 1/4"	1 3/4"	1 1/4"

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 3/4"	1 1/4"
	T1 30 x 48 Fix w/FixMod	USTT1 3048REFX XM	100	1304	1422	1819
	30 x 48 Fix w/RemMod	USTT1 3048REFX RM	100	1323	1445	1835
	30 x 48 Tilt w/HangMod	USTT1 3048RETL HM	110	1616	1730	2137
	30 x 48 Tilt w/RemMod	USTT1 3048RETL RM	110	1616	1730	2137
	30 x 48 Fix w/SquareFixLightweightFormMod	USTT1 3048REFX XL OR XLS	100	1323	1445	1835
	30 x 48 Fix w/SquareRemLightweightFormMod	USTT1 3048REFX RL OR RLS	100	1323	1445	1835
	30 x 48 Tilt w/SquareRemLightweightFormMod	USTT1 3048RETL RL OR RLS	110	1616	1730	2137
	30 x 48 Fix w/FixFormMod	USTT1 3048REFX XF OR XFS	112	1419	1549	1805
	30 x 60 Fix w/FixMod	USTT1 3060REFX XM	124	1455	1503	2212
	30 x 60 Fix w/RemMod	USTT1 3060REFX RM	124	1491	1538	2249
	30 x 60 Tilt w/HangMod	USTT1 3060RETL HM	134	1768	1815	2524
	30 x 60 Tilt w/RemMod	USTT1 3060RETL RM	134	1768	1815	2524
	30 x 60 Fix w/SquareFixLightweightFormMod	USTT1 3060REFX XL OR XLS	124	1491	1538	2249
	30 x 60 Fix w/SquareRemLightweightFormMod	USTT1 3060REFX RL OR RLS	124	1491	1538	2249
	30 x 60 Tilt w/SquareRemLightweightFormMod	USTT1 3060RETL RL OR RLS	134	1768	1815	2524
	30 x 60 Fix w/FixFormMod	USTT1 3060REFX XF OR XFS	136	1704	1750	2168
	30 x 72 Fix w/FixMod	USTT1 3072REFX XM	148	1604	1653	2694
	30 x 72 Fix w/RemMod	USTT1 3072REFX RM	148	1641	1690	2728
	30 x 72 Tilt w/HangMod	USTT1 3072RETL HM	160	1915	1967	3003
	30 x 72 Tilt w/RemMod	USTT1 3072RETL RM	160	1915	1967	3003
	30 x 72 Fix w/SquareFixLightweightFormMod	USTT1 3072REFX XL OR XLS	148	1641	1690	2728
	30 x 72 Fix w/SquareRemLightweightFormMod	USTT1 3072REFX RL OR RLS	148	1641	1690	2728
	30 x 72 Tilt w/SquareRemLightweightFormMod	USTT1 3072RETL RL OR RLS	160	1915	1967	3003
	30 x 72 Fix w/FixFormMod	USTT1 3072REFX XF OR XFS	158	1792	1843	2337
30 x 84 Fix w/FixMod	USTT1 3084REFX XM	139	1822	1903	2900	
30 x 84 Fix w/RemMod	USTT1 3084REFX RM	139	1847	1928	2918	
30 x 84 Tilt w/HangMod	USTT1 3084RETL HM	149	2137	2211	3229	
30 x 84 Tilt w/RemMod	USTT1 3084RETL RM	149	2137	2211	3229	
30 x 90 Fix w/FixMod	USTT1 3090REFX XM	159	2138	2266	3558	
30 x 90 Fix w/RemMod	USTT1 3090REFX RM	159	2170	2298	3589	
30 x 90 Tilt w/HangMod	USTT1 3090RETL HM	171	2446	2571	3866	
30 x 90 Tilt w/RemMod	USTT1 3090RETL RM	171	2446	2571	3866	
30 x 96 Fix w/FixMod	USTT1 3096REFX XM	185	2138	2266	3558	
30 x 96 Fix w/RemMod	USTT1 3096REFX RM	185	2170	2298	3589	
30 x 96 Tilt w/HangMod	USTT1 3096RETL HM	195	2446	2571	3866	
30 x 96 Tilt w/RemMod	USTT1 3096RETL RM	195	2446	2571	3866	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Alternate Table Height 32" & Under	BAH	\$ 80
Alternate Table Height 32" & Over	.BSP	call
Casters ❶ - Dual Wheel Black Hard Wheel	CAS27	\$ 138
Casters ❷ - Dual Wheel Two-Tone		
Soft Wheel	CAS28	\$ 138
Mix - Dual Wheel Casters & Glides	.BMD	\$ 131
Self-Leveling Glides ❶	GLD04	\$ 39
Stretcher Rail (Fix/Tilt) Finish Same as Base	.BTS	\$ 196
Slim-Tilt	.BST	\$ 121

NOTE: N/A WITH FOLDING MODESTY PANEL

Finish Options		
Chrome		\$ 528
Nickel		\$ 577
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)	.TLK	\$ 204
Table Link (30" ends only)	.TLE	\$ 108
Lightweight Laminate Core (to 96" length)	.TLL	\$ 194
Special Laminate	.TSP	call
Custom Cutout (per cutout)	.TCC	\$ 97
Laptop Locker (each)	.TLA	\$ 1120
(available on fixed tables only, see page 36 in All Tables Price List for additional information)		
Electronic Lock (per locker)	.TLEL	\$ 292
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock	.TLPU	\$ 461

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty Mount	.WBM	\$ 78
Basket, Under Top Mount	.WBT	\$ 78
Wire Metal Legway (each)	.WUL	\$ 51
1 Oval Brush Grommet - Location A	.WOA	\$ 78
2 Oval Brush Grommets - Location E	.WOE	\$ 156
1 Oval Brush Grommet - Provide Location Print	.WOG	\$ 78
1 Round Grommet - Location A	.WRA	\$ 61
2 Round Grommets - Location E	.WRE	\$ 122
1 Round Grommet - Provide Location Print	.WRG	\$ 61

Accessories		
Keyboard Platform w/Mouse Surface	.AKP27M	\$ 618
CPU Holder (3"- 9" adjustment)	.ACPU3-9F	\$ 192
CPU Holder (5"- 8" adjustment)	.ACPU5-8F	\$ 126
CPU Holder (3"- 5" adjustment)	.ACPU3F	\$ 126
Table Floor Mount Bracket Set	.AFB	\$ 45

Uno²



Questions?

1.800.876.2120

Black = Fixed Bases

Blue = Tilt Bases

	top >	Laminate PVC	Laminate Wood	Laminate 2mm Acrylic
	edge >	Flat 	Flat 	Reverse Bevel
	edge ordering code (radius corner) > or edge ordering code (square corner) >	LP2R or LP2S	LP3R or LP3S	LW2R or LW2S
	top thickness >	1 1/4"	1 3/4"	1 1/4"
		Fluted 	Fluted 	
	edge ordering code (radius corner) > or edge ordering code (square corner) >	LPF2R or LPF2S	LPF3R or LPF3S	LWF2R or LWF2S
	top thickness >	1 1/4"	1 3/4"	1 1/4"
	top thickness price >	1 1/4"	1 3/4"	1 1/4"

Base Style	Table Description	Model #	Product Wt	Price		
	TC 18 x 48 Fix w/FixMod	USTTC 1848REFX XM	70	1146	1241	1558
	18 x 48 Fix w/RemMod	USTTC 1848REFX RM	70	1162	1257	1569
	18 x 48 Tilt w/HangMod	USTTC 1848RETL HM	90	1465	1558	1882
	18 x 48 Tilt w/RemMod	USTTC 1848RETL RM	90	1465	1558	1882
	18 x 48 Fix w/SquareFixLightweightFormMod	USTTC 1848REFX XL OR XLS	70	1162	1257	1569
	18 x 48 Fix w/SquareRemLightweightFormMod	USTTC 1848REFX RL OR RLS	70	1162	1257	1569
	18 x 48 Tilt w/SquareRemLightweightFormMod	USTTC 1848RETL RL OR RLS	90	1465	1558	1882
	18 x 48 Fix w/FixFormMod	USTTC 1848REFX XF OR XFS	89	1253	1358	1536
	18 x 60 Fix w/FixMod	USTTC 1860REFX XM	90	1320	1381	1909
	18 x 60 Fix w/RemMod	USTTC 1860REFX RM	90	1356	1417	1946
	18 x 60 Tilt w/HangMod	USTTC 1860RETL HM	101	1635	1693	2222
	18 x 60 Tilt w/RemMod	USTTC 1860RETL RM	101	1635	1693	2222
	18 x 60 Fix w/SquareFixLightweightFormMod	USTTC 1860REFX XL OR XLS	90	1356	1417	1946
	18 x 60 Fix w/SquareRemLightweightFormMod	USTTC 1860REFX RL OR RLS	90	1356	1417	1946
	18 x 60 Tilt w/SquareRemLightweightFormMod	USTTC 1860RETL RL OR RLS	101	1635	1693	2222
	18 x 60 Fix w/FixFormMod	USTTC 1860REFX XF OR XFS	100	1570	1632	1865
	18 x 72 Fix w/FixMod	USTTC 1872REFX XM	113	1430	1514	2327
	18 x 72 Fix w/RemMod	USTTC 1872REFX RM	113	1468	1548	2365
	18 x 72 Tilt w/HangMod	USTTC 1872RETL HM	127	1742	1822	2638
	18 x 72 Tilt w/RemMod	USTTC 1872RETL RM	127	1742	1822	2638
18 x 72 Fix w/SquareFixLightweightFormMod	USTTC 1872REFX XL OR XLS	113	1468	1548	2365	
18 x 72 Fix w/SquareRemLightweightFormMod	USTTC 1872REFX RL OR RLS	113	1468	1548	2365	
18 x 72 Tilt w/SquareRemLightweightFormMod	USTTC 1872RETL RL OR RLS	127	1742	1822	2638	
18 x 72 Fix w/FixFormMod	USTTC 1872REFX XF OR XFS	123	1619	1700	1973	
18 x 84 Fix w/FixMod	USTTC 1884REFX XM	100	1636	1739	2429	
18 x 84 Fix w/RemMod	USTTC 1884REFX RM	100	1658	1763	2446	
18 x 84 Tilt w/HangMod	USTTC 1884RETL HM	111	1952	2050	2765	
18 x 84 Tilt w/RemMod	USTTC 1884RETL RM	111	1952	2050	2765	
18 x 90 Fix w/FixMod	USTTC 1890REFX XM	119	1927	2007	3134	
18 x 90 Fix w/RemMod	USTTC 1890REFX RM	119	1957	2041	3166	
18 x 90 Tilt w/HangMod	USTTC 1890RETL HM	129	2234	2314	3439	
18 x 90 Tilt w/RemMod	USTTC 1890RETL RM	129	2234	2314	3439	
18 x 96 Fix w/FixMod	USTTC 1896REFX XM	121	1927	2007	3134	
18 x 96 Fix w/RemMod	USTTC 1896REFX RM	121	1957	2041	3166	
18 x 96 Tilt w/HangMod	USTTC 1896RETL HM	131	2234	2314	3439	
18 x 96 Tilt w/RemMod	USTTC 1896RETL RM	131	2234	2314	3439	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Alternate Table Height 32" & Under	BAH	\$ 80
Alternate Table Height 32" & OverBSP	call
Casters - Dual Wheel Black Hard Wheel ...	CAS27	\$ 138
Casters - Dual Wheel Two-Tone Soft Wheel	CAS28	\$ 138
Mix - Dual Wheel Casters & GlidesBMD	\$ 131
Self-Leveling Glides 	GLD04	\$ 39
Stretcher Rail (Fix/Tilt) Finish Same as BaseBTS	\$ 196

Finish Options		
Chrome		\$ 528
Nickel		\$ 577
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)TLK	\$ 204
Table Link (18" ends only)TLE	\$ 108
Lightweight Laminate Core (to 96" length)TLL	\$ 194
Special LaminateTSP	call
Custom Cutout (per cutout)TCC	\$ 97
Laptop Locker (each)TLA	\$ 1120
(available on fixed tables only, see page 36 in All Tables Price List for additional information)		
Electronic Lock (per locker)TLEL	\$ 292
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock ..	.TLPU	\$ 461

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty MountWBM	\$ 78
Basket, Under Top MountWBT	\$ 78
Wire Metal Legway (each)WUL	\$ 51
1 Oval Brush Grommet - Location AWOA	\$ 78
2 Oval Brush Grommets - Location EWOE	\$ 156
1 Oval Brush Grommet - Provide Location Print ..	.WOG	\$ 78
1 Round Grommet - Location AWRA	\$ 61
2 Round Grommets - Location EWRE	\$ 122
1 Round Grommet - Provide Location PrintWRG	\$ 61

Accessories		
Keyboard Platform w/Mouse SurfaceAKP27M	\$ 618
CPU Holder (3"- 9" adjustment)ACPU3-9F	\$ 192
CPU Holder (5"- 8" adjustment)ACPU5-8F	\$ 126
CPU Holder (3"- 5" adjustment)ACPU3F	\$ 126
Table Floor Mount Bracket SetAFB	\$ 45

Uno²



Questions?

1.800.876.2120

Black = Fixed Bases

Blue = Tilt Bases

	top > edge >	Laminate PVC	Laminate Wood	Laminate 2mm Acrylic
		Flat 	Flat 	Reverse Bevel
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LP3R or LP3S 1 3/4"	LW2R or LW2S 1 1/4" LMRA2R or LMRA2S 1 1/4"
		Fluted 	Fluted 	
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LPF3R or LPF3S 1 3/4"	LWF2R or LWF2S 1 1/4"
	top thickness price >	1 1/4"	1 3/4"	1 1/4"

Base Style	Table Description	Model #	Product Wt			
 TC	24 x 48 Fix w/FixMod	USTTC 2448REFX XM	96	1201	1231	1698
	24 x 48 Fix w/RemMod	USTTC 2448REFX RM	96	1221	1272	1712
	24 x 48 Tilt w/HangMod	USTTC 2448RETL HM	106	1508	1546	2027
	24 x 48 Tilt w/RemMod	USTTC 2448RETL RM	106	1508	1546	2027
	24 x 48 Fix w/SquareFixLightweightFormMod	USTTC 2448REFX XL OR XLS	96	1221	1272	1712
	24 x 48 Fix w/SquareRemLightweightFormMod	USTTC 2448REFX RL OR RLS	96	1221	1272	1712
	24 x 48 Tilt w/SquareRemLightweightFormMod	USTTC 2448RETL RL OR RLS	106	1508	1546	2027
	24 x 48 Fix w/FixFormMod	USTTC 2448REFX XF OR XFS	107	1308	1351	1672
	24 x 60 Fix w/FixMod	USTTC 2460REFX XM	109	1355	1414	2084
	24 x 60 Fix w/RemMod	USTTC 2460REFX RM	109	1393	1449	2119
	24 x 60 Tilt w/HangMod	USTTC 2460RETL HM	119	1667	1725	2394
	24 x 60 Tilt w/RemMod	USTTC 2460RETL RM	119	1667	1725	2394
	24 x 60 Fix w/SquareFixLightweightFormMod	USTTC 2460REFX XL OR XLS	109	1393	1449	2119
	24 x 60 Fix w/SquareRemLightweightFormMod	USTTC 2460REFX RL OR RLS	109	1393	1449	2119
	24 x 60 Tilt w/SquareRemLightweightFormMod	USTTC 2460RETL RL OR RLS	119	1667	1725	2394
	24 x 60 Fix w/FixFormMod	USTTC 2460REFX XF OR XFS	120	1605	1662	2039
	24 x 72 Fix w/FixMod	USTTC 2472REFX XM	130	1563	1613	2580
	24 x 72 Fix w/RemMod	USTTC 2472REFX RM	130	1602	1650	2616
	24 x 72 Tilt w/HangMod	USTTC 2472RETL HM	142	1877	1925	2891
	24 x 72 Tilt w/RemMod	USTTC 2472RETL RM	142	1877	1925	2891
	24 x 72 Fix w/SquareFixLightweightFormMod	USTTC 2472REFX XL OR XLS	130	1602	1650	2616
	24 x 72 Fix w/SquareRemLightweightFormMod	USTTC 2472REFX RL OR RLS	130	1602	1650	2616
	24 x 72 Tilt w/SquareRemLightweightFormMod	USTTC 2472RETL RL OR RLS	142	1877	1925	2891
	24 x 72 Fix w/FixFormMod	USTTC 2472REFX XF OR XFS	140	1752	1800	2226
24 x 84 Fix w/FixMod	USTTC 2484REFX XM	119	1754	1762	2678	
24 x 84 Fix w/RemMod	USTTC 2484REFX RM	119	1778	1789	2697	
24 x 84 Tilt w/HangMod	USTTC 2484RETL HM	129	2067	2073	3013	
24 x 84 Tilt w/RemMod	USTTC 2484RETL RM	129	2067	2073	3013	
24 x 90 Fix w/FixMod	USTTC 2490REFX XM	156	2127	2146	3338	
24 x 90 Fix w/RemMod	USTTC 2490REFX RM	156	2217	2236	2885	
24 x 90 Tilt w/HangMod	USTTC 2490RETL HM	166	2491	2511	3159	
24 x 90 Tilt w/RemMod	USTTC 2490RETL RM	166	2491	2511	3159	
24 x 96 Fix w/FixMod	USTTC 2496REFX XM	162	2127	2146	3338	
24 x 96 Fix w/RemMod	USTTC 2496REFX RM	162	2217	2236	2885	
24 x 96 Tilt w/HangMod	USTTC 2496RETL HM	172	2491	2511	3159	
24 x 96 Tilt w/RemMod	USTTC 2496RETL RM	172	2491	2511	3159	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options		Code	Price
Alternate Table Height 32" & Under		BAH	\$ 80
Alternate Table Height 32" & Over		BSP	call
Casters ① - Dual Wheel Black Hard Wheel		CAS27	\$ 138
Casters ② - Dual Wheel Two-Tone			
Soft Wheel		CAS28	\$ 138
Mix - Dual Wheel Casters & Glides		BMD	\$ 131
Self-Leveling Glides ①		GLD04	\$ 39
Stretcher Rail (Fix/Tilt) Finish Same as Base		BTS	\$ 196

Finish Options			
Chrome			\$ 528
Nickel			\$ 577
Powder Coat - Standard			n/c
Powder Coat - Premium			\$ 133
Platinum			\$ 397

Top Options			
Table Link (all four sides)		TLK	\$ 204
Table Link (24" ends only)		TLE	\$ 108
Lightweight Laminate Core (to 96" length)		TLL	\$ 194
Special Laminate		TSP	call
Custom Cutout (per cutout)		TCC	\$ 97
Laptop Locker (each)		TLA	\$ 1120
(available on fixed tables only, see page 36 in All Tables Price List for additional information)			
Electronic Lock (per locker)		TELE	\$ 292
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock		TLPU	\$ 461

Power & Data Options
 Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options			
Basket, Modesty Mount		WBM	\$ 78
Basket, Under Top Mount		WBT	\$ 78
Wire Metal Legway (each)		WUL	\$ 51
1 Oval Brush Grommet - Location A		WOA	\$ 78
2 Oval Brush Grommets - Location E		WOE	\$ 156
1 Oval Brush Grommet - Provide Location Print		WOG	\$ 78
1 Round Grommet - Location A		WRA	\$ 61
2 Round Grommets - Location E		WRE	\$ 122
1 Round Grommet - Provide Location Print		WRG	\$ 61

Accessories			
Keyboard Platform w/Mouse Surface		AKP27M	\$ 618
CPU Holder (3"- 9" adjustment)		ACPU3-9F	\$ 192
CPU Holder (5"- 8" adjustment)		ACPU5-8F	\$ 126
CPU Holder (3"- 5" adjustment)		ACPU3F	\$ 126
Table Floor Mount Bracket Set		AFB	\$ 45

Uno²









Questions?

1.800.876.2120

Black = Fixed Bases

Blue = Tilt Bases

	top > edge >	Laminate PVC	Laminate Wood	Laminate 2mm Acrylic
		Flat 	Flat 	Reverse Bevel 
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LP3R or LP3S 1 3/4"	LW2R or LW2S 1 1/4"
		LMRA2R or LMRA2S 1 1/4"		
		Fluted 	Fluted 	
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LPF3R or LPF3S 1 3/4"	LWF2R or LWF2S 1 1/4"
	top thickness price >	1 1/4"	1 3/4"	1 1/4"

Base Style	Table Description	Model #	Product Wt	Price		
 TC	30 x 48 Fix w/FixMod	USTTC 3048REFX XM	100	1304	1422	1819
	30 x 48 Fix w/RemMod	USTTC 3048REFX RM	100	1323	1445	1835
	30 x 48 Tilt w/HangMod	USTTC 3048RETL HM	110	1616	1730	2137
	30 x 48 Tilt w/RemMod	USTTC 3048RETL RM	110	1616	1730	2137
	30 x 48 Fix w/SquareFixLightweightFormMod	USTTC 3048REFX XL OR XLS	100	1323	1445	1835
	30 x 48 Fix w/SquareRemLightweightFormMod	USTTC 3048REFX RL OR RLS	100	1323	1445	1835
	30 x 48 Tilt w/SquareRemLightweightFormMod	USTTC 3048RETL RL OR RLS	110	1616	1730	2137
	30 x 48 Fix w/FixFormMod	USTTC 3048REFX XF OR XFS	112	1419	1549	1805
	30 x 60 Fix w/FixMod	USTTC 3060REFX XM	124	1455	1503	2212
	30 x 60 Fix w/RemMod	USTTC 3060REFX RM	124	1491	1538	2249
	30 x 60 Tilt w/HangMod	USTTC 3060RETL HM	134	1768	1815	2524
	30 x 60 Tilt w/RemMod	USTTC 3060RETL RM	134	1768	1815	2524
	30 x 60 Fix w/SquareFixLightweightFormMod	USTTC 3060REFX XL OR XLS	124	1491	1538	2249
	30 x 60 Fix w/SquareRemLightweightFormMod	USTTC 3060REFX RL OR RLS	124	1491	1538	2249
	30 x 60 Tilt w/SquareRemLightweightFormMod	USTTC 3060RETL RL OR RLS	134	1768	1815	2524
	30 x 60 Fix w/FixFormMod	USTTC 3060REFX XF OR XFS	136	1704	1750	2168
	30 x 72 Fix w/FixMod	USTTC 3072REFX XM	148	1604	1653	2694
	30 x 72 Fix w/RemMod	USTTC 3072REFX RM	148	1641	1690	2728
	30 x 72 Tilt w/HangMod	USTTC 3072RETL HM	160	1915	1967	3003
	30 x 72 Tilt w/RemMod	USTTC 3072RETL RM	160	1915	1967	3003
	30 x 72 Fix w/SquareFixLightweightFormMod	USTTC 3072REFX XL OR XLS	148	1641	1690	2728
	30 x 72 Fix w/SquareRemLightweightFormMod	USTTC 3072REFX RL OR RLS	148	1641	1690	2728
	30 x 72 Tilt w/SquareRemLightweightFormMod	USTTC 3072RETL RL OR RLS	160	1915	1967	3003
	30 x 72 Fix w/FixFormMod	USTTC 3072REFX XF OR XFS	158	1792	1843	2337
	30 x 84 Fix w/FixMod	USTTC 3084REFX XM	139	1822	1903	2900
	30 x 84 Fix w/RemMod	USTTC 3084REFX RM	139	1847	1928	2918
	30 x 84 Tilt w/HangMod	USTTC 3084RETL HM	149	2137	2211	3229
	30 x 84 Tilt w/RemMod	USTTC 3084RETL RM	149	2137	2211	3229
30 x 90 Fix w/FixMod	USTTC 3090REFX XM	159	2138	2266	3558	
30 x 90 Fix w/RemMod	USTTC 3090REFX RM	159	2170	2298	3589	
30 x 90 Tilt w/HangMod	USTTC 3090RETL HM	171	2446	2571	3866	
30 x 90 Tilt w/RemMod	USTTC 3090RETL RM	171	2446	2571	3866	
30 x 96 Fix w/FixMod	USTTC 3096REFX XM	185	2138	2266	3558	
30 x 96 Fix w/RemMod	USTTC 3096REFX RM	185	2170	2298	3589	
30 x 96 Tilt w/HangMod	USTTC 3096RETL HM	195	2446	2571	3866	
30 x 96 Tilt w/RemMod	USTTC 3096RETL RM	195	2446	2571	3866	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Alternate Table Height 32" & Under	BAH	\$ 80
Alternate Table Height 32" & OverBSP	call
Casters - Dual Wheel Black Hard Wheel ...	CAS27	\$ 138
Casters - Dual Wheel Two-Tone		
Soft Wheel	CAS28	\$ 138
Mix - Dual Wheel Casters & GlidesBMD	\$ 131
Self-Leveling Glides 	GLD04	\$ 39
Stretcher Rail (Fix/Tilt) Finish Same as BaseBTS	\$ 196

Finish Options		
Chrome		\$ 528
Nickel		\$ 577
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)TLK	\$ 204
Table Link (30" ends only)TLE	\$ 108
Lightweight Laminate Core (to 96" length)TLL	\$ 194
Special LaminateTSP	call
Custom Cutout (per cutout)TCC	\$ 97
Laptop Locker (each)TLA	\$ 1120
(available on fixed tables only, see page 36 in All Tables Price List for additional information)		
Electronic Lock (per locker)TLEL	\$ 292
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock ..	.TLPU	\$ 461

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty MountWBM	\$ 78
Basket, Under Top MountWBT	\$ 78
Wire Metal Legway (each)WUL	\$ 51
1 Oval Brush Grommet - Location AWOA	\$ 78
2 Oval Brush Grommets - Location EWOE	\$ 156
1 Oval Brush Grommet - Provide Location Print ..	.WOG	\$ 78
1 Round Grommet - Location AWRA	\$ 61
2 Round Grommets - Location EWRE	\$ 122
1 Round Grommet - Provide Location PrintWRG	\$ 61

Accessories		
Keyboard Platform w/Mouse SurfaceAKP27M	\$ 618
CPU Holder (3"- 9" adjustment)ACPU3-9F	\$ 192
CPU Holder (5"- 8" adjustment)ACPU5-8F	\$ 126
CPU Holder (3"- 5" adjustment)ACPU3F	\$ 126
Table Floor Mount Bracket SetAFB	\$ 45



Questions?

1.800.876.2120

Black = Fixed Bases

top >
edge >

Laminate
PVC

Laminate
Wood

Flat



Flat



edge ordering code (radius corner) >
or
edge ordering code (square corner) >
top thickness >

LP2R
or
LP2S
1 1/4"

LP3R
or
LP3S
1 3/4"

LW2R
or
LW2S
1 1/4"

Fluted



Fluted



edge ordering code (radius corner) >
or
edge ordering code (square corner) >
top thickness >

LPF2R
or
LPF2S
1 1/4"

LPF3R
or
LPF3S
1 3/4"

LWF2R
or
LWF2S
1 1/4"

top thickness price >

1 1/4"

1 3/4"

1 1/4"

Base Style

L1

Table Description

Model #

Product Wt



18 x 48 Fix w/FixMod	USTL1 1848REFX XM	70	1146	1241	1558
18 x 48 Fix w/RemMod	USTL1 1848REFX RM	70	1162	1257	1569
18 x 48 Fix w/FixFormMod	USTL1 1848REFX XF OR XFS	89	1253	1358	1536
18 x 60 Fix w/FixMod	USTL1 1860REFX XM	90	1320	1381	1909
18 x 60 Fix w/RemMod	USTL1 1860REFX RM	90	1356	1417	1946
18 x 60 Fix w/FixFormMod	USTL1 1860REFX XF OR XFS	100	1570	1632	1865
18 x 72 Fix w/FixMod	USTL1 1872REFX XM	113	1430	1514	2327
18 x 72 Fix w/RemMod	USTL1 1872REFX RM	113	1468	1548	2365
18 x 72 Fix w/FixFormMod	USTL1 1872REFX XF OR XFS	123	1619	1700	1973
18 x 84 Fix w/FixMod	USTL1 1884REFX XM	100	1636	1739	2429
18 x 84 Fix w/RemMod	USTL1 1884REFX RM	100	1658	1763	2446
18 x 90 Fix w/FixMod	USTL1 1890REFX XM	119	1719	1798	2813
18 x 90 Fix w/RemMod	USTL1 1890REFX RM	119	1769	1846	2862
18 x 96 Fix w/FixMod	USTL1 1896REFX XM	121	1724	1803	2929
18 x 96 Fix w/RemMod	USTL1 1896REFX RM	121	1754	1838	2961

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Alternate Table Height 32" & Under	BAH	\$ 80
Alternate Table Height 32" & OverBSP	call
Casters - Dual Wheel Black Hard Wheel ...	CAS27	\$ 138
Casters - Dual Wheel Two-Tone Soft Wheel	CAS28	\$ 138
Mix - Dual Wheel Casters & GlidesBMD	\$ 131
Self-Leveling Glides 	GLD04	\$ 39
Stretcher Rail (Fix/Tilt) Finish Same as BaseBTS	\$ 196

Finish Options		
Chrome		\$ 528
Nickel		\$ 577
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)TLK	\$ 204
Table Link (30" ends only)TLE	\$ 108
Lightweight Laminate Core (to 96" length)TLL	\$ 194
Special LaminateTSP	call
Custom Cutout (per cutout)TCC	\$ 97
Laptop Locker (each)TLA	\$ 1120
(available on fixed tables only, see page 36 in All Tables Price List for additional information)		
Electronic Lock (per locker)TLEL	\$ 292
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock ..	.TLPU	\$ 461

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty MountWBM	\$ 78
Basket, Under Top MountWBT	\$ 78
Wire Metal Legway (each)WUL	\$ 51
1 Oval Brush Grommet - Location AWOA	\$ 78
2 Oval Brush Grommets - Location EWOE	\$ 156
1 Oval Brush Grommet - Provide Location Print ..	.WOG	\$ 78
1 Round Grommet - Location AWRA	\$ 61
2 Round Grommets - Location EWRE	\$ 122
1 Round Grommet - Provide Location PrintWRG	\$ 61

Accessories		
Keyboard Platform w/Mouse SurfaceAKP27M	\$ 618
CPU Holder (3"- 9" adjustment)ACPU3-9F	\$ 192
CPU Holder (5"- 8" adjustment)ACPU5-8F	\$ 126
CPU Holder (3"- 5" adjustment)ACPU3F	\$ 126
Table Floor Mount Bracket SetAFB	\$ 45









Questions?

1.800.876.2120

Black = Fixed Bases

top >
edge >

	Laminate PVC	Laminate Wood	Laminate 2mm Acrylic
	Flat 	Flat 	Reverse Bevel 
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LP3R or LP3S 1 3/4"	LW2R or LW2S 1 1/4"
	Fluted 	Fluted 	
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LPF3R or LPF3S 1 3/4"	LWF2R or LWF2S 1 1/4"
top thickness price >	1 1/4"	1 3/4"	1 1/4"

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 3/4"	1 1/4"
 <p>L1</p>	24 x 48 Fix w/FixMod	USTL1 2448REFX XM	96	1201	1231	1698
	24 x 48 Fix w/RemMod	USTL1 2448REFX RM	96	1221	1272	1712
	24 x 48 Fix w/FixFormMod	USTL1 2448REFX XF OR XFS	107	1308	1351	1672
	24 x 60 Fix w/FixMod	USTL1 2460REFX XM	109	1355	1414	2084
	24 x 60 Fix w/RemMod	USTL1 2460REFX RM	109	1393	1449	2119
	24 x 60 Fix w/FixFormMod	USTL1 2460REFX XF OR XFS	120	1605	1662	2039
	24 x 72 Fix w/FixMod	USTL1 2472REFX XM	130	1563	1613	2580
	24 x 72 Fix w/RemMod	USTL1 2472REFX RM	130	1602	1650	2616
	24 x 72 Fix w/FixFormMod	USTL1 2472REFX XF OR XFS	140	1752	1800	2226
	24 x 84 Fix w/FixMod	USTL1 2484REFX XM	119	1754	1762	2678
	24 x 84 Fix w/RemMod	USTL1 2484REFX RM	119	1778	1789	2697
	24 x 90 Fix w/FixMod	USTL1 2490REFX XM	156	1905	1925	3062
	24 x 90 Fix w/RemMod	USTL1 2490REFX RM	156	1952	1974	3113
	24 x 96 Fix w/FixMod	USTL1 2496REFX XM	162	1921	1941	3136
	24 x 96 Fix w/RemMod	USTL1 2496REFX RM	162	2012	2033	2682

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Alternate Table Height 32" & Under	BAH	\$ 80
Alternate Table Height 32" & OverBSP	call
Casters ④ - Dual Wheel Black Hard Wheel ...	CAS27	\$ 138
Casters ④ - Dual Wheel Two-Tone		
Soft Wheel	CAS28	\$ 138
Mix - Dual Wheel Casters & GlidesBMD	\$ 131
Self-Leveling Glides ④	GLD04	\$ 39
Stretcher Rail (Fix/Tilt) Finish Same as BaseBTS	\$ 196

Finish Options		
Chrome		\$ 528
Nickel		\$ 577
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)TLK	\$ 204
Table Link (30" ends only)TLE	\$ 108
Lightweight Laminate Core (to 96" length)TLL	\$ 194
Special LaminateTSP	call
Custom Cutout (per cutout)TCC	\$ 97
Laptop Locker (each)TLA	\$ 1120
(available on fixed tables only, see page 36 in All Tables Price List for additional information)		
Electronic Lock (per locker)TLEL	\$ 292
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock ..	.TLPU	\$ 461

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty MountWBM	\$ 78
Basket, Under Top MountWBT	\$ 78
Wire Metal Legway (each)WUL	\$ 51
1 Oval Brush Grommet - Location AWOA	\$ 78
2 Oval Brush Grommets - Location EWOE	\$ 156
1 Oval Brush Grommet - Provide Location Print ..	.WOG	\$ 78
1 Round Grommet - Location AWRA	\$ 61
2 Round Grommets - Location EWRE	\$ 122
1 Round Grommet - Provide Location PrintWRG	\$ 61

Accessories		
Keyboard Platform w/Mouse SurfaceAKP27M	\$ 618
CPU Holder (3"- 9" adjustment)ACPU3-9F	\$ 192
CPU Holder (5"- 8" adjustment)ACPU5-8F	\$ 126
CPU Holder (3"- 5" adjustment)ACPU3F	\$ 126
Table Floor Mount Bracket SetAFB	\$ 45

Uno²









Questions?

1.800.876.2120

Black = Fixed Bases

top >
edge >

	Laminate PVC	Laminate Wood	Laminate 2mm Acrylic
	Flat 	Flat 	Reverse Bevel 
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LP3R or LP3S 1 3/4"	LW2R or LW2S 1 1/4"
	Fluted 	Fluted 	
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LPF3R or LPF3S 1 3/4"	LWF2R or LWF2S 1 1/4"
top thickness price >	1 1/4"	1 3/4"	1 1/4"

Base Style	Table Description	Model #	Product Wt	top thickness price >		
 <p>L1</p>	L1 30 x 48 Fix w/FixMod	USTL1 3048REFX XM	100	1304	1422	1819
	30 x 48 Fix w/RemMod	USTL1 3048REFX RM	100	1323	1445	1835
	30 x 48 Fix w/FixFormMod	USTL1 3048REFX XF OR XFS	112	1419	1549	1805
	30 x 60 Fix w/FixMod	USTL1 3060REFX XM	124	1455	1503	2212
	30 x 60 Fix w/RemMod	USTL1 3060REFX RM	124	1491	1538	2249
	30 x 60 Fix w/FixFormMod	USTL1 3060REFX XF OR XFS	136	1704	1750	2168
	30 x 72 Fix w/FixMod	USTL1 3072REFX XM	148	1604	1653	2694
	30 x 72 Fix w/RemMod	USTL1 3072REFX RM	148	1641	1690	2728
	30 x 72 Fix w/FixFormMod	USTL1 3072REFX XF OR XFS	158	1792	1843	2337
	30 x 84 Fix w/FixMod	USTL1 3084REFX XM	139	1822	1903	2900
	30 x 84 Fix w/RemMod	USTL1 3084REFX RM	139	1847	1928	2918
	30 x 90 Fix w/FixMod	USTL1 3090REFX XM	159	1930	2055	3238
	30 x 90 Fix w/RemMod	USTL1 3090REFX RM	159	1980	2106	3286
	30 x 96 Fix w/FixMod	USTL1 3096REFX XM	185	1936	2064	3355
	30 x 96 Fix w/RemMod	USTL1 3096REFX RM	185	1967	2095	3388

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Alternate Table Height 32" & Under	BAH	\$ 80
Alternate Table Height 32" & Over	.BSP	call
Casters ④ - Dual Wheel Black Hard Wheel	CAS27	\$ 138
Casters ④ - Dual Wheel Two-Tone		
Soft Wheel	CAS28	\$ 138
Mix - Dual Wheel Casters & Glides	.BMD	\$ 131
Self-Leveling Glides ④	GLD04	\$ 39
Stretcher Rail (Fix/Tilt) Finish Same as Base	.BTS	\$ 196

Finish Options		
Chrome		\$ 528
Nickel		\$ 577
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)	.TLK	\$ 204
Table Link (30" ends only)	.TLE	\$ 108
Lightweight Laminate Core (to 96" length)	.TLL	\$ 194
Special Laminate	.TSP	call
Custom Cutout (per cutout)	.TCC	\$ 97
Laptop Locker (each)	.TLA	\$ 1120
(available on fixed tables only, see page 36 in All Tables Price List for additional information)		
Electronic Lock (per locker)	.TLEL	\$ 292
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock	.TLPU	\$ 461

Power & Data Options
 Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty Mount	.WBM	\$ 78
Basket, Under Top Mount	.WBT	\$ 78
Wire Metal Legway (each)	.WUL	\$ 51
1 Oval Brush Grommet - Location A	.WOA	\$ 78
2 Oval Brush Grommets - Location E	.WOE	\$ 156
1 Oval Brush Grommet - Provide Location Print	.WOG	\$ 78
1 Round Grommet - Location A	.WRA	\$ 61
2 Round Grommets - Location E	.WRE	\$ 122
1 Round Grommet - Provide Location Print	.WRG	\$ 61

Accessories		
Keyboard Platform w/Mouse Surface	.AKP27M	\$ 618
CPU Holder (3"- 9" adjustment)	.ACPU3-9F	\$ 192
CPU Holder (5"- 8" adjustment)	.ACPU5-8F	\$ 126
CPU Holder (3"- 5" adjustment)	.ACPU3F	\$ 126
Table Floor Mount Bracket Set	.AFB	\$ 45



Questions?

1.800.876.2120

- Black = Fixed Bases
- Red = Folding Bases
- = Overlapping Folding Bases
- Blue = Tilt Bases
- = Quickship Program Product
- = Quickship Program Product
- = Quickship Program Product

top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
	Flat 	Flat 	Bumper 	Ergo
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
	Fluted 	Fluted 	Reverse Bevel Acrylic 	PVC on remaining sides
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	
top thickness price >	1 1/4"	1 1/4"	1 1/4"	1 1/4"

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"
	T1 20 x 48 Fix w/FixMod	VTT1 2048REFX XM QS	65	1241	1918	2217
	20 x 48 Fix w/RemMod	VTT1 2048REFX RM QS	65	1276	1953	2253
	20 x 48 Fold w/RemMod	VTT1 2048REFO RM QS	69	1612	2289	2589
	20 x 48 Tilt w/HangMod	VTT1 2048RETL HM QS	80	1548	2228	2525
	20 x 48 Tilt w/RemMod	VTT1 2048RETL RM QS	80	1548	2228	2525
	20 x 48 Fix w/FixLightweightFormMod	VTT1 2048REFX XL OR XLS	65	1276	1621	2253
	20 x 48 Fix w/RemLightweightFormMod	VTT1 2048REFX RL OR RLS	65	1276	1621	2253
	20 x 48 Fold w/RemLightweightFormMod	VTT1 2048REFO RL OR RLS	69	1612	1957	2589
	20 x 48 Tilt w/RemLightweightFormMod	VTT1 2048RETL RL OR RLS	80	1548	1894	2525
	20 x 48 Fix w/FixFormMod	VTT1 2048REFX XF OR XFS	75	1487	1835	2464
	20 x 60 Fix w/FixMod	VTT1 2060REFX XM QS	77	1305	1981	2465
	20 x 60 Fix w/RemMod	VTT1 2060REFX RM QS	77	1337	2015	2502
	20 x 60 Fold w/RemMod	VTT1 2060REFD RM QS	82	1675	2356	2838
	20 x 60 Tilt w/HangMod	VTT1 2060RETL HM QS	92	1613	2292	2775
	20 x 60 Tilt w/RemMod	VTT1 2060RETL RM QS	92	1613	2292	2775
	20 x 60 Fix w/FixLightweightFormMod	VTT1 2060REFX XL OR XLS	76	1337	1771	2502
	20 x 60 Fix w/RemLightweightFormMod	VTT1 2060REFX RL OR RLS	76	1337	1771	2502
	20 x 60 Fold w/RemLightweightFormMod	VTT1 2060REFD RL OR RLS	81	1675	2108	2838
	20 x 60 Tilt w/RemLightweightFormMod	VTT1 2060RETL RL OR RLS	91	1613	2047	2775
	20 x 60 Fix w/FixFormMod	VTT1 2060REFX XF OR XFS	89	1549	1982	2713
20 x 72 Fix w/FixMod	VTT1 2072REFX XM QS	89	1511	2523	2809	
20 x 72 Fix w/RemMod	VTT1 2072REFX RM QS	89	1544	2558	2841	
20 x 72 Fold w/RemMod	VTT1 2072REFD RM QS	94	1883	2898	3182	
20 x 72 Tilt w/HangMod	VTT1 2072RETL HM QS	104	1821	2835	3121	
20 x 72 Tilt w/RemMod	VTT1 2072RETL RM QS	104	1821	2835	3121	
20 x 72 Fix w/FixLightweightFormMod	VTT1 2072REFX XL OR XLS	90	1544	2014	2841	
20 x 72 Fix w/RemLightweightFormMod	VTT1 2072REFX RL OR RLS	90	1544	2014	2841	
20 x 72 Fold w/RemLightweightFormMod	VTT1 2072REFD RL OR RLS	95	1883	2355	3182	
20 x 72 Tilt w/RemLightweightFormMod	VTT1 2072RETL RL OR RLS	105	1821	2292	3121	
20 x 72 Fix w/FixFormMod	VTT1 2072REFX XF OR XFS	104	1697	2169	2996	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Assembled Folding TableBAF	\$ 62
Alternate Table Height 32" & UnderBAH	\$ 80
Alternate Table Height 32" & OverBSP	call
Adjustable Height - Pneumatic (Fix/Tilt)BAT	\$ 999
Casters ● - Vela WheelCAS29	\$ 138
Mix - Vela Wheel Casters & GlidesBMV	\$ 131
Self-Leveling Glides ●GLD04	\$ 39
Stretcher Rail (Fix/Tilt) Finish Same as BaseBTS	\$ 196
Slim-TiltBST	\$ 121

NOTE: N/A WITH FOLDING MODESTY PANEL

Finish Options		
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)TLK	\$ 204
Table Link (20" ends only)TLE	\$ 108
Lightweight Laminate Core (to 96" length)TLL	\$ 194
Special LaminateTSP	call
Custom Cutout (per cutout)TCC	\$ 97

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty MountWBM	\$ 78
Basket, Under Top MountWBT	\$ 78
Wire Mesh Legway (pair)WML_	\$ 166
1 Oval Brush Grommet - Location AWOA	\$ 78
2 Oval Brush Grommets - Location EWOE	\$ 156
1 Oval Brush Grommet - Provide Location PrintWOG	\$ 78
1 Round Grommet - Location AWRA	\$ 61
2 Round Grommets - Location EWRE	\$ 122
1 Round Grommet - Provide Location PrintWRG	\$ 61

Accessories		
CPU Holder (3" - 9" adjustment)ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment)ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment)ACPU3F	\$ 126
Table TransportATT3054	\$ 1511
Table Floor Mount Bracket SetAFB	\$ 45



Questions?
1.800.876.2120

Black = Fixed Bases
 Red = Folding Bases
 Blue = Tilt Bases
 QS = Quickship Program Product
 QS = Quickship Program Product
 QS = Quickship Program Product

	top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
		Flat 	Flat 	Bumper 	Ergo
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
		Fluted 	Fluted 	Reverse Bevel Acrylic 	PVC on remaining sides
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	
	top thickness price >	1 1/4"	1 1/4"	1 1/4"	

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"
	T1 20 x 84 Fix w/FixMod	VTT1 2084REFX XM QS	101	1866	3050	3401
	20 x 84 Fix w/RemMod	VTT1 2084REFX RM QS	101	1896	3080	3433
	20 x 84 Fold w/RemMod	VTT1 2084REFD RM QS	106	2234	3415	3769
	20 x 84 Tilt w/HangMod	VTT1 2084RETL HM QS	116	2173	3355	3710
	20 x 84 Tilt w/RemMod	VTT1 2084RETL RM QS	116	2173	3355	3710
	20 x 90 Fix w/FixMod	VTT1 2090REFX XM QS	107	2055	3329	3896
	20 x 90 Fix w/RemMod	VTT1 2090REFX RM QS	107	2088	3362	3925
	20 x 90 Fold w/RemMod	VTT1 2090REFD RM QS	112	2425	3696	4266
	20 x 90 Tilt w/HangMod	VTT1 2090RETL HM QS	122	2363	3636	4200
	20 x 90 Tilt w/RemMod	VTT1 2090RETL RM QS	122	2363	3636	4200
	20 x 96 Fix w/FixMod	VTT1 2096REFX XM QS	113	2055	3329	3896
	20 x 96 Fix w/RemMod	VTT1 2096REFX RM QS	113	2088	3362	3925
	20 x 96 Fold w/RemMod	VTT1 2096REFD RM QS	118	2425	3696	4266
	20 x 96 Tilt w/HangMod	VTT1 2096RETL HM QS	128	2363	3636	4200
	20 x 96 Tilt w/RemMod	VTT1 2096RETL RM QS	128	2363	3636	4200

Note: The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Assembled Folding TableBAF	\$ 62
Alternate Table Height 32" & UnderBAH	\$ 80
Alternate Table Height 32" & OverBSP	call
Adjustable Height - Pneumatic (Fix/Tilt)BAT	\$ 999
Self-Leveling Glides GLD04	\$ 39
Stretcher Rail (Fix/Tilt) Finish Same as BaseBTS	\$ 196
Slim-TiltBST	\$ 121

NOTE: N/A WITH FOLDING MODESTY PANEL

Finish Options		
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)TLK	\$ 204
Table Link (20" ends only)TLE	\$ 108
Lightweight Laminate Core (to 96" length)TLL	\$ 194
Special LaminateTSP	call
Custom Cutout (per cutout)TCC	\$ 97

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty MountWBM	\$ 78
Basket, Under Top MountWBT	\$ 78
Wire Mesh Legway (pair)WML_	\$ 166
1 Oval Brush Grommet - Location AWOA	\$ 78
2 Oval Brush Grommets - Location EWOE	\$ 156
1 Oval Brush Grommet - Provide Location PrintWOG	\$ 78
1 Round Grommet - Location AWRA	\$ 61
2 Round Grommets - Location EWRE	\$ 122
1 Round Grommet - Provide Location PrintWRG	\$ 61

Accessories		
CPU Holder (3" - 9" adjustment)ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment)ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment)ACPU3F	\$ 126
Table TransportATT3054	\$ 1511
Table Floor Mount Bracket SetAFB	\$ 45



Questions?

1.800.876.2120

Black = Fixed Bases

Red = Folding Bases

= Overlapping Folding Bases

Blue = Tilt Bases

= Quickship Program Product

= Quickship Program Product

= Quickship Program Product

top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
	Flat 	Flat 	Bumper 	Ergo
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
	Fluted 	Fluted 	Reverse Bevel Acrylic 	PVC on remaining sides
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	
top thickness price >	1 1/4"	1 1/4"	1 1/4"	1 1/4"

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"
	T1 24 x 48 Fix w/FixMod	VTT1 2448REFX XM QS	72	1241	1918	2217
	24 x 48 Fix w/RemMod	VTT1 2448REFX RM QS	72	1276	1953	2253
	24 x 48 Fold w/RemMod	VTT1 2448REFO RM QS	76	1612	2289	2589
	24 x 48 Tilt w/FoldMod	VTT1 2448RETL FM QS	87	1614	2293	2591
	24 x 48 Tilt w/HangMod	VTT1 2448RETL HM QS	87	1548	2228	2525
	24 x 48 Tilt w/RemMod	VTT1 2448RETL RM QS	87	1548	2228	2525
	24 x 48 Fix w/FixLightweightFormMod	VTT1 2448REFX XL OR XLS	72	1276	1621	2253
	24 x 48 Fix w/RemLightweightFormMod	VTT1 2448REFX RL OR RLS	72	1276	1621	2253
	24 x 48 Fold w/RemLightweightFormMod	VTT1 2448REFO RL OR RLS	76	1612	1957	2589
	24 x 48 Tilt w/RemLightweightFormMod	VTT1 2448RETL RL OR RLS	87	1548	1894	2525
	24 x 48 Fix w/FixFormMod	VTT1 2448REFX XF OR XFS	82	1487	1835	2464
	24 x 48 Tilt w/FoldFormMod	VTT1 2448RETL FF OR FFS	97	1759	2107	2738
	24 x 60 Fix w/FixMod	VTT1 2460REFX XM QS	85	1305	1981	2465
	24 x 60 Fix w/RemMod	VTT1 2460REFX RM QS	85	1337	2015	2502
	24 x 60 Fold w/RemMod	VTT1 2460REFD RM QS	90	1675	2356	2838
	24 x 60 Fold w/FoldMod	VTT1 2460REFD FM QS	90	1742	2421	2904
	24 x 60 Tilt w/FoldMod	VTT1 2460RETL FM QS	100	1679	2358	2840
	24 x 60 Tilt w/HangMod	VTT1 2460RETL HM QS	100	1613	2292	2775
	24 x 60 Tilt w/RemMod	VTT1 2460RETL RM QS	100	1613	2292	2775
	24 x 60 Fix w/FixLightweightFormMod	VTT1 2460REFX XL OR XLS	84	1337	1771	2502
24 x 60 Fix w/RemLightweightFormMod	VTT1 2460REFX RL OR RLS	84	1337	1771	2502	
24 x 60 Fold w/RemLightweightFormMod	VTT1 2460REFD RL OR RLS	89	1675	2108	2838	
24 x 60 Tilt w/RemLightweightFormMod	VTT1 2460RETL RL OR RLS	99	1613	2047	2775	
24 x 60 Fix w/FixFormMod	VTT1 2460REFX XF OR XFS	97	1549	1982	2713	
24 x 60 Fold w/FoldFormMod	VTT1 2460REFD FF OR FFS	102	1887	2323	3051	
24 x 60 Tilt w/FoldFormMod	VTT1 2460RETL FF OR FFS	112	1823	2258	2988	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Assembled Folding TableBAF	\$ 62
Alternate Table Height 32" & UnderBAH	\$ 80
Alternate Table Height 32" & OverBSP	call
Adjustable Height - Pneumatic (Fix/Tilt)BAT	\$ 999
Casters - Vela WheelCAS29	\$ 138
Mix - Vela Wheel Casters & GlidesBMV	\$ 131
Self-Leveling Glides GLD04	\$ 39
Stretcher Rail (Fix/Tilt) Finish Same as BaseBTS	\$ 196
Slim-TiltBST	\$ 121

NOTE: N/A WITH FOLDING MODESTY PANEL

Finish Options		
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)TLK	\$ 204
Table Link (24" ends only)TLE	\$ 108
Lightweight Laminate Core (to 96" length)TLL	\$ 194
Special LaminateTSP	call
Custom Cutout (per cutout)TCC	\$ 97
Laptop Locker (each)TLA	\$ 1120
(available on fixed tables only, see page 36 in All Tables Price List for additional information)		
Electronic Lock (per locker)TLEL	\$ 292
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock ..	.TLPU	\$ 461

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty MountWBM	\$ 78
Basket, Under Top MountWBT	\$ 78
Wire Mesh Legway (pair)WML_	\$ 166
1 Oval Brush Grommet - Location AWOA	\$ 78
2 Oval Brush Grommets - Location EWOE	\$ 156
1 Oval Brush Grommet - Provide Location Print ..	.WOG	\$ 78
1 Round Grommet - Location AWRA	\$ 61
2 Round Grommets - Location EWRE	\$ 122
1 Round Grommet - Provide Location PrintWRG	\$ 61

Accessories		
Keyboard Platform w/Mouse SurfaceAKP27M	\$ 618
CPU Holder (3" - 9" adjustment)ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment)ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment)ACPU3F	\$ 126
Table TransportATT3054	\$ 1511
Table Floor Mount Bracket SetAFB	\$ 45



Questions?

1.800.876.2120

Black = Fixed Bases

Red = Folding Bases

Blue = Tilt Bases

QS = Quickship Program Product

QS = Quickship Program Product

QS = Quickship Program Product

top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
	Flat 	Flat 	Bumper 	Ergo
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	Fluted 	Fluted 	Reverse Bevel Acrylic 	PVC on remaining sides
	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	
top thickness price >	1 1/4"	1 1/4"	1 1/4"	1 1/4"

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"
	T1 24 x 72 Fix w/FixMod	VTT1 2472REFX XM QS	99	1511	2523	2809
	24 x 72 Fix w/RemMod	VTT1 2472REFX RM QS	99	1544	2558	2841
	24 x 72 Fold w/RemMod	VTT1 2472REFD RM QS	104	1883	2898	3182
	24 x 72 Tilt w/FoldMod	VTT1 2472RETL FM QS	114	1885	2900	3183
	24 x 72 Tilt w/HangMod	VTT1 2472RETL HM QS	114	1821	2835	3121
	24 x 72 Tilt w/RemMod	VTT1 2472RETL RM QS	114	1821	2835	3121
	24 x 72 Fix w/FixLightweightFormMod	VTT1 2472REFX XL OR XLS	99	1544	2014	2841
	24 x 72 Fix w/RemLightweightFormMod	VTT1 2472REFX RL OR RLS	99	1544	2014	2841
	24 x 72 Fold w/RemLightweightFormMod	VTT1 2472REFD RL OR RLS	104	1883	2355	3182
	24 x 72 Tilt w/RemLightweightFormMod	VTT1 2472RETL RL OR RLS	114	1821	2292	3121
	24 x 72 Fix w/FixFormMod	VTT1 2472REFX XF OR XFS	114	1697	2169	2996
	24 x 72 Tilt w/FoldFormMod	VTT1 2472RETL FF OR FFS	129	1974	2444	3272
	24 x 84 Fix w/FixMod	VTT1 2484REFX XM QS	112	1866	3050	3401
	24 x 84 Fix w/RemMod	VTT1 2484REFX RM QS	112	1896	3080	3433
	24 x 84 Fold w/RemMod	VTT1 2484REFD RM QS	117	2234	3415	3769
	24 x 84 Tilt w/FoldMod	VTT1 2484RETL FM QS	127	2261	3443	3797
	24 x 84 Tilt w/HangMod	VTT1 2484RETL HM QS	127	2173	3355	3710
	24 x 84 Tilt w/RemMod	VTT1 2484RETL RM QS	127	2173	3355	3710
	24 x 90 Fix w/FixMod	VTT1 2490REFX XM QS	120	2055	3329	3896
	24 x 90 Fix w/RemMod	VTT1 2490REFX RM QS	120	2088	3362	3925
24 x 90 Fold w/RemMod	VTT1 2490REFD RM QS	125	2425	3696	4266	
24 x 90 Tilt w/FoldMod	VTT1 2490RETL FM QS	135	2453	3724	4290	
24 x 90 Tilt w/HangMod	VTT1 2490RETL HM QS	135	2363	3636	4200	
24 x 90 Tilt w/RemMod	VTT1 2490RETL RM QS	135	2363	3636	4200	
24 x 96 Fix w/FixMod	VTT1 2496REFX XM QS	126	2055	3329	3896	
24 x 96 Fix w/RemMod	VTT1 2496REFX RM QS	126	2088	3362	3925	
24 x 96 Fold w/RemMod	VTT1 2496REFD RM QS	131	2425	3696	4266	
24 x 96 Tilt w/FoldMod	VTT1 2496RETL FM QS	141	2453	3724	4290	
24 x 96 Tilt w/HangMod	VTT1 2496RETL HM QS	141	2363	3636	4200	
24 x 96 Tilt w/RemMod	VTT1 2496RETL RM QS	141	2363	3636	4200	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Assembled Folding Table	.BAF	\$ 62
Alternate Table Height 32" & Under	.BAH	\$ 80
Alternate Table Height 32" & Over	.BSP	call
Adjustable Height - Pneumatic (Fix/Tilt)	.BAT	\$ 999
Casters - Vela Wheel (72" only)	.CAS29	\$ 138
Mix - Vela Wheel Casters & Glides (72" only)	.BMV	\$ 131
Self-Leveling Glides	.GLD04	\$ 39
Stretcher Rail (Fix/Tilt) Finish Same as Base	.BTS	\$ 196
Slim-Tilt	.BST	\$ 121

NOTE: N/A WITH FOLDING MODESTY PANEL

Finish Options		
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)	.TLK	\$ 204
Table Link (24" ends only)	.TLE	\$ 108
Lightweight Laminate Core (to 96" length)	.TLL	\$ 194
Special Laminate	.TSP	call
Custom Cutout (per cutout)	.TCC	\$ 97
Laptop Locker (each)	.TLA	\$ 1120
(available on fixed tables only, see page 36 in All Tables Price List for additional information)		
Electronic Lock (per locker)	.TLEL	\$ 292
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock	.TLPU	\$ 461

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty Mount	.WBM	\$ 78
Basket, Under Top Mount	.WBT	\$ 78
Wire Mesh Legway (pair)	.WML_	\$ 166
1 Oval Brush Grommet - Location A	.WOA	\$ 78
2 Oval Brush Grommets - Location E	.WOE	\$ 156
1 Oval Brush Grommet - Provide Location Print	.WOG	\$ 78
1 Round Grommet - Location A	.WRA	\$ 61
2 Round Grommets - Location E	.WRE	\$ 122
1 Round Grommet - Provide Location Print	.WRG	\$ 61

Accessories		
Keyboard Platform w/Mouse Surface	.AKP27M	\$ 618
CPU Holder (3" - 9" adjustment)	.ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment)	.ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment)	.ACPU3F	\$ 126
Table Transport	.ATT3054	\$ 1511
Table Floor Mount Bracket Set	.AFB	\$ 45



Questions?

1.800.876.2120

Black = Fixed Bases

Red = Folding Bases

= Overlapping Folding Bases

Blue = Tilt Bases

= Quickship Program Product

= Quickship Program Product

= Quickship Program Product

	top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
		Flat 	Flat 	Bumper 	Ergo
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
		Fluted 	Fluted 	Reverse Bevel Acrylic 	
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	PVC on remaining sides
	top thickness price >	1 1/4"	1 1/4"	1 1/4"	

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"
	T1 30 x 48 Fix w/FixMod	VTT1 3048REFX XM QS	86	1335	2046	2402
	30 x 48 Fix w/RemMod	VTT1 3048REFX RM QS	86	1372	2078	2439
	30 x 48 Fold w/RemMod	VTT1 3048REFO RM QS	85	1708	2418	2775
	30 x 48 Tilt w/FoldMod	VTT1 3048RETL FM QS	101	1713	2423	2778
	30 x 48 Tilt w/HangMod	VTT1 3048RETL HM QS	101	1645	2357	2716
	30 x 48 Tilt w/RemMod	VTT1 3048RETL RM QS	101	1645	2357	2716
	30 x 48 Fix w/FixLightweightFormMod	VTT1 3048REFX XL OR XLS	85	1372	1733	2439
	30 x 48 Fix w/RemLightweightFormMod	VTT1 3048REFX RL OR RLS	85	1372	1733	2439
	30 x 48 Fold w/RemLightweightFormMod	VTT1 3048REFO RL OR RLS	85	1708	2070	2775
	30 x 48 Tilt w/RemLightweightFormMod	VTT1 3048RETL RL OR RLS	100	1645	2007	2716
	30 x 48 Fix w/FixFormMod	VTT1 3048REFX XF OR XFS	96	1581	1943	2650
	30 x 48 Tilt w/FoldFormMod	VTT1 3048RETL FF OR FFS	111	1859	2220	2926
	30 x 60 Fix w/FixMod	VTT1 3060REFX XM QS	101	1397	2107	2669
	30 x 60 Fix w/RemMod	VTT1 3060REFX RM QS	101	1433	2144	2702
	30 x 60 Fold w/RemMod	VTT1 3060REFD RM QS	106	1770	2478	3040
	30 x 60 Fold w/FoldMod	VTT1 3060REFD FM QS	106	1838	2545	3105
	30 x 60 Tilt w/FoldMod	VTT1 3060RETL FM QS	116	1776	2486	3048
	30 x 60 Tilt w/HangMod	VTT1 3060RETL HM QS	116	1709	2420	2980
	30 x 60 Tilt w/RemMod	VTT1 3060RETL RM QS	116	1709	2420	2980
	30 x 60 Fix w/FixLightweightFormMod	VTT1 3060REFX XL OR XLS	101	1433	1895	2702
30 x 60 Fix w/RemLightweightFormMod	VTT1 3060REFX RL OR RLS	101	1433	1895	2702	
30 x 60 Fold w/RemLightweightFormMod	VTT1 3060REFD RL OR RLS	106	1770	2234	3040	
30 x 60 Tilt w/RemLightweightFormMod	VTT1 3060RETL RL OR RLS	116	1709	2174	2980	
30 x 60 Fix w/FixFormMod	VTT1 3060REFX XF OR XFS	113	1644	2108	2916	
30 x 60 Fold w/FoldFormMod	VTT1 3060REFD FF OR FFS	118	1981	2445	3251	
30 x 60 Tilt w/FoldFormMod	VTT1 3060RETL FF OR FFS	128	1921	2384	3191	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Assembled Folding TableBAF	\$ 62
Alternate Table Height 32" & UnderBAH	\$ 80
Alternate Table Height 32" & OverBSP	call
Adjustable Height - Pneumatic (Fix/Tilt)BAT	\$ 999
Casters - Vela WheelCAS29	\$ 138
Mix - Vela Wheel Casters & GlidesBMV	\$ 131
Self-Leveling Glides GLD04	\$ 39
Stretcher Rail (Fix/Tilt) Finish Same as BaseBTS	\$ 196
Slim-TiltBST	\$ 121

NOTE: N/A WITH FOLDING MODESTY PANEL

Finish Options		
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)TLK	\$ 204
Table Link (30" ends only)TLE	\$ 108
Lightweight Laminate Core (to 96" length)TLL	\$ 194
Special LaminateTSP	call
Custom Cutout (per cutout)TCC	\$ 97
Laptop Locker (each)TLA	\$ 1120
(available on fixed tables only, see page 36 in All Tables Price List for additional information)		
Electronic Lock (per locker)TLEL	\$ 292
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lock ..	.TLPU	\$ 461

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty MountWBM	\$ 78
Basket, Under Top MountWBT	\$ 78
Wire Mesh Legway (pair)WML_	\$ 166
1 Oval Brush Grommet - Location AWOA	\$ 78
2 Oval Brush Grommets - Location EWOE	\$ 156
1 Oval Brush Grommet - Provide Location Print ..	.WOG	\$ 78
1 Round Grommet - Location AWRA	\$ 61
2 Round Grommets - Location EWRE	\$ 122
1 Round Grommet - Provide Location PrintWRG	\$ 61

Accessories		
Keyboard Platform w/Mouse SurfaceAKP27M	\$ 618
CPU Holder (3" - 9" adjustment)ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment)ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment)ACPU3F	\$ 126
Table TransportATT3054	\$ 1511
Table Floor Mount Bracket SetAFB	\$ 45



Questions?

1.800.876.2120

Black = Fixed Bases

Red = Folding Bases

Blue = Tilt Bases

QS = Quickship Program Product

QS = Quickship Program Product

QS = Quickship Program Product

top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
	Flat 	Flat 	Bumper 	Ergo
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
top thickness price >	Fluted 	Fluted 	Reverse Bevel Acrylic 	PVC on remaining sides
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	

Base Style	Table Description	Model #	Product Wt	top thickness price >		
				1 1/4"	1 1/4"	1 1/4"
	T1 30 x 72 Fix w/FixMod	VTT1 3072REFX XM QS	118	1544	2636	3030
	30 x 72 Fix w/RemMod	VTT1 3072REFX RM QS	118	1580	2672	3064
	30 x 72 Fold w/RemMod	VTT1 3072REFD RM QS	123	1916	3007	3401
	30 x 72 Tilt w/FoldMod	VTT1 3072RETL FM QS	133	1918	3008	3402
	30 x 72 Tilt w/HangMod	VTT1 3072RETL HM QS	133	1856	2948	3341
	30 x 72 Tilt w/RemMod	VTT1 3072RETL RM QS	133	1856	2948	3341
	30 x 72 Fix w/FixLightweightFormMod	VTT1 3072REFX XL OR XLS	118	1580	2129	3064
	30 x 72 Fix w/RemLightweightFormMod	VTT1 3072REFX RL OR RLS	118	1580	2129	3064
	30 x 72 Fold w/RemLightweightFormMod	VTT1 3072REFD RL OR RLS	123	1916	2464	3401
	30 x 72 Tilt w/RemLightweightFormMod	VTT1 3072RETL RL OR RLS	133	1856	2402	3341
	30 x 72 Fix w/FixFormMod	VTT1 3072REFX XF OR XFS	132	1734	2280	3218
	30 x 72 Tilt w/FoldFormMod	VTT1 3072RETL FF OR FFS	147	2007	2554	3493
	30 x 84 Fix w/FixMod	VTT1 3084REFX XM QS	133	1918	3209	3622
	30 x 84 Fix w/RemMod	VTT1 3084REFX RM QS	133	1950	3241	3653
30 x 84 Fold w/RemMod	VTT1 3084REFD RM QS	138	2284	3579	3990	
30 x 84 Tilt w/FoldMod	VTT1 3084RETL FM QS	148	2314	3604	4017	
30 x 84 Tilt w/HangMod	VTT1 3084RETL HM QS	148	2226	3515	3927	
30 x 84 Tilt w/RemMod	VTT1 3084RETL RM QS	148	2226	3515	3927	
30 x 90 Fix w/FixMod	VTT1 3090REFX XM QS	142	2083	3501	4151	
30 x 90 Fix w/RemMod	VTT1 3090REFX RM QS	142	2113	3534	4181	
30 x 90 Fold w/RemMod	VTT1 3090REFD RM QS	147	2450	3871	4514	
30 x 90 Tilt w/FoldMod	VTT1 3090RETL FM QS	157	2476	3896	4543	
30 x 90 Tilt w/HangMod	VTT1 3090RETL HM QS	157	2388	3808	4454	
30 x 90 Tilt w/RemMod	VTT1 3090RETL RM QS	157	2388	3808	4454	
30 x 96 Fix w/FixMod	VTT1 3096REFX XM QS	150	2083	3501	4151	
30 x 96 Fix w/RemMod	VTT1 3096REFX RM QS	150	2113	3534	4181	
30 x 96 Fold w/RemMod	VTT1 3096REFD RM QS	155	2450	3871	4514	
30 x 96 Tilt w/FoldMod	VTT1 3096RETL FM QS	165	2476	3896	4543	
30 x 96 Tilt w/HangMod	VTT1 3096RETL HM QS	165	2388	3808	4454	
30 x 96 Tilt w/RemMod	VTT1 3096RETL RM QS	165	2388	3808	4454	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Assembled Folding TableBAF	\$ 62
Alternate Table Height 32" & UnderBAH	\$ 80
Alternate Table Height 32" & OverBSP	call
Adjustable Height - Pneumatic (Fix/Tilt)BAT	\$ 999
Casters ● - Vela Wheel (72" only)CAS29	\$ 138
Mix - Vela Wheel Casters & Glides (72" only)BMV	\$ 131
Self-Leveling Glides ●GLD04	\$ 39
Stretcher Rail (Fix/Tilt) Finish Same as BaseBTS	\$ 196
Slim-TiltBST	\$ 121

NOTE: N/A WITH FOLDING MODESTY PANEL

Finish Options		
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)TLK	\$ 204
Table Link (30" ends only)TLE	\$ 108
Lightweight Laminate Core (to 96" length)TLL	\$ 194
Special LaminateTSP	call
Custom Cutout (per cutout)TCC	\$ 97
Laptop Locker (each)TLA	\$ 1120
(available on fixed tables only, see page 36 in All Tables Price List for additional information)		
Electronic Lock (per locker)TLEL	\$ 292
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lockTLPU	\$ 461

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty MountWBM	\$ 78
Basket, Under Top MountWBT	\$ 78
Wire Mesh Legway (pair)WML_	\$ 166
1 Oval Brush Grommet - Location AWOA	\$ 78
2 Oval Brush Grommets - Location EWOE	\$ 156
1 Oval Brush Grommet - Provide Location PrintWOG	\$ 78
1 Round Grommet - Location AWRA	\$ 61
2 Round Grommets - Location EWRE	\$ 122
1 Round Grommet - Provide Location PrintWRG	\$ 61

Accessories		
Keyboard Platform w/Mouse SurfaceAKP27M	\$ 618
CPU Holder (3" - 9" adjustment)ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment)ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment)ACPU3F	\$ 126
Table TransportATT3054	\$ 1511
Table Floor Mount Bracket SetAFB	\$ 45



Questions?

1.800.876.2120

Black = Fixed Bases

Red = Folding Bases

= Overlapping Folding Bases

= Quickship Program Product

= Quickship Program Product

top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
	Flat 	Flat 	Bumper 	Ergo
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
	Fluted 	Fluted 	Reverse Bevel Acrylic 	PVC on remaining sides
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	
top thickness price >	1 1/4"	1 1/4"	1 1/4"	1 1/4"

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"
 TC	18 x 48 Fix w/FixMod	VTTC 1848REFX XM	61	1199	1787	2033
	18 x 48 Fix w/RemMod	VTTC 1848REFX RM	61	1232	1821	2070
	18 x 48 Fold w/RemMod	VTTC 1848REFO RM	66	1570	2158	2406
	18 x 48 Fix w/FixLightweightFormMod	VTTC 1848REFX XL OR XLS	61	1232	1490	2070
	18 x 48 Fix w/RemLightweightFormMod	VTTC 1848REFX RL OR RLS	61	1232	1490	2070
	18 x 48 Fold w/RemLightweightFormMod	VTTC 1848REFO RL OR RLS	66	1570	1824	2406
	18 x 48 Fix w/FixFormMod	VTTC 1848REFX XF OR XFS	71	1445	1701	2281
	18 x 60 Fix w/FixMod	VTTC 1860REFX XM	72	1273	1862	2315
	18 x 60 Fix w/RemMod	VTTC 1860REFX RM	72	1308	1894	2349
	18 x 60 Fold w/RemMod	VTTC 1860REFD RM	77	1644	2234	2688
	18 x 60 Fix w/FixLightweightFormMod	VTTC 1860REFX XL OR XLS	71	1308	1601	2349
	18 x 60 Fix w/RemLightweightFormMod	VTTC 1860REFX RL OR RLS	71	1308	1601	2349
	18 x 60 Fold w/RemLightweightFormMod	VTTC 1860REFD RL OR RLS	76	1644	1939	2688
	18 x 60 Fix w/FixFormMod	VTTC 1860REFX XF OR XFS	84	1518	1814	2562
	18 x 72 Fix w/FixMod	VTTC 1872REFX XM	83	1380	2278	2598
	18 x 72 Fix w/RemMod	VTTC 1872REFX RM	83	1416	2314	2635
	18 x 72 Fold w/RemMod	VTTC 1872REFD RM	88	1751	2651	2971
	18 x 72 Fix w/FixLightweightFormMod	VTTC 1872REFX XL OR XLS	84	1416	1770	2635
	18 x 72 Fix w/RemLightweightFormMod	VTTC 1872REFX RL OR RLS	84	1416	1770	2635
	18 x 72 Fold w/RemLightweightFormMod	VTTC 1872REFD RL OR RLS	89	1751	2107	2971
18 x 72 Fix w/FixFormMod	VTTC 1872REFX XF OR XFS	98	1568	1921	2787	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Assembled Folding TableBAF	\$ 62
Alternate Table Height 32" & UnderBAH	\$ 80
Alternate Table Height 32" & OverBSP	call
Adjustable Height - Pneumatic (Fix)BAT	\$ 999
Casters ● - Vela WheelCAS29	\$ 138
Mix - Vela Wheel Casters & GlidesBMV	\$ 131
Self-Leveling Glides ●GLD04	\$ 39
Stretcher Rail (Fix) Finish Same as Base.BTS	\$ 196

Finish Options		
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)TLK	\$ 204
Table Link (18" ends only)TLE	\$ 108
Lightweight Laminate Core (to 96" length)TLL	\$ 194
Special LaminateTSP	call
Custom Cutout (per cutout)TCC	\$ 97

Power & Data Options
 Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty MountWBM	\$ 78
Basket, Under Top MountWBT	\$ 78
Wire Mesh Legway (pair)WML_	\$ 166
1 Oval Brush Grommet - Location AWOA	\$ 78
1 Oval Brush Grommet - Provide Location PrintWOG	\$ 78
1 Round Grommet - Location AWRA	\$ 61
1 Round Grommet - Provide Location PrintWRG	\$ 61

Accessories		
CPU Holder (3" - 9" adjustment)ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment)ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment)ACPU3F	\$ 126
Table TransportATT3054	\$ 1511
Table Floor Mount Bracket SetAFB	\$ 45



Questions?

1.800.876.2120

Black = Fixed Bases

Red = Folding Bases

QS = Quickship Program Product

QS = Quickship Program Product

top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
	Flat 	Flat 	Bumper 	Ergo
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
	Fluted 	Fluted 	Reverse Bevel Acrylic 	PVC on remaining sides
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	
top thickness price >	1 1/4"	1 1/4"	1 1/4"	1 1/4"

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"
 TC	18 x 84 Fix w/FixMod	VTTC 1884REFX XM QS	94	1775	2867	3144
	18 x 84 Fix w/RemMod	VTTC 1884REFX RM QS	94	1803	2900	3173
	18 x 84 Fold w/RemMod	VTTC 1884REFD RM QS	99	2145	3234	3513
	18 x 90 Fix w/FixMod	VTTC 1890REFX XM QS	100	1877	3083	3627
	18 x 90 Fix w/RemMod	VTTC 1890REFX RM QS	100	1907	3114	3657
	18 x 90 Fold w/RemMod	VTTC 1890REFD RM QS	105	2243	3453	3996
	18 x 96 Fix w/FixMod	VTTC 1896REFX XM QS	105	1877	3083	3627
	18 x 96 Fix w/RemMod	VTTC 1896REFX RM QS	105	1907	3114	3657
	18 x 96 Fold w/RemMod	VTTC 1896REFD RM QS	110	2243	3453	3996

Note: The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Assembled Folding TableBAF	\$ 62
Alternate Table Height 32" & UnderBAH	\$ 80
Alternate Table Height 32" & OverBSP	call
Adjustable Height - Pneumatic (Fix)BAT	\$ 999
Self-Leveling Glides ●GLD04	\$ 39
Stretcher Rail (Fix) Finish Same as Base.....	.BTS	\$ 196

Finish Options		
Powder Coat - Standard.....		n/c
Powder Coat - Premium		\$ 133
Platinum.....		\$ 397

Top Options		
Table Link (all four sides)TLK	\$ 204
Table Link (18" ends only).....	.TLE	\$ 108
Lightweight Laminate Core (to 96" length).....	.TLL	\$ 194
Special LaminateTSP	call
Custom Cutout (per cutout)TCC	\$ 97

Power & Data Options
 Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty Mount.....	.WBM	\$ 78
Basket, Under Top Mount.....	.WBT	\$ 78
Wire Mesh Legway (pair).....	.WML_	\$ 166
1 Oval Brush Grommet - Location A.....	.WOA	\$ 78
1 Oval Brush Grommet - Provide Location Print ..	.WOG	\$ 78
1 Round Grommet - Location AWRA	\$ 61
1 Round Grommet - Provide Location Print.....	.WRG	\$ 61

Accessories		
CPU Holder (3" - 9" adjustment).....	.ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment).....	.ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment).....	.ACPU3F	\$ 126
Table TransportATT3054	\$ 1511
Table Floor Mount Bracket SetAFB	\$ 45



Questions?

1.800.876.2120

Black = Fixed Bases

Red = Folding Bases

= Overlapping Folding Bases

QS = Quickship Program Product

QS = Quickship Program Product

	top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
		Flat 	Flat 	Bumper 	Ergo
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
		Fluted 	Fluted 	Reverse Bevel Acrylic 	PVC on remaining sides
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	
	top thickness price >	1 1/4"	1 1/4"	1 1/4"	

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"
 TC	20 x 48 Fix w/FixMod	VTTC 2048REFX XM QS	65	1241	1918	2217
	20 x 48 Fix w/RemMod	VTTC 2048REFX RM QS	65	1276	1953	2253
	20 x 48 Fold w/RemMod	VTTC 2048REFO RM QS	69	1612	2289	2589
	20 x 48 Fix w/FixLightweightFormMod	VTTC 2048REFX XL OR XLS	65	1276	1621	2253
	20 x 48 Fix w/RemLightweightFormMod	VTTC 2048REFX RL OR RLS	65	1276	1621	2253
	20 x 48 Fold w/RemLightweightFormMod	VTTC 2048REFO RL OR RLS	69	1612	1957	2589
	20 x 48 Fix w/FixFormMod	VTTC 2048REFX XF OR XFS	75	1487	1835	2464
	20 x 60 Fix w/FixMod	VTTC 2060REFX XM QS	77	1305	1981	2465
	20 x 60 Fix w/RemMod	VTTC 2060REFX RM QS	77	1337	2015	2502
	20 x 60 Fold w/RemMod	VTTC 2060REFD RM QS	82	1675	2356	2838
	20 x 60 Fix w/FixLightweightFormMod	VTTC 2060REFX XL OR XLS	76	1337	1771	2502
	20 x 60 Fix w/RemLightweightFormMod	VTTC 2060REFX RL OR RLS	76	1337	1771	2502
	20 x 60 Fold w/RemLightweightFormMod	VTTC 2060REFD RL OR RLS	81	1675	2108	2838
	20 x 60 Fix w/FixFormMod	VTTC 2060REFX XF OR XFS	89	1549	1982	2713
	20 x 72 Fix w/FixMod	VTTC 2072REFX XM QS	89	1511	2523	2809
	20 x 72 Fix w/RemMod	VTTC 2072REFX RM QS	89	1544	2558	2841
	20 x 72 Fold w/RemMod	VTTC 2072REFD RM QS	94	1883	2898	3182
	20 x 72 Fix w/FixLightweightFormMod	VTTC 2072REFX XL OR XLS	90	1544	2014	2841
	20 x 72 Fix w/RemLightweightFormMod	VTTC 2072REFX RL OR RLS	90	1544	2014	2841
	20 x 72 Fold w/RemLightweightFormMod	VTTC 2072REFD RL OR RLS	95	1883	2355	3182
	20 x 72 Fix w/FixFormMod	VTTC 2072REFX XF OR XFS	104	1697	2169	2996
	20 x 84 Fix w/FixMod	VTTC 2084REFX XM QS	101	1866	3050	3401
	20 x 84 Fix w/RemMod	VTTC 2084REFX RM QS	101	1896	3080	3433
	20 x 84 Fold w/RemMod	VTTC 2084REFD RM QS	106	2234	3415	3769
	20 x 90 Fix w/FixMod	VTTC 2090REFX XM QS	107	2055	3329	3896
	20 x 90 Fix w/RemMod	VTTC 2090REFX RM QS	107	2088	3362	3925
	20 x 90 Fold w/RemMod	VTTC 2090REFD RM QS	112	2425	3696	4266
	20 x 96 Fix w/FixMod	VTTC 2096REFX XM QS	113	2055	3329	3896
20 x 96 Fix w/RemMod	VTTC 2096REFX RM QS	113	2088	3362	3925	
20 x 96 Fold w/RemMod	VTTC 2096REFD RM QS	118	2425	3696	4266	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Assembled Folding TableBAF	\$ 62
Alternate Table Height 32" & UnderBAH	\$ 80
Alternate Table Height 32" & OverBSP	call
Adjustable Height - Pneumatic (Fix)BAT	\$ 999
Casters - Vela Wheel (up to 72" only)CAS29	\$ 138
Mix - Vela Wheel Casters & Glides (up to 72" only)BMV	\$ 131
Self-Leveling Glides GLD04	\$ 39
Stretcher Rail (Fix) Finish Same as Base.BTS	\$ 196

Finish Options		
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)TLK	\$ 204
Table Link (20" ends only)TLE	\$ 108
Lightweight Laminate Core (to 96" length)TLL	\$ 194
Special LaminateTSP	call
Custom Cutout (per cutout)TCC	\$ 97

Power & Data Options
 Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty MountWBM	\$ 78
Basket, Under Top MountWBT	\$ 78
Wire Mesh Legway (pair)WML_	\$ 166
1 Oval Brush Grommet - Location AWOA	\$ 78
1 Oval Brush Grommet - Provide Location PrintWOG	\$ 78
1 Round Grommet - Location AWRA	\$ 61
1 Round Grommet - Provide Location PrintWRG	\$ 61

Accessories		
CPU Holder (3" - 9" adjustment)ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment)ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment)ACPU3F	\$ 126
Table TransportATT3054	\$ 1511
Table Floor Mount Bracket SetAFB	\$ 45



Questions?

1.800.876.2120

- Black = Fixed Bases
- Red = Folding Bases
- = Overlapping Folding Bases
- Blue = Tilt Bases
- = Quickship Program Product
- = Quickship Program Product
- = Quickship Program Product

top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
	Flat 	Flat 	Bumper 	Ergo
edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
	Fluted 	Fluted 	Reverse Bevel Acrylic 	PVC on remaining sides
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	
top thickness price >	1 1/4"	1 1/4"	1 1/4"	1 1/4"

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"
	24 x 48 Fix w/FixMod	VTTC 2448REFX XM	72	1241	1918	2217
	24 x 48 Fix w/RemMod	VTTC 2448REFX RM	72	1276	1953	2253
	24 x 48 Fold w/RemMod	VTTC 2448REFO RM	76	1612	2289	2589
	24 x 48 Tilt w/HangMod	VTTC 2448RETL HM	87	1548	2228	2525
	24 x 48 Tilt w/RemMod	VTTC 2448RETL RM	87	1548	2228	2525
	24 x 48 Fix w/FixLightweightFormMod	VTTC 2448REFX XL OR XLS	72	1276	1621	2253
	24 x 48 Fix w/RemLightweightFormMod	VTTC 2448REFX RL OR RLS	72	1276	1621	2253
	24 x 48 Fold w/RemLightweightFormMod	VTTC 2448REFO RL OR RLS	76	1612	1957	2589
	24 x 48 Tilt w/RemLightweightFormMod	VTTC 2448RETL RL OR RLS	87	1548	1894	2525
	24 x 48 Fix w/FixFormMod	VTTC 2448REFX XF OR XFS	82	1487	1835	2464
	24 x 60 Fix w/FixMod	VTTC 2460REFX XM	85	1305	1981	2465
	24 x 60 Fix w/RemMod	VTTC 2460REFX RM	85	1337	2015	2502
	24 x 60 Fold w/RemMod	VTTC 2460REFD RM	90	1675	2356	2838
	24 x 60 Fold w/FoldMod	VTTC 2460REFD FM	90	1742	2421	2904
	24 x 60 Tilt w/HangMod	VTTC 2460RETL HM	100	1613	2292	2775
	24 x 60 Tilt w/RemMod	VTTC 2460RETL RM	100	1613	2292	2775
	24 x 60 Fix w/FixLightweightFormMod	VTTC 2460REFX XL OR XLS	84	1337	1771	2502
	24 x 60 Fix w/RemLightweightFormMod	VTTC 2460REFX RL OR RLS	84	1337	1771	2502
	24 x 60 Fold w/RemLightweightFormMod	VTTC 2460REFD RL OR RLS	89	1675	2108	2838
	24 x 60 Tilt w/RemLightweightFormMod	VTTC 2460RETL RL OR RLS	99	1613	2047	2775
24 x 60 Fix w/FixFormMod	VTTC 2460REFX XF OR XFS	97	1549	1982	2713	
24 x 60 Fold w/FoldFormMod	VTTC 2460REFD FF OR FFS	102	1887	2323	3051	
24 x 72 Fix w/FixMod	VTTC 2472REFX XM	99	1511	2523	2809	
24 x 72 Fix w/RemMod	VTTC 2472REFX RM	99	1544	2558	2841	
24 x 72 Fold w/RemMod	VTTC 2472REFD RM	104	1883	2898	3182	
24 x 72 Tilt w/HangMod	VTTC 2472RETL HM	114	1821	2835	3121	
24 x 72 Tilt w/RemMod	VTTC 2472RETL RM	114	1821	2835	3121	
24 x 72 Fix w/FixLightweightFormMod	VTTC 2472REFX XL OR XLS	99	1544	2014	2841	
24 x 72 Fix w/RemLightweightFormMod	VTTC 2472REFX RL OR RLS	99	1544	2014	2841	
24 x 72 Fold w/RemLightweightFormMod	VTTC 2472REFD RL OR RLS	104	1883	2355	3182	
24 x 72 Tilt w/RemLightweightFormMod	VTTC 2472RETL RL OR RLS	114	1821	2292	3121	
24 x 72 Fix w/FixFormMod	VTTC 2472REFX XF OR XFS	114	1697	2169	2996	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Assembled Folding TableBAF	\$ 62
Alternate Table Height 32" & UnderBAH	\$ 80
Alternate Table Height 32" & OverBSP	call
Adjustable Height - Pneumatic (Fix/Tilt)BAT	\$ 999
Casters ● - Vela WheelCAS29	\$ 138
Mix - Vela Wheel Casters & GlidesBMV	\$ 131
Self-Leveling Glides ●GLD04	\$ 39
Stretcher Rail (Fix/Tilt) Finish Same as BaseBTS	\$ 196

Finish Options		
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)TLK	\$ 204
Table Link (24" ends only)TLE	\$ 108
Lightweight Laminate Core (to 96" length)TLL	\$ 194
Special LaminateTSP	call
Custom Cutout (per cutout)TCC	\$ 97
Laptop Locker (each)TLA	\$ 1120
(available on fixed tables only, see page 36 in All Tables Price List for additional information)		
Electronic Lock (per locker)TLEL	\$ 292
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lockTLPU	\$ 461

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty MountWBM	\$ 78
Basket, Under Top MountWBT	\$ 78
Wire Mesh Legway (pair)WML_	\$ 166
1 Oval Brush Grommet - Location AWOA	\$ 78
2 Oval Brush Grommets - Location EWOE	\$ 156
1 Oval Brush Grommet - Provide Location PrintWOG	\$ 78
1 Round Grommet - Location AWRA	\$ 61
2 Round Grommets - Location EWRE	\$ 122
1 Round Grommet - Provide Location PrintWRG	\$ 61

Accessories		
Keyboard Platform w/Mouse SurfaceAKP27M	\$ 618
CPU Holder (3" - 9" adjustment)ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment)ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment)ACPU3F	\$ 126
Table TransportATT3054	\$ 1511
Table Floor Mount Bracket SetAFB	\$ 45



Questions?

1.800.876.2120

Black = Fixed Bases

Red = Folding Bases

Blue = Tilt Bases

QS = Quickship Program Product

QS = Quickship Program Product

QS = Quickship Program Product

	top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
		Flat 	Flat 	Bumper 	Ergo
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
		Fluted 	Fluted 	Reverse Bevel Acrylic 	
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	PVC on remaining sides
	top thickness price >	1 1/4"	1 1/4"	1 1/4"	1 1/4"

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"
 TC	24 x 84 Fix w/FixMod	VTTC 2484REFX XM QS	112	1866	3050	3401
	24 x 84 Fix w/RemMod	VTTC 2484REFX RM QS	112	1896	3080	3433
	24 x 84 Fold w/RemMod	VTTC 2484REFD RM QS	117	2234	3415	3769
	24 x 84 Tilt w/HangMod	VTTC 2484RETL HM QS	127	2173	3355	3710
	24 x 84 Tilt w/RemMod	VTTC 2484RETL RM QS	127	2173	3355	3710
	24 x 90 Fix w/FixMod	VTTC 2490REFX XM QS	120	2055	3329	3896
	24 x 90 Fix w/RemMod	VTTC 2490REFX RM QS	120	2088	3362	3925
	24 x 90 Fold w/RemMod	VTTC 2490REFD RM QS	125	2425	3696	4266
	24 x 90 Tilt w/HangMod	VTTC 2490RETL HM QS	135	2363	3636	4200
	24 x 90 Tilt w/RemMod	VTTC 2490RETL RM QS	135	2363	3636	4200
	24 x 96 Fix w/FixMod	VTTC 2496REFX XM QS	126	2055	3329	3896
	24 x 96 Fix w/RemMod	VTTC 2496REFX RM QS	126	2088	3362	3925
	24 x 96 Fold w/RemMod	VTTC 2496REFD RM QS	131	2425	3696	4266
	24 x 96 Tilt w/HangMod	VTTC 2496RETL HM QS	141	2363	3636	4200
	24 x 96 Tilt w/RemMod	VTTC 2496RETL RM QS	141	2363	3636	4200

Note: The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Assembled Folding TableBAF	\$ 62
Alternate Table Height 32" & UnderBAH	\$ 80
Alternate Table Height 32" & OverBSP	call
Adjustable Height - Pneumatic (Fix/Tilt)BAT	\$ 999
Self-Leveling Glides GLD04	\$ 39
Stretcher Rail (Fix/Tilt) Finish Same as BaseBTS	\$ 196

Finish Options		
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)TLK	\$ 204
Table Link (24" ends only)TLE	\$ 108
Lightweight Laminate Core (to 96" length)TLL	\$ 194
Special LaminateTSP	call
Custom Cutout (per cutout)TCC	\$ 97
Laptop Locker (each)TLA	\$ 1120
(available on fixed tables only, see page 36 in All Tables Price List for additional information)		
Electronic Lock (per locker)TLEL	\$ 292
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lockTLPU	\$ 461

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty MountWBM	\$ 78
Basket, Under Top MountWBT	\$ 78
Wire Mesh Legway (pair)WML_	\$ 166
1 Oval Brush Grommet - Location AWOA	\$ 78
2 Oval Brush Grommets - Location EWOE	\$ 156
1 Oval Brush Grommet - Provide Location PrintWOG	\$ 78
1 Round Grommet - Location AWRA	\$ 61
2 Round Grommets - Location EWRE	\$ 122
1 Round Grommet - Provide Location PrintWRG	\$ 61

Accessories		
Keyboard Platform w/Mouse SurfaceAKP27M	\$ 618
CPU Holder (3" - 9" adjustment)ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment)ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment)ACPU3F	\$ 126
Table TransportATT3054	\$ 1511
Table Floor Mount Bracket SetAFB	\$ 45



Questions?

1.800.876.2120

Black = Fixed Bases

Red = Folding Bases

= Overlapping Folding Bases

Blue = Tilt Bases

= Quickship Program Product

= Quickship Program Product

= Quickship Program Product

	top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
		Flat 	Flat 	Bumper 	Ergo
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
		Fluted 	Fluted 	Reverse Bevel Acrylic 	
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	PVC on remaining sides
	top thickness price >	1 1/4"	1 1/4"	1 1/4"	

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"
	TC 30 x 48 Fix w/FixMod	VTTC 3048REFX XM QS	86	1335	2046	2402
	30 x 48 Fix w/RemMod	VTTC 3048REFX RM QS	86	1372	2078	2439
	30 x 48 Fold w/RemMod	VTTC 3048REFO RM QS	85	1708	2418	2775
	30 x 48 Tilt w/FoldMod	VTTC 3048RETL FM QS	101	1713	2423	2778
	30 x 48 Tilt w/HangMod	VTTC 3048RETL HM QS	101	1645	2357	2716
	30 x 48 Tilt w/RemMod	VTTC 3048RETL RM QS	101	1645	2357	2716
	30 x 48 Fix w/FixLightweightForm Mod	VTTC 3048REFX XL OR XLS	85	1372	1733	2439
	30 x 48 Fix w/RemLightweightFormMod	VTTC 3048REFX RL OR RLS	85	1372	1733	2439
	30 x 48 Fold w/RemLightweightFormMod	VTTC 3048REFO RL OR RLS	85	1708	2070	2775
	30 x 48 Tilt w/RemLightweightFormMod	VTTC 3048RETL RL OR RLS	100	1645	2007	2716
	30 x 48 Fix w/FixFormMod	VTTC 3048REFX XF OR XFS	96	1581	1943	2650
	30 x 48 Tilt w/FoldFormMod	VTTC 3048RETL FF OR FFS	111	1859	2220	2926
	30 x 60 Fix w/FixMod	VTTC 3060REFX XM QS	101	1397	2107	2669
	30 x 60 Fix w/RemMod	VTTC 3060REFX RM QS	101	1433	2144	2702
	30 x 60 Fold w/RemMod	VTTC 3060REFD RM QS	106	1770	2478	3040
	30 x 60 Fold w/FoldMod	VTTC 3060REFD FM QS	106	1838	2545	3105
	30 x 60 Tilt w/FoldMod	VTTC 3060RETL FM QS	116	1776	2486	3048
	30 x 60 Tilt w/HangMod	VTTC 3060RETL HM QS	116	1709	2420	2980
	30 x 60 Tilt w/RemMod	VTTC 3060RETL RM QS	116	1709	2420	2980
	30 x 60 Fix w/FixLightweightFormMod	VTTC 3060REFX XL OR XLS	101	1433	1895	2702
30 x 60 Fix w/RemLightweightFormMod	VTTC 3060REFX RL OR RLS	101	1433	1895	2702	
30 x 60 Fold w/RemLightweightFormMod	VTTC 3060REFD RL OR RLS	106	1770	2234	3040	
30 x 60 Tilt w/RemLightweightFormMod	VTTC 3060RETL RL OR RLS	116	1709	2174	2980	
30 x 60 Fix w/FixFormMod	VTTC 3060REFX XF OR XFS	113	1644	2108	2916	
30 x 60 Fold w/FoldFormMod	VTTC 3060REFD FF OR FFS	118	1981	2445	3251	
30 x 60 Tilt w/FoldFormMod	VTTC 3060RETL FF OR FFS	128	1921	2384	3191	

Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. Contact customer service if you have specific application concerns or questions.

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Assembled Folding TableBAF	\$ 62
Alternate Table Height 32" & UnderBAH	\$ 80
Alternate Table Height 32" & OverBSP	call
Adjustable Height - Pneumatic (Fix/Tilt).BAT	\$ 999
Casters - Vela WheelCAS29	\$ 138
Mix - Vela Wheel Casters & GlidesBMV	\$ 131
Self-Leveling Glides GLD04	\$ 39
Stretcher Rail (Fix/Tilt) Finish Same as BaseBTS	\$ 196

Finish Options		
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)TLK	\$ 204
Table Link (30" ends only).TLE	\$ 108
Lightweight Laminate Core (to 96" length).TLL	\$ 194
Special LaminateTSP	call
Custom Cutout (per cutout)TCC	\$ 97
Laptop Locker (each).TLA	\$ 1120
(available on fixed tables only, see page 36 in All Tables Price List for additional information)		
Electronic Lock (per locker)TLEL	\$ 292
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lockTLPU	\$ 461

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty MountWBM	\$ 78
Basket, Under Top MountWBT	\$ 78
Wire Mesh Legway (pair).WML_	\$ 166
1 Oval Brush Grommet - Location A.WOA	\$ 78
2 Oval Brush Grommets - Location E.WOE	\$ 156
1 Oval Brush Grommet - Provide Location PrintWOG	\$ 78
1 Round Grommet - Location AWRA	\$ 61
2 Round Grommets - Location E.WRE	\$ 122
1 Round Grommet - Provide Location PrintWRG	\$ 61

Accessories		
Keyboard Platform w/Mouse SurfaceAKP27M	\$ 618
CPU Holder (3" - 9" adjustment).ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment).ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment).ACPU3F	\$ 126
Table TransportATT3054	\$ 1511
Table Floor Mount Bracket SetAFB	\$ 45



Questions?

1.800.876.2120

- Black = Fixed Bases
- Red = Folding Bases
- Blue = Tilt Bases
- ≡QS = Quickship Program Product
- ≡OS = Quickship Program Product
- ≡QS = Quickship Program Product

	top > edge >	Laminate PVC	Laminate Wood	Laminate Soft PVC	Laminate Urethane/PVC (user side only)
		Flat 	Flat 	Bumper 	Ergo
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LB2R 1 1/4"	LUPE2R or LUPE2S 1 1/4"
		Fluted 	Fluted 	Reverse Bevel Acrylic 	PVC on remaining sides
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	
	top thickness price >	1 1/4"	1 1/4"	1 1/4"	

Base Style	Table Description	Model #	Product Wt	1 1/4"	1 1/4"	1 1/4"
	TC 30 x 72 Fix w/FixMod	VTTC 3072REFX XM ≡QS	118	1544	2636	3030
	30 x 72 Fix w/RemMod	VTTC 3072REFX RM ≡QS	118	1580	2672	3064
	30 x 72 Fold w/RemMod	VTTC 3072REFD RM ≡QS	123	1916	3007	3401
	30 x 72 Tilt w/FoldMod	VTTC 3072RETL FM ≡QS	133	1918	3008	3402
	30 x 72 Tilt w/HangMod	VTTC 3072RETL HM ≡QS	133	1856	2948	3341
	30 x 72 Tilt w/RemMod	VTTC 3072RETL RM ≡QS	133	1856	2948	3341
	30 x 72 Fix w/FixLightweightFormMod	VTTC 3072REFX XL OR XLS	118	1580	2129	3064
	30 x 72 Fix w/RemLightweightFormMod	VTTC 3072REFX RL OR RLS	118	1580	2129	3064
	30 x 72 Fold w/RemLightweightFormMod	VTTC 3072REFD RL OR RLS	123	1916	2464	3401
	30 x 72 Tilt w/RemLightweightFormMod	VTTC 3072RETL RL OR RLS	133	1856	2402	3341
	30 x 72 Fix w/FixFormMod	VTTC 3072REFX XF OR XFS	132	1734	2280	3218
	30 x 72 Tilt w/FoldFormMod	VTTC 3072RETL FF OR FFS	147	2007	2554	3493
	30 x 84 Fix w/FixMod	VTTC 3084REFX XM ≡QS	133	1918	3209	3622
	30 x 84 Fix w/RemMod	VTTC 3084REFX RM ≡QS	133	1950	3241	3653
	30 x 84 Fold w/RemMod	VTTC 3084REFD RM ≡QS	138	2284	3579	3990
	30 x 84 Tilt w/FoldMod	VTTC 3084RETL FM ≡QS	148	2314	3604	4017
	30 x 84 Tilt w/HangMod	VTTC 3084RETL HM ≡QS	148	2226	3515	3927
	30 x 84 Tilt w/RemMod	VTTC 3084RETL RM ≡QS	148	2226	3515	3927
	30 x 90 Fix w/FixMod	VTTC 3090REFX XM ≡QS	142	2083	3501	4151
	30 x 90 Fix w/RemMod	VTTC 3090REFX RM ≡QS	142	2113	3534	4181
	30 x 90 Fold w/RemMod	VTTC 3090REFD RM ≡QS	147	2450	3871	4514
	30 x 90 Tilt w/FoldMod	VTTC 3090RETL FM ≡QS	157	2476	3896	4543
	30 x 90 Tilt w/HangMod	VTTC 3090RETL HM ≡QS	157	2388	3808	4454
	30 x 90 Tilt w/RemMod	VTTC 3090RETL RM ≡QS	157	2388	3808	4454
Note: Training tables are often used with lightweight computer accessories. For heavy duty applications, such as large scale computer equipment, multiple monitor mounts, etc., Versteel suggests adding a third leg or stretcher. The price of the 84", 90" and 96" models include a stretcher rail required for additional support. Contact customer service if you have specific application concerns or questions.	30 x 96 Fix w/FixMod	VTTC 3096REFX XM ≡QS	150	2083	3501	4151
	30 x 96 Fix w/RemMod	VTTC 3096REFX RM ≡QS	150	2113	3534	4181
	30 x 96 Fold w/RemMod	VTTC 3096REFD RM ≡QS	155	2450	3871	4514
	30 x 96 Tilt w/FoldMod	VTTC 3096RETL FM ≡QS	165	2476	3896	4543
	30 x 96 Tilt w/HangMod	VTTC 3096RETL HM ≡QS	165	2388	3808	4454
	30 x 96 Tilt w/RemMod	VTTC 3096RETL RM ≡QS	165	2388	3808	4454

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Base Options	Code	Price
Assembled Folding TableBAF	\$ 62
Alternate Table Height 32" & UnderBAH	\$ 80
Alternate Table Height 32" & OverBSP	call
Adjustable Height - Pneumatic (Fix/Tilt)BAT	\$ 999
Casters - Vela Wheel (72" only)CAS29	\$ 138
Mix - Vela Wheel Casters & Glides (72" only)BMV	\$ 131
Self-Leveling Glides GLD04	\$ 39
Stretcher Rail (Fix/Tilt) Finish Same as BaseBTS	\$ 196

Finish Options		
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 133
Platinum		\$ 397

Top Options		
Table Link (all four sides)TLK	\$ 204
Table Link (30" ends only)TLE	\$ 108
Lightweight Laminate Core (to 96" length)TLL	\$ 194
Special LaminateTSP	call
Custom Cutout (per cutout)TCC	\$ 97
Laptop Locker (each)TLA	\$ 1120
(available on fixed tables only, see page 36 in All Tables Price List for additional information)		
Electronic Lock (per locker)TLEL	\$ 292
Power Unit (up to 10 lockers sequenced, includes 1 key) - required for electronic lockTLPU	\$ 461

Power & Data Options
Please reference the Power & Data section (page 40) or the Power & Data Price List

Wire Management Options		
Basket, Modesty MountWBM	\$ 78
Basket, Under Top MountWBT	\$ 78
Wire Mesh Legway (pair)WML_	\$ 166
1 Oval Brush Grommet - Location AWOA	\$ 78
2 Oval Brush Grommets - Location EWOE	\$ 156
1 Oval Brush Grommet - Provide Location PrintWOG	\$ 78
1 Round Grommet - Location AWRA	\$ 61
2 Round Grommets - Location EWRE	\$ 122
1 Round Grommet - Provide Location PrintWRG	\$ 61

Accessories		
Keyboard Platform w/Mouse SurfaceAKP27M	\$ 618
CPU Holder (3" - 9" adjustment)ACPU3-9F	\$ 192
CPU Holder (5" - 8" adjustment)ACPU5-8F	\$ 126
CPU Holder (3" - 5" adjustment)ACPU3F	\$ 126
Table TransportATT3054	\$ 1511
Table Floor Mount Bracket SetAFB	\$ 45

The Versteel seating, tables, casegoods and components listed in this catalog may be covered in whole or in part by the following active or pending patents and other patents pending in the United States or Canada:

U.S. Active or Pending Patents: RE 38,709; 6,722,735; 6,935,690; 7,509,914; 7,794,016; 7,849,804; 7,850,241; 8,122,837; 8,297,208; 8,833,272; 8,869,715; 10,213,015; 09/835,357; 11/369,393; 11/385,207; 11/533,400; 12/112,093; 9800037; 15/188634; 15/958263.

U.S. Design Patent: D412,256; D612,164; D626,767; D653,866; D653,886; D654,282; D786591; D792718; D862,102; D866,075; 29/594797.

Canada Active or Pending Patent: 143,997; 143,998; 146,793; 2,345,603; 2,579,494; 2,600,629; 2,707,148; 2,731,261; 2,760,476; 2,922,333.

Canadian Design Patent: 166383; 2933798; 176530.

Trademarks TM ©

Versteel and the Versteel logo are registered trademarks of Ditto Sales, Inc. dba Versteel in the United States, United Kingdom and Canada. Other registered trademarks of Versteel include: Aerie, Airfoil, Arvo, Brattice, Cable Coil, Chela and Chela designs, Companion, Curvare, Elements Conference, Elly, Entourage, Equip, GeoMetrix, Henri, Immix, Interplay, Kompis, Looksee, Model 8, ODIS, OH!, Ollie, Paces, Performance, Power Bay, Powerlink, Quanta, Rover, Rover Coaster, Rover Computer, Rover Daddy, Rover Utility, Sate, Seating in Motion, SIMON, Socius, Studio Steel, Tables in Motion, The Maker Project, Thea, TIM, TOD, Training on Demand, Troupe, Tuscany, Uno, Vela, Versteel seating logo, Versteel table logo, Wavelink and Wavelink logo, Wordplay, Zayn, Zuri.

Third Party Marks



The Intertek Green Leaf VOC/VOC+ Certifications test to the ANSI/BIFMA X7.1 Standard.



All standard Versteel products are ANSI/BIFMA level[®]2 certified. level[®] is a registered trademark used under license through BIFMA.



Manufacturer certifies that products meet or exceed applicable ANSI/BIFMA standards and testing.

For further information about any Versteel product, please visit our website or contact a Versteel Customer Service Representative at 800.876.2120 or 812.634.2120.

All other trademarks and registered trademarks are the property of their respective owners.

Any rights not expressly granted herein are reserved.

All prices are delivered list price effective with date printed on cover and supersedes all other published price lists. Versteel reserves the right to change prices or specifications without prior notice. Orders are accepted subject to price prevailing at time of shipment.

versteel.com
Made in America
800 876 2120