
Price List

JUMP TO PRICING CLICK HERE



OH!

Specifications



Specifications

Available in Polished Aluminum or any standard powder coat finish, OH! legs, back supports and connectors are one piece cast aluminum, polished to a high-gloss sheen. Seats are machined 1" plywood with a multi-layered construction high density polyurethane molded foam cushion. Backs are molded .75" plywood with a multi-layered construction high density polyurethane foam cushion. Seats and backs are top stitched with single side seams. Laminate or veneer table top surfaces are 1" particle board, Corian® table tops are 1" thick.

NOTE TRANSPARENT POWDER COAT FINISHES ARE NOT AVAILABLE

Features

Since there is no contact between upholstered surfaces, OH! is very easy to clean and more hygienic. The 24" diameter seats appeal to multiple sitting styles and body shapes. Modular construction allows for unlimited configuration options. Under mount power option is available in addition to integrated wire management across the connector.

Laminate and Veneer, Standard Core Construction

The standard top construction consists of 45-50 lb particleboard, surfaced with a high pressure laminate or veneer face. A backer sheet is laminated to the under side of the top. Tops are shipped predrilled for field installation of bases and accessories.

Corian® Construction

Tops are 1" thick Corian® fabricated by bonding two .5" thick sheets together and machining them to size. The underside is bored to allow pressing in metal screw inserts for field installation of the legs and/or connectors.

PVC Flat Edge



Edge of 2mm PVC hot melt banded to the 1" top with $\mbox{\ensuremath{\mbox{\sc l}}}$ " radius at the top and bottom.

Offered in twenty-one (21) standard colors.

Wood Flat Edge



Wood banding hot melt banded to the 1" top with % "radius at the top and bottom.

Offered in Ash, Cherry, Maple or Walnut materials.

Corian® Eased Square Edge



A traditional 1" flat edge with a small radius where horizontal surfaces meet vertical for comfort and a softened aesthetic.

Offered in twelve (10) standard colors.

Quickship Program

Available for select products in the Companion series, see pricing pages.

The Versteel Quickship Program consists of up to 50 tables, 25 tables with modesty panels or 100 chairs in 10 working days from time of order (received by 12pm EST). Orders must be accompanied by final material and finish specifications for order entry. They must be clearly marked "Quickship" and consist of products from the program. Quickship orders cannot be changed or cancelled, and credit approval must be acquired within 24 hours.

For additional information see Versteel.com.

Shipping Schedule

Upholstered Items 4-5 WEEKS
Laminate, PVC Edge 4-5 WEEKS
Laminate, Wood Edge 4-5 WEEKS
Veneer, Wood Edge 6-8 WEEKS
Quickship Products 10 WORKING DAYS

Contact Versteel Customer Service for special lead time requests.

NOTE ORDERS WITH COM UPHOLSTERY WILL BE SCHEDULED UPON RECEIPT OF COM UPHOLSTERY YARDAGE

NOTE OH! SHIPS DISASSEMBLED AND REQUIRES ASSEMBLY

BIFMA

All Versteel products are constructed to pass the relevant ANSI/BIFMA standards. For more detailed specifications by series and base style, contact Versteel Customer Service at 800.876.2120.

Additional information regarding warranty, terms and conditions, shipping, care and maintenance, etc. can be found in the All Seating price list.

Standard Versteel Upholstery

Standard Versteel Upholstery offers a range of materials, from fabrics in a variety of colors and textures to vinyl for soil resistance. Please refer to Versteel's fabric cards or the "Materials + Finishes" section of our website for reference information.

Grade-in Upholstery

Versteel has coordinated with upholstery manufacturers to simplify your order process. Many of the manufacturers' offerings have been pre-approved for application on Versteel Seating.

Contact Versteel Customer Service with your selected fabric choice to be graded in. They will supply you with the appropriate grade-in designator. On your purchase order, complete the information with the pattern name, color description and grade-in designator, and Versteel will take it from there.

Customer's Own Material

Customer's Own Materials (COM's) are not an issue on OH!. Many COM's are pre-approved for application on Versteel Seating. Call Versteel Customer Service with your COM selection to determine if it has been pre-approved. If your selection has not been pre-approved, reference the "Receiving COM Approval" section below.

Receiving COM Approval

Not all materials are suitable for upholstery on OH!. A 12" X 12" memo sample must be supplied for approval before a COM material is accepted for an order. If the material is directional in pattern or weave, the pattern repeat (in inches) in both directions or the weave direction must be supplied.

Excess COM

Versteel will not store excess COM for more than 30 days after the order has been completed. If excess material is to be returned after order completion, send the request to Versteel Customer Service prior to acknowledge ship date. It is the customer's responsibility to arrange for the return of the material "freight collect."

Seat Accent Fabric

COM Requiring Application Test

If an application test is required for your selectred COM, send test sample material along with the following:

- · Name and return address
- Chair model selected
- Sketch showing special requirements for the positioning of the material's pattern on the chair seat and chair back, if special considerations are required.

Ship COM to:

Versteel 2332 Cathy Lane Jasper, IN 47546

COM must be shipped to the factory with transportation costs "prepaid." If material is considered defective or unusable, it will be returned "transportation collect."


For standard lead time orders, tag fabric with purchase order number and identify with project number if possible.

Application of Directional Fabrics


Due to the upholstering process, some fabrics not considered directional by the supplier may be considered directional by Versteel.

All COM's for OH! are railroaded unless otherwise directed by the customer (see illustration below).

EXAMPLE PATTERN CUT RAILROADED



If special cutting or upholstery application is required, you must indicate requirement at time of order entry.



OH! COM Yardage Requirements

COM yardage requirements are calculated based on a material width of 54" and a repeat of 2" or less. For material less than 54" wide, contact Versteel for yardage requirements. Use the chart below as a guide to calculate your COM yardage. For quantities greater than 10, contact Versteel Customer Service for calculation of COM yardage by chair model.

NOTE THIS CHART IS NOT APPLICABLE FOR MULTIPLE FABRICS ON ONE UNIT. CONTACT VERSTEEL CUSTOMER SERVICE FOR YARDAGE REQUIREMENTS WHEN SPECIFYING MULTIPLE FABRICS.

Quantity of Units	1	2	3	4	5	6	7	8	9	10
Freestanding (without back)										
OH24	2.5	2.5	3.0	3.0	4.0	5.5	5.5	6.5	7.5	8.0
OH2451	2.5	3.0	5.5	6.5	8.0	8.0	10.5	13.0	14.0	14.5
OH2478	3.0	5.5	7.5	8.0	10.5	14.0	14.5	16.5	20.0	20.5
Franchanding (with book)										
Freestanding (with back) OH24B	3.0	4.5	5.0	8.0	8.5	11.0	12.5	16.0	18.5	20.0
	3.0	8.0	11.0	16.0	20.0				31.5	
OH2451B						22.0	24.0	27.0		33.0
OH2478B	5.5	11.0	18.5	22.0	26.0	31.5	35.0	38.0	43.0	48.0
Freestanding Ottoman										
OH36O	2.5	3.5	4.5	5.5	8.0					
OH480	3.0	5.0	7.5	9.0	12.0					
Configurable (without back)										
OH24ER	2.5	2.5	3.0	3.0	4.0	5.5	5.5	6.5	7.5	8.0
OH24EL	2.5	2.5	3.0	3.0	4.0	5.5	5.5	6.5	7.5	8.0
OH24LR	2.5	2.5	3.0	3.0	4.0	5.5	5.5	6.5	7.5	8.0
OH24LL	2.5	2.5	3.0	3.0	4.0	5.5	5.5	6.5	7.5	8.0
OH24LD	2.5	2.5	3.0	3.0	4.0	5.5	5.5	6.5	7.5	8.0
Configurable (with back)										
OH24ERB	3.0	4.5	5.0	8.0	8.5	11.0	12.5	16.0	18.5	20.0
OH24ELB	3.0	4.5	5.0	8.0	8.5	11.0	12.5	16.0	18.5	20.0
OH24LRB	3.0	4.5	5.0	8.0	8.5	11.0	12.5	16.0	18.5	20.0
OH24LLB	3.0	4.5	5.0	8.0	8.5	11.0	12.5	16.0	18.5	20.0
OH24LDB	3.0	4.5	5.0	8.0	8.5	11.0	12.5	16.0	18.5	20.0

Patterned COM Additional Yardage Guide

Use the guide below to aid in ordering the appropriate COM fabric when needing to match a pattern with a repeat. To use this guide, add the vertical and horizontal repeats together (e.g. a 5" vertical repeat plus an 11" horizontal repeat gives a 16" total). Then find the appropriate entry on the chart, and increase the yardage estimate by the percentage indicated.

For example: The yardage estimate is 8 yards of 54" wide fabric and the pattern has a repeat of 11" horizontal and 5" vertical. Add up the repeats (11" + 5" = 16") and find the appropriate entry - 15% in this example. Fifteen percent more fabric is required to match the pattern. 8 yards plus an extra 15% is 9.2 yards.

Decorative Patterns

Yardage requirements are greatly affected by the size of the repeat and the print or pattern of the material. Versteel cuts all seating patterns with aesthetic concerns in mind for high quality and consistency. Refer to the COM listing for the yardage required for pattern repeat.

Repeats and Striped Fabrics

The geometry of curved products prevents repeats and stripes from matching at the seams.

NOTE CALIFORNIA TECHNICAL BULLETIN 133 (CAL 133) COMPLIANCE HAS BEEN ESTABLISHED THROUGH THIRD-PARTY TESTING OF THE PRODUCTS. ALL CHAIRS THAT MEET CAL 133 STANDARDS WILL HAVE A LABEL ATTACHED TO THE UNDERSIDE OF THE SEAT TO MAINTAIN COMPLIANCE, THE LABEL MUST NOT BE REMOVED FROM THE PRODUCT.

Fabric Width	Plain Fabric	3" - 14" Repeat	15" - 19" Repeat	20" - 27" Repeat	28" - 36" Repeat	37" - 45" Repeat	46" - 54" Repeat
54"	0%	10%	15%	20%	25%	30%	35%
50" - 52"	10%	20%	25%	30%	35%	40%	45%

Planning

Configure

Utilizing basic components (a single leg, seat, back and connector) of polished, cast aluminum, OH! is simplistic in its approach to modularity. Legs are positioned for strength and stability while connectors are used to organize the seats into configurations. By using the connector, a set distance is established between individual seats to create personal space. Plush seats, along with a curved ergonomic back option, allow users to position their bodies without interfering with their neighbors. This ensures that everyone can find their own comfort solution. Seats are generously sized and proportioned.

Because the circle is the basis for the seating series it is possible to create an infinite number of configurations, as the designer is no longer bound by a corner. Typical OH! configurations include L, T, X and Y as well as unlimited numbers of runs, arcs and serpentines.

The use of the circle eliminates any sidedness to backless configurations. The addition of a back can be used to guide users to approach sides.

Tables

Tables can be inserted at any point of any configuration for optimum flexibility.

Upholstery

Upholstery may be specified in monochromatic (single textile choice) or contrasting applications (different textiles on different parts). No contact between upholstery surfaces makes for an easy to clean and more hygienic product.



Power


The Twine corded system offers mounted, and below-surface power and USB to multiple users in a range of settings. With just one infeed, this system can power up to six (6) Mini-Tap units.

Mini-Tap power can be added to any seat as an undermount option, or to any 24" diameter table as an integrated or undermount option.

Wires seamlessly run between seats via a concealed channel located on the underside of the connector.

Additional power and data can be added to any seat as an undermount option, or any table as an integrated or undermount option.





A. 15-Degree Arc B. 7.5-Degree Arc C. Combination Arc Serpentine

Large Configurations

Versteel will help with your configuration if you have concerns. Simply call Customer Service and provide the dimensions of your space and the type of configuration you desire. Like any other space planning, it is helpful to know where the power and data sources are, as well as windows, doors, any other obstructions and proposed traffic patterns.

All configurations are priced with powder coat frames and Grade 2/COM fabric. Tops are priced with standard laminate and PVC edges.



L Configuration

- (1) OH18RDER
- (2) OH24LRB
- (1) OH18RDLD
- (2) OH24LLB
- (1) OHI8RDEL

Total List: \$8,498



Serpentine Configuration

- (1) OH24ER
- (1) OH24LLB
- (1) OH18RDLD
- (2) OH24LLB
- (1) OH18RDLL
- (i) OH24LL
- (1) OH18RDEL

Total List: \$8,692

Large Configurations



X Configuration (2) OH18RDER (3) OH24LL (1) OH18RDLD (3) OH24LR (2) OH26RDER

- (2) OH18RDEL (2) OH24LD

Total List: \$10,890



T Configuration (1) OH18RDER (2) OH24LRB

- (1) OH18RDLD
- (2) OH24LLB
- (1) OH18RDEL (1) OH24LD (1) OH24ER

Total List: \$10,352




Y Configuration (1) OH24ERB (1) OH24LDB (1) OH18RDER


- (2) OH24LL
- (1) OH18RDLD (1) OH24LLB (1) OH24ELB

Total List: \$9,571

How to Order



Model Number OH2451B



Orders may be sent via

Mailing Address Versteel 2332 Cathy Lane Jasper, IN 47546

Contact Versteel

 Email
 contact@versteel.com

 Phone
 800 876 2120

 812 634 2120

 Fax
 812 482 9318

Powder Coat Finishes

All powder coat finishes in the Versteel offering have been formulated with the use of epoxy, polyester or epoxy and polyester blends to maximize the finish durability.

OH! Powder Coat Colors

Alloy	Navy PNAV
Amethyst PAME	Nimbus PNIM
Anthracite	Nutmeg PNUT
Black Anodized PBLA	Pearl PPEA
Bronze PBRO	Pebble PPEB
Calypso PCAL	Platinum
CarbonPCAR	Poppy PPOP
Champagne PCHA	Royal PROY
Coconut PCOC	Seaside PSEA
Crimson PCRI	Shipyard
Daffodil PDAF	Silver
EbonyPEBO	Snow
ForestPFOR	Stone PSTO
Fossil PFOS	StormPSTM
Graphite PGRA	Terra Cotta PTEC
Hope	Whisper PWHI
Kelly Green PKEG	White Linen PWHL
Mica PMIC	Powder Coat Alternative .OPA
Mint	

Premium Powder Coats (indicated by)

Versteel's premium process uses specially formulated powder coats for a truly unique color palette.

Polished Aluminum

One piece cast aluminum legs, back supports and connectors are polished to a high gloss sheen.

Polished Aluminum......APOL

NOTE POLISHED ALUMINUM IS NOT AVAILABLE ON THE PULL UP TABLE

Chrome (available on Pull Up Table only)

Versteel applies a deep luster nickel chrome plated finish. Chrome is the most durable finish available. Specify and add \$228 list each.

Chrome ECHR

Laminates

Versteel's standard offering of laminates includes over 900 laminates from Formica, Nevamar, Pionite and Wilsonart.

Laminate manufacturers change standard offerings frequently, making it possible a standard product can become unavailable. Versteel cannot be responsible for any inconvenience this may cause.

PVC Edges

OH! laminate table edges are available with a PVC Edge.

 PVC provides hot melt application in a continuous band around the surface.

OH! PVC Edge Colors

Absolute Acajou CABA	Nimbus CNIM
Alloy	Pearl CPEA
CarbonCCAR	PlatinumCPLA
Champagne CCHA	Pralines & Cream CPRC
Coconut	Shadow CSHA
EbonyCEBO	Snow CSNO
Florence Walnut CFLW	Stone CSTO
Fossil CFOS	StormCSTM
Graphite CGRA	Whisper CWHI
GreyCGRE	White Linen CWHL
Kensington Maple CKEM	

Veneer & Wood Finish

OH! tables are available with standard Ash, Cherry, Maple and Walnut veneers.

OH! Veneer Species

Ash AP01	MapleMP01
Cherry CP01	Walnut WP01

Veneer Finish

Ash

Beach VBEA	Fog VFOG
Chestnut VCHE	Pebble
Drift	Whisper VWHI

Cherry

Fawn VFAW

Blossom Cherry VBLC	Java Cherry VJAC
Cordovan Cherry VCNC	Millwork Cherry VMWC
Golden Cherry VGNC	

Maple

Caramel Maple VCMM	Sugar Maple VSUN
Solar Maple VSLM	

Walnut

Brighton Walnut VBRW	Natural WalnutVNAW
Espresso Walnut VESW	

NOTE WOOD BANDING IS A MULTI-PLY MAPLE WOOD BAND

Materials + Finishes VERSTEEL

Corian®

Corian® is an advanced composite product used as an architectural and design material in a variety of residential and commercial applications.

OH! Corian® Colors

AntarcticaNART	Linen
Bisque NBIS	Matterhorn NMTH
Designer White NDEW	Pearl Gray NPLG
Elegant Gray NELG	Silver Gray NSLG
Glacier White NGIW	Vanilla NVAN

Alternative Corian® colors may be specified. Contact Customer Service for quote.

Finish Reference & Samples

For finish color reference, please refer to our website. Contact Versteel Customer Service to receive actual color samples for color matches and final color approval.

Powder Coat Alternative

Call for quotation

Specify code OPA (Powder Coat Alternative), add cost from Versteel quotation

Powder Coat Alternative is available from Versteel. The entire RAL color reference along with hundreds of other color and finishes are available.

For Powder Coat Alternative matching, you must supply a color reference sample, or an RAL number. Versteel will review the sample for possible existing colors available and send a sample for customer approval. If no color match exists a custom match can be developed. Call Versteel Customer Service for associated upcharges on custom color development.

NOTE CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

Special Laminate

Call for quotation

Specify code TSP (Special Laminate), indicate the quoted charges per table

Special laminates and patterns can be specified as an option.

To specify, contact Versteel for availability and pricing.

NOTE LAMINATES IN STANDARD COLORS AND TEXTURES FROM FORMICA, NEVAMAR, PIONITE AND WILSONART ARE STANDARD

CAUTION LAMINATE MANUFACTURERS CHANGE STANDARD OFFERINGS FREQUENTLY, AND IT IS POSSIBLE THAT A STANDARD PRODUCT CAN BECOME UNAVAILABLE. VERSTEEL CANNOT BE RESPONSIBLE FOR ANY INCONVENIENCE THIS MAY CALLSE

Custom PVC Color Match

Call for quotation / one time charge per color, per order

Specify code OCP (Custom PVC Color Match), add cost from

Versteel quotation

PVC Color Match can be the selection of a color that is available from a Versteel supplier or a new custom color developed for the order. Minimum footage requirements mean that the amount of material needed for your order will effect the cost.

For PVC Color Matching you must supply a color reference sample. Versteel will review the sample for possible existing colors available and send a sample for customer approval. If no color match exists, a custom match will be developed and sampled for customer approval before a production schedule is established.

NOTE CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

Stain Finish Match

\$996 / one time charge per finish, per order

Specify code OSM (Stain Finish Match), add \$996.00 list per finish, per order

Alternative Stain Finishes are available for veneer and wood edged tops.

For Stain Finish Matching you must supply two 4" x 4" finish color and grain reference samples. An expertly finish matched sample will be provided for customer approval.

NOTE CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

Veneer or Wood Edge Alternatives

For veneer or wood edge requirements other than our standard plain sliced Ash, Cherry, Maple or Walnut, contact Versteel Customer Service with the specifications of the materials you would like to specify.

NOTE VENEER OR WOOD EDGE ALTERNATIVES APPROVAL MAY AFFECT STANDARD PRODUCTION SCHEDULES

Wood Finish Alternatives

Versteel finish has a natural grain fill level finish appearance, contact Versteel Customer Service for alternative fill levels.

Coarse grain will require additional application steps for a full-fill grain appearance and will require a quote.

NOTE WOOD FINISH ALTERNATIVE APPROVAL MAY AFFECT STANDARD PRODUCTION SCHEDULES

Table Top Alternatives

Table tops can be produced in alternative top material if desired. Contact Versteel Customer Service for pricing and availability.

Alternate Core Construction

Alternate core constructions are available, including medium density fiberboard (MDF), honeycomb cores and cores that contain no urea formaldehyde. Contact Versteel Customer Service for pricing and availability

Options

VERSTEEL

Δ	'n	Ca	rte	Cn	nr	her	toi

When your configuration requires an additional connector it can
be ordered by specifying model number OHAC 19CTR
OHAC19CTR

Versteel recommends either the Garcia or Mini-Tap for the freestanding OH! units. Other under mount units may be specified. Contact Versteel Customer Service with questions.

The recommended location of the under mount power unit is on the lower right side as seated. Refer to diagram below. Electrical unit is shipped uninstalled and may be placed in alternate locations.



Electrical location

Garcia

Low-profile, low-voltage Garcia mounts under the seat providing power for tablets, cell phones and more.



SPECIFICATIONS (per unit)

- Two (2), 2.1 Amp USB ports
- LED charging indicator lights
- 72" power supply cored with a barrel connector

MODEI GRC-IP2U	Two (2) USB Ports	\$	411 list
Unit Color BB	Black with Black Mounting Bracket		n/c
WW	White with White Mounting Bracket	1	n/c

Model Example: GRC-IP2U-BB

Mini-Tap (per unit)

Mini-Tap provides 2 outlets that can be mounted, with key slots, so as to put power near the edge of the seat. Mini-Tap is black.



SPECIFICATIONS

Model

- Two (2) Simplexes
- Available with spill-proof Simplexes

Description

MTP-IP2X MTP-IP2U	Two (2) power One (1) power and one (1) dual port USB charger	\$ 149 list \$ 383 list
Cord Length		
72	72" cord length, black	n/c
120	120" cord length, black	\$ 21 list

Model Example: MTP-IP2X-72

Utilizing the Twine corded system up to six (6) power accessories can be sequenced with one infeed cord. Refer to diagrams and ordering information below.

NOTE: Additional configurations are available. Contact Versteel Customer Service with questions.

SPECIFICATIONS

- Finish: Black plastic
- Power & USB
- Up to 8 power outlets with multiple USB ports
- · 6' power infeed cord



Above diagram shows the recommended location of sequenced under mount power units. Electrical units are shipped uninstalled and may be placed in alternate locations.

Garcia (USB only)

Model	Description	
OHGA51	Two (2) USB ports (per unit)	\$ 676 list

SPECIFICATIONS (per unit)

- Two (2) USB ports
- LED charging indicator lights

Unit Color

BB	Black with Black Mounting Bracket	n/c
WW	White with White Mounting Bracket	n/c

Model Example: OHGA51-WW

Mini-Tap (power or power/USB)

Model	Description	
OHMTPP51	Two (2) power (per unit)	\$ 523 list
OHMTPU51	One (1) power and one (1) dual	\$ 976 list
	port USB charger (per unit)	

SPECIFICATIONS (per unit)

- Two (2),simplexes
- Available with spill-proof Simplexes

Model Example: OHMTPU51



Above diagram shows the recommended location of sequenced under mount power units. Electrical units are shipped uninstalled and may be placed in alternate locations.

Garcia (USB only)

Model	Description	
OHGA78	Two (2) USB ports (per unit)	\$ 908 list

SPECIFICATIONS (per unit)

- Two (2) USB ports
- LED charging indicator lights

Unit Color

BB	Black with Black Mounting Bracket	n/	С
WW	White with White Mounting Bracket	n/	С

Model Example: OHGA78-BB

Mini-Tap (power or power/USB)

Model	Description	
OHMTPP78	Two (2) power (per unit)	\$ 535 list
OHMTPU78	One (1) power and one (1) dual	\$ 992 list
	port USB charger (per unit)	

SPECIFICATIONS (per unit)

- Two (2),simplexes
- Available with spill-proof Simplexes

Model Example: OHMTPU78



Above diagram shows the recommended location of sequenced under mount power units. Electrical units are shipped uninstalled and may be placed in alternate locations.

Garcia (USB only)

	Description	
OHGA105	Two (2) USB ports (per unit)	\$948 list

- SPECIFICATIONS (per unit)

 Two (2), 2.1 Amp USB ports

 LED charging indicator lights

Unit Color

BB	Black with Black Mounting Bracket	n/	С
WW	White with White Mounting Bracket	n/	С

Model Example: OHGA105-BB

Mini-Tap (power or power/USB)

Model	Description	
OHMTPP105	Two (2) power (per unit)	\$ 578 list
OHMTPU105	One (1) power and one (1) dual	\$1032 list
	port USB charger (per unit)	

SPECIFICATIONS (per unit) • Two (2),simplexes

- Available with spill-proof Simplexes

Model Example: OHMTPU105

OH! Freestanding No Back



VERSTEEL

Questions?

800 876 2120

00 070 2120								
IS Quickship Progra	ım Product		material > grade >	Fabric Grade 2 or COM	Fabric Grade 3	Fabric Grade 4	Fabric Grade 5	Fabric Grade 6
odel#	Description	Dimensions	Product Wt					
DH24	Single Seat No Back	Overall Width: 24" Overall Depth: 24" Overall Height: 18" Seat Width: 24" Seat Depth: 24" Seat Height: 18"	17 ≅0S	957	1044	1128	1213	1298
OH2451	Two Seats No Back	Overall Width: 51" Overall Depth: 24" Overall Height: 18" Seat Width: 24" Seat Depth: 24" Seat Height: 18"	34 ∃OS	1850	2062	2275	2488	2700
DH2478	Three Seats No Back	Overall Width: 78" Overall Depth: 24" Overall Height: 18" Seat Width: 24" Seat Depth: 24" Seat Height: 18"	50 ≅0S	2596	2810	3024	3236	3449

- To Order, Specify...

 Model Number
- Prame Color
- 3 Upholstery Selection4 Additional Options



Questions?

800 876 2120

			material > grade >	Fabric Grade 2 or COM	Fabric Grade 3	Fabric Grade 4	Fabric Grade 5	Fabric Grade 6
Model #	Description	Dimensions	Product Wt					
OH24B	Single Seat With Back	Overall Width: 24" Overall Depth: 27" Overall Height: 33" Seat Width: 24" Seat Depth: 24" Seat Height: 18"	29	1637	1810	1980	2150	2320
DH2451B	Two Seats With Back	Overall Width: 51" Overall Depth: 27" Overall Height: 33" Seat Width: 24" Seat Depth: 24" Seat Height: 18"	58	3211	3596	3980	4362	4746
OH2478B	Three Seats With Back	Overall Width: 78" Overall Depth: 27" Overall Height: 33" Seat Width: 24" Seat Depth: 18" Seat Height: 18"	86	4641	5110	5578	6047	6515
nish Options		Price Seat Options		Code	Price	Custom Charges		Code

	rice
Powder Coat - Standard	n/c
Powder Coat - Premium\$	
Polished Aluminum	n/c

Seat Options Code
Seat Accent Fabric SAF

Price \$ 372

Custom Charges Code
Powder Coat Alternative (per color)OPA

Price

OH! Freestanding Ottomans



Questions?

800 876 2120

			material > grade >	Fabric Grade 2 or COM	Fabric Grade 3	Fabric Grade 4	Fabric Grade 5	Fabric Grade 6
Model#	Description	Dimensions	Product Wt					
онз60	Ottoman 5 Legs	Overall Width: 36" Overall Depth: 36" Overall Height: 18" Seat Height: 18"	33	1700	1872	2043	2213	2384
OH480	Ottoman 6 Legs	Overall Width: 48" Overall Depth: 48" Overall Height: 18" Seat Height: 18"	54	2428	2685	2938	3194	3450

- To Order, Specify...

 Model Number
- Prame Color
- 3 Upholstery Selection4 Additional Options

Questions? 800 876 2120

Powder Coat - Standard	165
Polished Aluminum	n/c

Seat Options Code
Seat Accent FabricSAF

Price \$ 372

Custom Charges Code
Powder Coat Alternative (per color)OPA

Price

Power and Data Options
Please reference the Power Options section



Questions? 800 876 2120			top>	Laminate Flat PVC	Veneer Flat Wood	Corian Square
		edge ordering co	ode (radius corner) >	LP7R	VW7R	CS7R
Model#	Description	Dimensions	top thickness > Product Wt]"]"]"
OH24RD	Round	Width: 24" Depth: 24" Height: 12"	14	804	2265	1532
OH14RDLT	Pull Up Table	Width: 14" Depth: 14" Height: 25.5"	25	579	1912	1157

- To Order, Specify...

 Model Number
- Prame Color
- 3 Top Material

- Top color
 Edge Detail
 Additional Options

Questions?

800	876	2120

Finish Options	rice
Powder Coat - Standard	n/c
Powder Coat - Premium	
Polished Aluminum	n/c
Not Available on Pull Up Table	
Chrome	\$ 227
Not Available on Round Table	

Top Options Special Laminate	Code TSP	Pri
Power and Data Options Please reference the Power Options section	on	

OH! Configurable No Back



Questions?

800 876 2120

Program Product		material > grade >	Fabric Grade 2 or COM	Fabric Grade 3	Fabric Grade 4	Fabric Grade 5	Fabric Grade 6
Description	Dimensions	Product Wt					
End Seat, Right No Back	Overall Width: 24" Overall Depth: 24" Overall Height: 18" Seat Width: 24" Seat Depth: 24" Seat Height: 18"	18 ≅ 0S	889	974	1058	1143	1230
End Seat, Left No Back	Overall Width: 24" Overall Depth: 24" Overall Height: 18" Seat Width: 24" Seat Depth: 24" Seat Height: 18"	18 ≟0\$	889	974	1058	1143	1230
Linking Seat Connector Right No Back	Overall Width: 24" Overall Depth: 24" Overall Height: 18" Seat Width: 24" Seat Depth: 24" Seat Height: 18"	18 ≣QS	894	978	1063	1150	1235
Linking Seat Connector Left No Back	Overall Width: 24" Overall Depth: 24" Overall Height: 18" Seat Width: 24" Seat Depth: 24" Seat Height: 18"	18 ≟QS	894	978	1063	1150	1235
Linking Seat Two Connectors No Back	Overall Width: 24" Overall Depth: 24" Overall Height: 18" Seat Width: 24" Seat Depth: 24" Seat Height: 18"	18 ≅OS	965	1049	1134	1220	1306
	End Seat, Right No Back End Seat, Left No Back Linking Seat Connector Right No Back Linking Seat Connector Left No Back Linking Seat Connector Left No Back	End Seat, Right No Back End Seat, Right No Back Overall Width: 24" Overall Height: 18" Seat Depth: 24" Seat Height: 18" End Seat, Left No Back Overall Width: 24" Overall Height: 18" End Seat, Left No Back Overall Width: 24" Seat Height: 18" Linking Seat Connector Right No Back Overall Width: 24" Seat Height: 18" Linking Seat Connector Right No Back Overall Width: 24" Seat Height: 18" Linking Seat Connector Left No Back Overall Width: 24" Seat Height: 18" Linking Seat Connector Left No Back Overall Width: 24" Seat Height: 18" Linking Seat Coverall Width: 24" Seat Height: 18" Linking Seat Overall Height: 18" Linking Seat Overall Height: 18" Linking Seat Overall Height: 18" Seat Width: 24" Seat Depth: 24" Seat Depth: 24" Seat Height: 18" Linking Seat Overall Depth: 24" Seat Height: 18" Linking Seat Overall Height: 18" Linking Seat Overall Height: 18" Seat Width: 24" Seat Height: 18" Linking Seat Overall Height: 18"	Product Description Dimensions Product Wt	Product Product Product Wt Description Dimensions Product Wt	Description Dimensions Product Wt	Product Prod	Description Dimensions Product Wt

- To Order, Specify...

 Model Number
- Prame Color
- 3 Upholstery Selection4 Additional Options



Questions?

800 876 2120

			material > grade >	Fabric Grade 2 or COM	Fabric Grade 3	Fabric Grade 4	Fabric Grade 5	Fabric Grade 6
Model#	Description	Dimensions	Product Wt					
OH24ERB	End Seat, Right With Back	Overall Width: 24" Overall Depth: 27" Overall Height: 33" Seat Width: 24" Seat Depth: 24" Seat Height: 18"	18 ≟0S	1569	1740	1911	2080	2251
OH24ELB	End Seat, Left With Back	Overall Width: 24" Overall Depth: 27" Overall Height: 33" Seat Width: 24" Seat Depth: 24" Seat Height: 18"	18 ≅QS	1569	1740	1911	2080	2251
OH24LRB	Linking Seat Connector Right With Back	Overall Width: 24" Overall Depth: 27" Overall Height: 33" Seat Width: 24" Seat Depth: 24" Seat Height: 18"	18 ≟QS	1576	1745	1917	2087	2256
OH24LLB	Linking Seat Connector Left With Back	Overall Width: 24" Overall Depth: 27" Overall Height: 33" Seat Width: 24" Seat Depth: 24" Seat Height: 18"	18 ≅QS	1576	1745	1917	2087	2256
OH24LDB	Linking Seat Two Connectors With Back	Overall Width: 24" Overall Depth: 27" Overall Height: 33" Seat Width: 24" Seat Depth: 24" Seat Height: 18"	18 ≟OS	1646	1816	1987	2157	2328
nish Options		Price Seat Options		Code	Price	Custom Charges		Code

	Price
Powder Coat - Standard	n/c
Powder Coat - Premium	
Polished Aluminum	n/c

 Seat Options
 Code

 Seat Accent Fabric
 SAF

Price \$ 372

Custom Charges Code
Powder Coat Alternative (per color)OPA

Price call



VERSTEEL

Questions? 800 876 2120			top > edge >	Laminate Flat PVC	Veneer Flat Wood	Corian Square
000 670 2120						
		edge orderin	g code (radius corner) >	LP7R	VW7R	CS7R
Model#	Description	Dimensions	top thickness > Product Wt	1"]"	1"
OH18RDER	Round End Table, Right	Width: 18" Depth: 18" Height: 12"	9	701	2130	1373
OH18RDEL	Round End Table, Left	Width: 18" Depth: 18" Height: 12"	9	701	2130	1373
OH18RDLR	Round Linking Table Connector Right	Width: 18" Depth: 18" Height: 12"	9	688	2119	1360
OH18RDLL	Round Linking Table Connector Left	Width: 18" Depth: 18" Height: 12"	9	688	2119	1360
OHIBRDLD	Round Linking Table Two Connectors	Width: 18" Depth: 18" Height: 12"	9	792	2224	1465

- To Order, Specify...

 Model Number
- Prame Color
- 3 Top Material

- Top color
 Edge Detail
 Additional Options

			top > edge >	Laminate Flat PVC	Veneer Flat Wood	Corian Square
		edge ordering	g code (radius corner) >	LP7R	VW7R	CS7R
Model#	Description	Dimensions	top thickness >]"]"]"
OH24RDER	Round End Table, Right	Width: 24" Depth: 24" Height: 12"	9	728	2189	1459
OH24RDEL	Round End Table, Left	Width: 24" Depth: 24" Height: 12"	9	728	2189	1459
OH24RDLR	Round Linking Table Connector Right	Width: 24" Depth: 24" Height: 12"	9	715	2176	1446
OH24RDLL	Round Linking Table Connector Left	Width: 24" Depth: 24" Height: 12"	9	715	2176	1446
OH24RDLD	Round Linking Table Two Connectors	Width: 24" Depth: 24" Height: 12"	9	821	2282	1552

Questions? 800 876 2120

Finish Options	Price
Powder Coat - Standard	n/c
Powder Coat - Premium	
Polished Aluminum	n/c

 Top Options
 Code

 Special Laminate.
 TSP

Power and Data Options
Please reference the Power Options section

Price call

Custom Charges	Code	Price
Powder Coat Alternative (per color)	OPA	call
Custom PVC Color Match	OCP	call
Stain Finish Match (per finish)	OSM	\$ 996

Questions?

800 876 2120

			material > grade >	Fabric Grade 2 or COM	Fabric Grade 3	Fabric Grade 4	Fabric Grade 5	Fabric Grade 6
Model#	Description	Dimensions	Product Wt					
OHSD34T	Privacy Screen Tackable	Overall Width: 33%" Overall Height: 62%" Panel Thickness: 2"	40	2905	3252	3596	3940	4284
OHSD44T	Privacy Screen Tackable	Overall Width: 43%" Overall Height: 66% Panel Thickness: 2"	66	3088	3531	3973	4285	4728
OHSD2065T	Privacy Screen Tackable	Overall Width: 19%* Overall Height: 70%* Panel Thickness: 2*	46	3011	3454	3898	4340	4784

- To Order, Specify...

 Model Number
- Prame Color
- 3 Upholstery Selection4 Additional Options

Questions?

800 876 2120

			material > grade >	Fabric Grade 2 or COM	Fabric Grade 3	Fabric Grade 4	Fabric Grade 5	Fabric Grade 6
Model#	Description	Dimensions	Product Wt					
OHSD34A	Privacy Screen Acoustic	Overall Width: 33% Overall Height: 62% Panel Thickness: 2*	36	3512	3857	4200	4544	4891
OHSD44A	Privacy Screen Acoustic	Overall Width: 43% Overall Height: 66% Panel Thickness: 2*	. " B	3694	4138	4582	5023	5467
OHSD2065A	Privacy Screen Acoustic	Overall Width: 19%* Overall Height: 70% Panel Thickness: 2*	"	3618	4061	4505	4948	5392

Finish Options	Price
Powder Coat - Standard	n/c
Powder Coat - Premium	\$ 165
Platinum Powder Coat	\$ 488