


# Price List

JUMP TO PRICING [CLICK HERE](#)



# VERSTEEL

**Prices**

All prices are list price, effective with date printed on cover, and supersedes all other published price lists. Orders within the 48 contiguous United States will be assessed a freight charge based on a percentage of the total list price, or a flat rate of \$300, whichever is greater. A minimum charge of \$400 will apply to all shipments to Canada. Fees will be calculated using the zone map located on page 461. Normal delivery is on a dock-to-dock basis. Additional charges may apply on special requests noted on the customer's purchase order such as inside delivery, "call before," etc. Versteel reserves the right to change prices, shipping fees, or specifications without prior notice. Orders are accepted subject to price prevailing at time of shipment.

**Acknowledgement**

Orders are accepted, manufactured, and invoiced in accordance with the acknowledgement. Notify Versteel immediately of any discrepancies. Acknowledged orders may not be cancelled or modified without written consent from Versteel.

**Orders**

All orders must be received in writing, accompanied by final material and finish specifications for order entry.

**Contact Versteel**

Email            contact@versteel.com  
Telephone      800 876 2120  
                     812 634 2120  
Fax               812 482 9318

**Mailing Address**

Versteel  
2332 Cathy Lane  
Jasper, IN 47546

Faxed orders are accepted. Duplicate orders that are received by mail (after having been faxed) and not marked "Confirmation" are the responsibility of the customer.

Telephone orders must be confirmed in writing within 24 hours, marked "Confirmation." Duplicate orders not marked "Confirmation" are the responsibility of the customer.

**Credit**

You are requested to enclose one bank reference and three trade references with your initial order.

**Credit Cards**

Versteel accepts Mastercard, Visa & AMEX credit card payment for invoiced sales. Credit card information must be presented along with the Sales Order (with a signed Credit Card Authorization Form attached). There is no cash discount extended to credit card orders. Credit cards will be charged at time of shipment. A processing fee will be applied for all credit card purchases. Processing fee will not be applied to GSA or contract orders. Versteel will not accept credit cards for payment of account balances.

**Changes or Cancellation**

Any change or cancellation to an order must be submitted in writing and confirmed by Versteel Customer Service before the change or cancellation is effective. Due to short lead times, any change or cancellation may result in charges if materials have entered the production process.

**Packaging**

Item	Qty/Carton
Seat . . . . .	1
Back. . . . .	1

**Shipping Schedule**

All Seating 4 - 5 WEEKS

**NOTE** CHAIR ORDERS WITH COM UPHOLSTERY WILL BE SCHEDULED UPON RECEIPT OF COM UPHOLSTERY YARDAGE

**Shipping**

Normal delivery is on a dock-to-dock basis, F.O.B. Versteel's factory in Jasper, Indiana. Special requests such as inside delivery, "call before," etc. should be noted on the customer's purchase order and are subject to additional charges. See freight program on page 461 for shipping charges.

OH! ships disassembled and requires assembly.

Orders shipping outside of the contiguous 48 United States will have shipping quoted as a separate item.

**FOB Origin, Freight Prepaid**

Versteel  
2332 Cathy Lane  
Jasper, IN 47546

**Shipping Damage Claims or Shortages**

Legal title of merchandise passes to the buyer upon acceptance of the carrier. All cartons must be carefully inspected upon delivery. Visibly damaged product should not be accepted from the carrier until the damage is noted on delivery receipt. Versteel will not accept responsibility if the delivery receipt is signed as "clear". Retain any damaged goods and take photos for claim filing purposes. Details of visible damage should be noted on the delivery receipt. Shortages must be noted on the bill of lading prior to accepting the shipment.

**Concealed Damage**

If concealed damage is discovered, the receiver must notify the freight carrier within 5 business days from receipt of the product(s). For claim consideration the receiver must request an inspection of the damaged goods by the carrier. All damaged product and packaging should be retained and photos taken for claim filing use. Inspections must occur at the original delivery point to be considered for claim submittal. Reports of concealed damage after five business days will not be considered.

**Partial Shipments**

Versteel makes every attempt to ship orders complete and on schedule. However, we reserve the right to make partial shipments as product is ready, in an effort to get your order to you as quickly as possible. Invoices covering these shipments are to be paid as they become due.

**Returns**

No return merchandise will be accepted without Versteel's written consent and shipping instructions. Unauthorized returns will not be accepted.

**Terms**

Terms are 1%, 10 days, net 30 days from date of invoice.

**Force Majeure**

Versteel shall be excused from the duty to render timely performance of any obligation hereunder if such inability to perform is caused directly or indirectly by act of God, flood, war, riot, fire, accident, explosion, strikes or labor trouble, act of government, delay or default by a subcontractor or supplier of materials or services, transportation difficulty or delay, the existence of any circumstances making performance commercially impracticable or any other cause beyond Versteel's reasonable control. Buyer's obligation to make any payment due and owing to Versteel shall not be excused for any reason whatsoever.

**Warranty**

All table and seating products manufactured by Versteel are guaranteed by a Lifetime Warranty against defects in materials and workmanship from the date of purchase. Products manufactured/adapted for use in a Pavilion or Pop-Up setting are covered under a three (3) year warranty against defects in materials and workmanship from date of purchase.

Electrical items manufactured by Versteel are guaranteed against defect for a period of five (5) years from date of purchase.

Electrical items not manufactured by Versteel are covered by the manufacturers under their specified warranty.

Consumables such as gas cylinders, casters and glides are covered for a period of one (1) year. Adjustable height bases with crank and counterbalanced components are covered under a two (2) year warranty. Versteel will not cover labor costs associated with replacing the casters or glides.

Wood veneer is warranted for a period of ten (10) years. Natural variations in grain, color or texture of wood should not be construed as defects under this warranty.

Versteel will replace or repair (at our discretion) without cost to our customers any item manufactured by Versteel found to be defective as a result of defective material or workmanship and is still owned by the original purchaser. We will not, however, repair any item which is not properly installed, abused or subject to any use other than that which was originally intended. Warranty does not cover normal wear and tear of the product, which is expected over the course of ownership. Any repairs by the customer must receive specific written authorization from Versteel before being executed on location to receive proper reimbursement for associated costs. In no event shall liability under this warranty exceed the original purchase price.

Pavilion and Pop-Up products must be covered and out of direct sunlight. Use location must be a minimum of 100 miles from saltwater.

Warranty on plastic laminates, Corian®, KrystalCast® and upholstery is not covered by Versteel but is covered by laminate, Corian®, KrystalCast® and textile manufacturers under their specified warranty only. All foams, fabrics and vinyls are prone to stretch and loosen over time through normal use. This natural effect, called puddling, is covered for a period of one (1) year from the date of purchase.

There are no other warranties expressed or implied.

**Care of Upholstery Surfaces**

For Versteel standard fabrics and vinyls, consult the back of the appropriate swatch card for cleaning codes and any specific instructions. For COM materials, consult with the individual textile manufacturer for cleaning codes and any specific instructions pertaining to your particular fabric.

**Care of Powder Coat and Polished Aluminum Surfaces**

Clean with a mild soap solution and rinse with clean, clear water. Wipe the entire surface and follow with a clean, dry cloth to buff dry.

**Care of Laminate Surfaces and PVC Edges**

Clean with a mild soap solution and rinse with clean, clear water. Wipe the entire surface, moving with the pattern and follow with a clean, dry soft cloth. When a wood edge exists, follow instructions found under "Care of Wood Edges and Veneer Surfaces" for edge.

**Care of Wood Edges and Veneer Surfaces**

Clean all surfaces frequently with water-dampened soft cloth, moving the cloth with the grain direction. Quickly buff dry. Immediately remove any liquids that come in contact with wood surfaces using a blotting action to absorb liquid. Lift objects to move them. Never pull them across the finished surface.

For an additional safeguard, use a protective surface pad. Doing so could ensure a lasting finish by protecting your furniture from possible damage caused by pens and sharp objects.

Avoid exposing furniture to extreme heat and cold or to wide humidity variances. Avoid exposing furniture to strong sunlight. Do not use soaps, commercial cleaners or harsh solvents (nail polish remover, acetates, etc.) as they will cause finish deterioration. If using a protective glass top, place spacer pads under the glass top to allow the wood to breathe.

**Care of Corian® Surfaces**

Clean regularly with a cloth or sponge wrung out in warm soapy water. You can also use ammonia-based cleaners recommended for use on Corian® surfaces. Wipe up any water spills immediately so as not to leave a film that makes the finish look blotchy.

**BIFMA**

Manufacturer certifies  
that products meet or  
exceed applicable  
ANSI/BIFMA standards  
and testing.

**Quality Standards**

All Versteel seating is constructed to pass the industry test standards set forth by BIFMA. For more detailed specifications by series, contact Versteel Customer Service at 800.876.2120.

**Configure**

Utilizing basic components (a single leg, seat, back and connector) of polished, cast aluminum, OH! is simplistic in its approach to modularity. Legs are positioned for strength and stability while connectors are used to organize the seats into configurations. By using the connector, a set distance is established between individual seats to create personal space. Plush seats, along with a curved ergonomic back option, allow users to position their bodies without interfering with their neighbors. This ensures that everyone can find their own comfort solution. Seats are generously sized and proportioned.

Because the circle is the basis for the seating series it is possible to create an infinite number of configurations, as the designer is no longer bound by a corner. Typical OH! configurations include L, T, X and Y as well as unlimited numbers of runs, arcs and serpentes.

The use of the circle eliminates any sidedness to backless configurations. The addition of a back can be used to guide users to approach sides.

**Tables**

Tables can be inserted at any point of any configuration for optimum flexibility.

**Upholstery**

Upholstery may be specified in monochromatic (single textile choice) or contrasting applications (different textiles on different parts). No contact between upholstery surfaces makes for an easy to clean and more hygienic product.

**Power**


The Twine corded system offers mounted, and below-surface power and USB to multiple users in a range of settings. With just one infeed, this system can power up to six (6) Mini-Tap units.

Mini-Tap power can be added to any seat as an undermount option, or to any 24" diameter table as an integrated or undermount option.

Wires seamlessly run between seats via a concealed channel located on the underside of the connector.

Additional power and data can be added to any seat as an undermount option, or any table as an integrated or undermount option.





A. 15-Degree Arc B. 7.5-Degree Arc C. Combination Arc Serpentine

**Large Configurations**

Versteel will help with your configuration if you have concerns. Simply call Customer Service and provide the dimensions of your space and the type of configuration you desire. Like any other space planning, it is helpful to know where the power and data sources are, as well as windows, doors, any other obstructions and proposed traffic patterns.

All configurations are priced with powder coat frames and Grade 2/COM fabric. Tops are priced with standard laminate and PVC edges.

**L Configuration**

- (1) OH18RDER
- (2) OH24LRB
- (1) OH18RDLD
- (2) OH24LLB
- (1) OH18RDEL

Total List: \$8169

**Serpentine Configuration**

- (1) OH24ER
- (1) OH24LLB
- (1) OH18RDLD
- (2) OH24LLB
- (1) OH18RDLL
- (1) OH24LL
- (1) OH18RDEL

Total List: \$8,354



### Large Configurations



#### X Configuration

- (2) OH18RDER
- (3) OH24LL
- (1) OH18RDLD
- (3) OH24LR
- (2) OH18RDEL
- (2) OH24LD

Total List: \$10,465



#### T Configuration

- (1) OH18RDER
- (2) OH24LRB
- (1) OH18RDLD
- (2) OH24LLB
- (1) OH18RDEL
- (1) OH24LD
- (1) OH24ER

Total List: \$9,950



#### Y Configuration

- (1) OH24ERB
- (1) OH24LDB
- (1) OH18RDER
- (2) OH24LL
- (1) OH18RDLD
- (1) OH24LLB
- (1) OH24ELB

Total List: \$9,199

**Seating, Table and Ottoman Specifications**

Available in Polished Aluminum or any standard powder coat finish, OH! legs, back supports and connectors are one piece cast aluminum, polished to a high-gloss sheen.

**NOTE** TRANSPARENT POWDER COAT FINISHES ARE NOT AVAILABLE

Seats are machined 1" plywood with a multi-layered construction high density polyurethane molded foam cushion. Backs are molded .75" plywood with a multi-layered construction high density polyurethane foam cushion. Seats and backs are top stitched with single side seams.

Laminate or veneer table top surfaces are 1" particle board, Corian® table tops are 1" thick.



Manufacturer certifies that products conform to UL Std 962 and are certified to Canadian standard CSA T.I.L No. A-30.

**Laminate and Veneer, Standard Core Construction**

The standard top construction consists of 45-50 lb particleboard, surfaced with a high pressure laminate or veneer face. A backer sheet is laminated to the under side of the top. Tops are shipped predrilled for field installation of bases and accessories.

**Corian® Construction**

Tops are 1" thick Corian® fabricated by bonding two .5" thick sheets together and machining them to size. The underside is bored to allow pressing in metal screw inserts for field installation of the legs and/or connectors.

**PVC Flat Edge**

Edge of 2mm PVC hot melt banded to the 1" top with ¼" radius at the top and bottom.

Offered in twenty-one (21) standard colors.

**Wood Flat Edge**

Wood banding hot melt banded to the 1" top with ⅛" radius at the top and bottom.

Offered in Ash, Cherry, Maple or Walnut materials.

**Corian® Eased Square Edge**

A traditional 1" flat edge with a small radius where horizontal surfaces meet vertical for comfort and a softened aesthetic.

Offered in twelve (12) standard colors.

### Standard Versteel Upholstery

Standard Versteel Upholstery offers a range of materials, from fabrics in a variety of colors and textures to vinyls for soil resistance. Please refer to Versteel's fabric cards, upholstery options pages in the All Seating price list, or the "Materials and Finishes" section of our website for reference information.

### Grade-In Upholstery

Versteel has coordinated with upholstery manufacturers to simplify your order process. Many of the manufacturers' offerings have been pre-approved for application on Versteel Seating.

Contact Versteel Customer Service with your selected fabric choice to be graded in. They will supply you with the appropriate grade-in designator. On your purchase order, complete the information with the pattern name, color description and grade-in designator, and Versteel will take it from there.

### Customer's Own Material

Customer's Own Materials (COM's) are not an issue on Versteel Seating. Many COM's are pre-approved for application on Versteel Seating. Call Versteel Customer Service with your COM selection to determine if it has been pre-approved. If your selection has not been pre-approved, reference the "Receiving COM Approval" section below.

### Receiving COM Approval

Not all materials are suitable for upholstery on all chairs. A 12" X 12" memo sample must be supplied for approval before a COM material is accepted for an order. If the material is directional in pattern or weave, the pattern repeat (in inches) in both directions or the weave direction must be supplied.

### Excess COM

Versteel will not store excess COM for more than 30 days after the order has been completed. If excess material is to be returned after order completion, send the request to Versteel Customer Service prior to acknowledge ship date. It is the customer's responsibility to arrange for the return of the material "freight collect."

### Seat Accent Fabric

The OH! seat band may be specified in a different fabric than the rest of the unit. Specify and add \$357.00 list per unit.

Seat Accent Fabric . . . . .SAF

### COM Requiring Application Test

If an application test is required for your selected COM, send test sample material along with the following:

- Name and return address
- Chair model selected
- Sketch showing special requirements for the positioning of the material's pattern on the chair seat and chair back, if special considerations are required.

### Ship COM to:

Versteel  
2332 Cathy Lane  
Jasper, IN 47546

COM must be shipped to the factory with transportation costs "prepaid." If material is considered defective or unusable, it will be returned "transportation collect."


For standard lead time orders, tag fabric with purchase order number and identify with project number if possible.

### Application of Directional Fabrics


Due to the upholstering process, some fabrics not considered directional by the supplier may be considered directional by Versteel.

All COM's for OH! are railroaded unless otherwise directed by the customer (see illustration below).

### EXAMPLE PATTERN CUT RAILOADED



If special cutting or upholstery application is required, you must indicate requirement at time of order entry.



**Patterned COM Additional Yardage Guide**

Use the guide below to aid in ordering the appropriate COM fabric when needing to match a pattern with a repeat. To use this guide, add the vertical and horizontal repeats together (e.g. a 5" vertical repeat plus an 11" horizontal repeat gives a 16" total). Then find the appropriate entry on the chart, and increase the yardage estimate by the percentage indicated.

For example: The yardage estimate is 8 yards of 54" wide fabric and the pattern has a repeat of 11" horizontal and 5" vertical. Add up the repeats (11" + 5" = 16") and find the appropriate entry - 15% in this example. Fifteen percent more fabric is required to match the pattern. 8 yards plus an extra 15% is 9.2 yards.

Fabric Width	Plain Fabric	3" - 14" Repeat	15" - 19" Repeat	20" - 27" Repeat	28" - 36" Repeat	37" - 45" Repeat	46" - 54" Repeat
54"	0%	10%	15%	20%	25%	30%	35%
50" - 52"	10%	20%	25%	30%	35%	40%	45%

**Decorative Patterns**

Yardage requirements are greatly affected by the size of the repeat and the print or pattern of the material. Versteel cuts all seating patterns with aesthetic concerns in mind for high quality and consistency. Refer to the COM listing for the yardage required for pattern repeat.

**Repeats and Striped Fabrics**

The geometry of curved products prevents repeats and stripes from matching at the seams.

**California Technical Bulletin 133 (CAL 133)**

Compliance has been established through third-party testing of the products. All chairs that meet CAL 133 standards will have a label attached to the underside of the seat. To maintain compliance, the label must not be removed for the product.

### OH! COM Yardage Requirements

COM yardage requirements are calculated based on a material width of 54" and a repeat of 2" or less. For material less than 54" wide, contact Versteel for yardage requirements. Use the chart below as a guide to calculate your COM yardage. For quantities greater than 10, contact Versteel Customer Service for calculation of COM yardage by chair model.

**NOTE** THIS CHART IS NOT APPLICABLE FOR MULTIPLE FABRICS ON ONE UNIT. CONTACT VERSTEEL CUSTOMER SERVICE FOR YARDAGE REQUIREMENTS WHEN SPECIFYING MULTIPLE FABRICS.

Quantity of Units	1	2	3	4	5	6	7	8	9	10
<b>Freestanding (without back)</b>										
OH24	2.5	2.5	3.0	3.0	4.0	5.5	5.5	6.5	7.5	8.0
OH2451	2.5	3.0	5.5	6.5	8.0	8.0	10.5	13.0	14.0	14.5
OH2478	3.0	5.5	7.5	8.0	10.5	14.0	14.5	16.5	20.0	20.5
<b>Freestanding (with back)</b>										
OH24B	3.0	4.5	5.0	8.0	8.5	11.0	12.5	16.0	18.5	20.0
OH2451B	3.0	8.0	11.0	16.0	20.0	22.0	24.0	27.0	31.5	33.0
OH2478B	5.5	11.0	18.5	22.0	26.0	31.5	35.0	38.0	43.0	48.0
<b>Freestanding Ottoman</b>										
OH36O	2.5	3.5	4.5	5.5	8.0					
OH48O	3.0	5.0	7.5	9.0	12.0					
<b>Configurable (without back)</b>										
OH24ER	2.5	2.5	3.0	3.0	4.0	5.5	5.5	6.5	7.5	8.0
OH24EL	2.5	2.5	3.0	3.0	4.0	5.5	5.5	6.5	7.5	8.0
OH24LR	2.5	2.5	3.0	3.0	4.0	5.5	5.5	6.5	7.5	8.0
OH24LL	2.5	2.5	3.0	3.0	4.0	5.5	5.5	6.5	7.5	8.0
OH24LD	2.5	2.5	3.0	3.0	4.0	5.5	5.5	6.5	7.5	8.0
<b>Configurable (with back)</b>										
OH24ERB	3.0	4.5	5.0	8.0	8.5	11.0	12.5	16.0	18.5	20.0
OH24ELB	3.0	4.5	5.0	8.0	8.5	11.0	12.5	16.0	18.5	20.0
OH24LRB	3.0	4.5	5.0	8.0	8.5	11.0	12.5	16.0	18.5	20.0
OH24LLB	3.0	4.5	5.0	8.0	8.5	11.0	12.5	16.0	18.5	20.0
OH24LDB	3.0	4.5	5.0	8.0	8.5	11.0	12.5	16.0	18.5	20.0

To Order, Specify...

- 1 Model Number
- 2 Frame Color
- 3 Upholstery Selection
- 4 Additional Options

model number	finish selections		additional options
<b>OH2451B</b> <small>model number</small>	/	<b>PALY</b> <small>frame color</small>	/
		<b>FSL Tinsel</b> <small>upholstery selection</small>	/
			<b>----</b> <small>chair frame options</small>

An **OH2451B** is an OH! series, two seat with backs.

The codes **PALY** / **FSL Tinsel** specify Alloy legs and Grade 3 Solitaire Tinsel upholstery.

Model Number **OH2451B**



Orders may be sent via

Mailing Address

Versteel  
2332 Cathy Lane  
Jasper, IN 47546

Contact Versteel

Email contact@versteel.com  
Phone 800 876 2120  
812 634 2120  
Fax 812 482 9318

**Powder Coat Finishes**

All powder coat finishes in the Versteel offering have been formulated with the use of epoxy, polyester or epoxy and polyester blends to maximize the finish durability.

Powder Coat - Standard	n/c
Powder Coat - Premium	\$.158 per chair

**OH! Powder Coat Colors**

Alloy	.PALY	Navy	.PNAV
Amethyst	.PAME	Nimbus	.PNIM
Anthracite	.PANT	Nutmeg	.PNUT
Black Anodized	.PBLA	Pearl	.PPEA
Bronze	.PBRO	Pebble	.PPEB
Calypso	.PCAL	Platinum	.PPLA
Carbon	.PCAR	Poppy	.PPOP
Champagne	.PCHA	Royal	.PROY
Coconut	.PCOC	Seaside	.PSEA
Crimson	.PCRI	Shipyard	.PSHI
Daffodil	.PDAF	Silver	.PSIL
Ebony	.PEBO	Snow	.PSNO
Forest	.PFOR	Stone	.PSTO
Fossil	.PFOS	Storm	.PSTM
Graphite	.PGRA	Terra Cotta	.PTEC
Hope	.PHOP	Whisper	.PWHI
Kelly Green	.PKEG	White Linen	.PWHL
Mica	.PMIC	Powder Coat Alternative	.OPA
Mint	.PMNT		

**Premium Powder Coats (indicated by P)**

Versteel's premium process uses specially formulated powder coats for a truly unique color palette.

**Powder Coat Alternative****Call for quotation**

Specify code **OPA** (Powder Coat Alternative), add cost from Versteel quotation

Powder Coat Alternatives are available from Versteel. The entire RAL color reference along with hundreds of other colors and finishes are available.

For Powder Coat Alternative matching, you must supply a color reference sample, or an RAL number. Versteel will review the sample for possible existing colors available and send a sample for customer approval. If no color match exists, a custom match can be developed. Call Versteel Customer Service for associated upcharges on custom color development.

**NOTE** CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

**Polished Aluminum**

One piece cast aluminum legs, back supports and connectors are polished to a high gloss sheen.

Polished Aluminum	.APOL
-------------------	-------

**NOTE** POLISHED ALUMINUM IS NOT AVAILABLE ON THE PULL UP TABLE

**Chrome (available on Pull Up Table only)**

Versteel applies a deep luster nickel chrome plated finish.

Chrome is the most durable finish available. Specify and add \$218 list each.

Chrome	.ECHR
--------	-------

**Laminates**

Versteel's standard offering of laminates includes over 900 laminates from Formica, Nevamar, Pionite and Wilsonart.

Laminate manufacturers change standard offerings frequently, making it possible a standard product can become unavailable. Versteel cannot be responsible for any inconvenience this may cause.

**PVC Edges**

OH! laminate table edges are available with a PVC Edge.

- PVC provides hot melt application in a continuous band around the surface.

**OH! PVC Edge Colors**

Absolute Acajou	.CABA	Nimbus	.CNIM
Alloy	.CALY	Pearl	.CPEA
Carbon	.CCAR	Platinum	.CPLA
Champagne	.CCHA	Pralines & Cream	.CPRC
Coconut	.CCOC	Shadow	.CSHA
Ebony	.CEBO	Snow	.CSNO
Florence Walnut	.CFLW	Stone	.CSTO
Fossil	.CFOS	Storm	.CSTM
Graphite	.CGRA	Whisper	.CWHI
Grey	.CGRE	White Linen	.CWHL
Kensington Maple	.CKEM		

**Custom PVC Color Match****Call for quotation / one time charge per color, per order**

Specify code **OCF** (Custom PVC Color Match), add cost from Versteel quotation

PVC Color Match can be the selection of a color that is available from a Versteel supplier or a new custom color developed for the order. Minimum footage requirements mean that the amount of material needed for your order will effect the cost.

For PVC Color Matching you must supply a color reference sample. Versteel will review the sample for possible existing colors available and send a sample for customer approval. If no color match exists, a custom match will be developed and sampled for customer approval before a production schedule is established.

**NOTE** CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

Veneer & Wood Finish

OH! tables are available with standard Ash, Cherry, Maple and Walnut veneers.

OH! Veneer Species

Ash . . . . .	AP01	Maple. . . . .	MP01
Cherry . . . . .	CP01	Walnut . . . . .	WP01

Veneer Finish

Ash

Beach. . . . .	VBEA	Fog . . . . .	VFOG
Chestnut. . . . .	VCHE	Pebble . . . . .	VPEB
Drift . . . . .	VDRI	Whisper . . . . .	VWHI
Fawn . . . . .	VFAW		

Cherry

Blossom Cherry . . . . .	VBLC	Java Cherry. . . . .	VJAC
Cordovan Cherry . . . . .	VCNC	Millwork Cherry. . . . .	VMWC
Golden Cherry . . . . .	VGNC		

Maple

Caramel Maple . . . . .	VCMM	Sugar Maple . . . . .	VSUM
Solar Maple. . . . .	VSLM		

Walnut

Brighton Walnut . . . . .	VBRW	Natural Walnut. . . . .	VNAW
Espresso Walnut. . . . .	VESW		

NOTE WOOD BANDING IS A MULTI-PLY MAPLE WOOD BAND

Stain Finish Match

**\$957 / one time charge per finish, per order**

Specify code *OSM* (Stain Finish Match), add \$957.00 list per finish, per order

Alternative Stain Finishes are available for veneer and wood edged tops.

For Stain Finish Matching you must supply two 4" x 4" finish color and grain reference samples. An expertly finish matched sample will be provided for customer approval.

NOTE CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

Veneer or Wood Edge Alternatives

For veneer or wood edge requirements other than our standard plain sliced Ash, Cherry, Maple or Walnut, contact Versteel Customer Service with the specifications of the materials you would like to specify.

NOTE VENEER OR WOOD EDGE ALTERNATIVES APPROVAL MAY AFFECT STANDARD PRODUCTION SCHEDULES

Wood Finish Alternatives

Versteel finish has a natural grain fill level finish appearance, contact Versteel Customer Service for alternative fill levels. Coarse grain will require additional application steps for a full-fill grain appearance and will require a quote.

NOTE WOOD FINISH ALTERNATIVE APPROVAL MAY AFFECT STANDARD PRODUCTION SCHEDULES

Corian®

Corian® is an advanced composite product used as an architectural and design material in a variety of residential and commercial applications.

OH! Corian® Colors

Antarctica. . . . .	NART	Matterhorn . . . . .	NMTH
Bisque . . . . .	NBIS	Pearl Gray. . . . .	NPLG
Designer White. . . . .	NDEW	Platinum. . . . .	NPLA
Elegant Gray . . . . .	NELG	Savannah . . . . .	NSAV
Glacier White. . . . .	NGLW	Silver Gray. . . . .	NSLG
Linen . . . . .	NLIN	Vanilla . . . . .	NVAN

Alternative Corian® colors may be specified. Contact Customer Service for quote.

Table Top Alternatives

Table tops can be produced in alternative top material if desired. Contact Versteel Customer Service for pricing and availability.

Finish Reference & Samples

For finish color reference, please refer to our website. Contact Versteel Customer Service to receive actual color samples for color matches and final color approval.

A la Carte Connector

When your configuration requires an additional connector it can be ordered by specifying model number *OHAC 19CTR*  
*OHAC 19CTR. . . . .* \$ 113



Versteel recommends either the Garcia or Mini-Tap for the freestanding OH! units. Other under mount units may be specified. Contact Versteel Customer Service with questions.

The recommended location of the under mount power unit is on the lower right side as seated. Refer to diagram below. Electrical unit is shipped uninstalled and may be placed in alternate locations.



Electrical location

#### Garcia

Low-profile, low-voltage Garcia mounts under the seat providing power for tablets, cell phones and more.



#### SPECIFICATIONS (per unit)

- Two (2), 2.1 Amp USB ports
- LED charging indicator lights
- 72" power supply cored with a barrel connector

Model	Description	
GRC-IP2U	Two (2) 2.1 AMP USB Ports	\$ 395 list

#### Unit Color

BB	Black with Black Mounting Bracket	n/c
WW	White with White Mounting Bracket	n/c

**Model Example:** [GRC-IP2U-BB](#)

#### Mini-Tap (per unit)

Mini-Tap provides 2 outlets that can be mounted, with key slots, so as to put power near the edge of the seat. Mini-Tap is black.



#### SPECIFICATIONS

- Two (2) Simplexes
- Available with spill-proof Simplexes

Model	Description	
MTP-IP2X	Two (2) power	\$ 143 list
MTP-IP2U	One (1) power and one (1) dual port USB charger	\$ 368 list

#### Cord Length

72	72" cord length, black	n/c
120	120" cord length, black	\$ 20 list

**Model Example:** [MTP-IP2X-72](#)

Utilizing the Twine corded system up to six (6) power accessories can be sequenced with one infeed cord. Refer to diagrams and ordering information below.

NOTE: Additional configurations are available. Contact Versteel Customer Service with questions.

- SPECIFICATIONS
- Finish: Black plastic
  - Power & USB
  - Up to 8 power outlets with multiple USB ports
  - 6' power infeed cord



Above diagram shows the recommended location of sequenced under mount power units. Electrical units are shipped uninstalled and may be placed in alternate locations.

Garcia (USB only)

Model	Description	
OHGA51	Two (2) USB ports (per unit)	\$ 650 list

- SPECIFICATIONS (per unit)
- Two (2), 2.1 Amp USB ports
  - LED charging indicator lights

Unit Color		
BB	Black with Black Mounting Bracket	n/c
WW	White with White Mounting Bracket	n/c

Model Example: [OHGA51-WW](#)

Mini-Tap (power or power/USB)

Model	Description	
OHMTTP51	Two (2) power (per unit)	\$ 502 list
OHMTPU51	One (1) power and one (1) dual port USB charger (per unit)	\$ 938 list

- SPECIFICATIONS (per unit)
- Two (2), simplexes
  - Available with spill-proof Simplexes

Model Example: [OHMTPU51](#)



Above diagram shows the recommended location of sequenced under mount power units. Electrical units are shipped uninstalled and may be placed in alternate locations.

Garcia (USB only)

Model	Description	
OHGA78	Two (2) USB ports (per unit)	\$ 873 list

- SPECIFICATIONS (per unit)
- Two (2), 2.1 Amp USB ports
  - LED charging indicator lights

Unit Color		
BB	Black with Black Mounting Bracket	n/c
WW	White with White Mounting Bracket	n/c

Model Example: [OHGA78-BB](#)

Mini-Tap (power or power/USB)

Model	Description	
OHMTTP78	Two (2) power (per unit)	\$ 514 list
OHMTPU78	One (1) power and one (1) dual port USB charger (per unit)	\$ 953 list

- SPECIFICATIONS (per unit)
- Two (2), simplexes
  - Available with spill-proof Simplexes

Model Example: [OHMTPU78](#)



Above diagram shows the recommended location of sequenced under mount power units. Electrical units are shipped uninstalled and may be placed in alternate locations.

Garcia (USB only)

Model	Description	
OHGA105	Two (2) USB ports (per unit)	\$ 911 list

- SPECIFICATIONS (per unit)
- Two (2), 2.1 Amp USB ports
  - LED charging indicator lights

Unit Color		
BB	Black with Black Mounting Bracket	n/c
WW	White with White Mounting Bracket	n/c

Model Example: [OHGA105-BB](#)

Mini-Tap (power or power/USB)

Model	Description	
OHMTPTPI05	Two (2) power (per unit)	\$ 555 list
OHMTPTUI05	One (1) power and one (1) dual port USB charger (per unit)	\$ 992 list

- SPECIFICATIONS (per unit)
- Two (2), simplexes
  - Available with spill-proof Simplexes

Model Example: [OHMTPTUI05](#)

OH!  
Freestanding  
No Back






VERSTEEL

Questions?

800 876 2120

Quickship Program Product

OH Quickship Program Product				material > grade >	Fabric Grade 2 or COM	Fabric Grade 3	Fabric Grade 4	Fabric Grade 5	Fabric Grade 6
Model #	Description	Dimensions	Product Wt						
OH24 	Single Seat No Back	Overall Width: 24" Overall Depth: 24" Overall Height: 18" Seat Width: 24" Seat Depth: 24" Seat Height: 18" OH	17	920	1003	1084	1166	1248	
OH2451 	Two Seats No Back	Overall Width: 51" Overall Depth: 24" Overall Height: 18" Seat Width: 24" Seat Depth: 24" Seat Height: 18" OH	34	1778	1982	2187	2392	2596	
OH2478 	Three Seats No Back	Overall Width: 78" Overall Depth: 24" Overall Height: 18" Seat Width: 24" Seat Depth: 24" Seat Height: 18" OH	50	2496	2701	2907	3111	3316	




To Order, Specify...

- 1 Model Number
- 2 Frame Color
- 3 Upholstery Selection
- 4 Additional Options



[Questions?](#)

800 876 2120

				material › grade ›	Fabric Grade 2 or COM	Fabric Grade 3	Fabric Grade 4	Fabric Grade 5	Fabric Grade 6
Model #	Description	Dimensions	Product Wt						
<b>OH24B</b> 	Single Seat With Back	Overall Width: 24" Overall Depth: 27" Overall Height: 33" Seat Width: 24" Seat Depth: 24" Seat Height: 18"	29	1574	1740	1903	2067	2230	
<b>OH2451B</b> 	Two Seats With Back	Overall Width: 51" Overall Depth: 27" Overall Height: 33" Seat Width: 24" Seat Depth: 24" Seat Height: 18"	58	3087	3457	3826	4194	4563	
<b>OH2478B</b> 	Three Seats With Back	Overall Width: 78" Overall Depth: 27" Overall Height: 33" Seat Width: 24" Seat Depth: 24" Seat Height: 18"	86	4462	4913	5363	5814	6264	

**Finish Options**

Powder Coat - Standard .....	n/c
Powder Coat - Premium .....	\$ 158
Polished Aluminum .....	n/c

**Price**

**Seat Options**

Seat Accent Fabric .....	Code
--------------------------	------

**Code**

**Price**

\$ 357

**Custom Charges**

Powder Coat Alternative (per color) .....	Code
---	------

**Code**

**Price**

call



**Power and Data Options**

Please reference the Power Options section



Questions?

800 876 2120

				material > grade >	Fabric Grade 2 or COM	Fabric Grade 3	Fabric Grade 4	Fabric Grade 5	Fabric Grade 6
Model #	Description	Dimensions	Product Wt						
OH360 	Ottoman 5 Legs	Overall Width: 36" Overall Depth: 36" Overall Height: 18" Seat Height: 18"	33	1634	1800	1964	2127	2292	
OH480 	Ottoman 6 Legs	Overall Width: 48" Overall Depth: 48" Overall Height: 18" Seat Height: 18"	54	2334	2581	2825	3071	3317	

To Order, Specify...






- 1 Model Number
- 2 Frame Color
- 3 Upholstery Selection
- 4 Additional Options

<b>Finish Options</b>	<b>Price</b>	<b>Seat Options</b>	<b>Code</b>	<b>Price</b>	<b>Custom Charges</b>	<b>Code</b>	<b>Price</b>
Powder Coat - Standard .....	n/c	Seat Accent Fabric .....	SAF	\$ 357	Powder Coat Alternative (per color) .....	OPA	call
Powder Coat - Premium .....	\$ 158						
Polished Aluminum .....	n/c						
<b>Power and Data Options</b>							
Please reference the Power Options section							



Questions?

800 876 2120

				top > edge >	Laminate Flat PVC	Veneer Flat Wood	Corian Square
							
				edge ordering code (radius corner) >	LP7R	VW7R	CS7R
Model #	Description	Dimensions	Product Wt	top thickness >	1"	1"	1"
OH24RD 	Round	Width: 24" Depth: 24" Height: 12"	14		773	2177	1473
OH14RDLT 	Pull Up Table	Width: 14" Depth: 14" Height: 25.5"	25		556	1838	1112

To Order, Specify...

- 1 Model Number
- 2 Frame Color
- 3 Top Material
- 4 Top color
- 5 Edge Detail
- 6 Additional Options



Questions?  
800 876 2120

Finish Options	Price
Powder Coat - Standard .....	n/c
Powder Coat - Premium .....	\$ 158
Polished Aluminum .....	n/c
Not Available on Pull Up Table	
Chrome .....	\$ 218
Not Available on Round Table	

Top Options	Code	Price
Special Laminate.....	TSP	call
Power and Data Options		
Please reference the Power Options section		

Custom Charges	Code	Price
Powder Coat Alternative (per color) .....	OPA	call
Custom PVC Color Match .....	OCF	call
Stain Finish Match (per finish).....	OSM	\$ 957

OH!  
Configurable  
No Back








VERSTEEL

Questions?

800 876 2120

Quickship Program Product

OH Quickship Program Product				material > grade >	Fabric Grade 2 or COM	Fabric Grade 3	Fabric Grade 4	Fabric Grade 5	Fabric Grade 6
Model #	Description	Dimensions	Product Wt						
 OH24ER	End Seat, Right No Back	Overall Width: 24" Overall Depth: 24" Overall Height: 18" Seat Width: 24" Seat Depth: 24" Seat Height: 18"	18  OH	854	936	1017	1099	1182	
 OH24EL	End Seat, Left No Back	Overall Width: 24" Overall Depth: 24" Overall Height: 18" Seat Width: 24" Seat Depth: 24" Seat Height: 18"	18  OH	854	936	1017	1099	1182	
 OH24LR	Linking Seat Connector Right No Back	Overall Width: 24" Overall Depth: 24" Overall Height: 18" Seat Width: 24" Seat Depth: 24" Seat Height: 18"	18  OH	859	940	1022	1105	1187	
 OH24LL	Linking Seat Connector Left No Back	Overall Width: 24" Overall Depth: 24" Overall Height: 18" Seat Width: 24" Seat Depth: 24" Seat Height: 18"	18  OH	859	940	1022	1105	1187	
 OH24LD	Linking Seat Two Connectors No Back	Overall Width: 24" Overall Depth: 24" Overall Height: 18" Seat Width: 24" Seat Depth: 24" Seat Height: 18"	18  OH	927	1008	1090	1173	1255	






To Order, Specify...

- 1 Model Number
- 2 Frame Color
- 3 Upholstery Selection
- 4 Additional Options



[Questions?](#)

800 876 2120

				material › grade ›	Fabric Grade 2 or COM	Fabric Grade 3	Fabric Grade 4	Fabric Grade 5	Fabric Grade 6
Model #	Description	Dimensions	Product Wt						
<b>OH24ERB</b> 	End Seat, Right With Back	Overall Width: 24" Overall Depth: 27" Overall Height: 33" Seat Width: 24" Seat Depth: 24" Seat Height: 18" <b>≡OS</b>	18	1508	1673	1837	2000	2164	
<b>OH24ELB</b> 	End Seat, Left With Back	Overall Width: 24" Overall Depth: 27" Overall Height: 33" Seat Width: 24" Seat Depth: 24" Seat Height: 18" <b>≡OS</b>	18	1508	1673	1837	2000	2164	
<b>OH24LRB</b> 	Linking Seat Connector Right With Back	Overall Width: 24" Overall Depth: 27" Overall Height: 33" Seat Width: 24" Seat Depth: 24" Seat Height: 18" <b>≡OS</b>	18	1515	1677	1843	2006	2169	
<b>OH24LLB</b> 	Linking Seat Connector Left With Back	Overall Width: 24" Overall Depth: 27" Overall Height: 33" Seat Width: 24" Seat Depth: 24" Seat Height: 18" <b>≡OS</b>	18	1515	1677	1843	2006	2169	
<b>OH24LDB</b> 	Linking Seat Two Connectors With Back	Overall Width: 24" Overall Depth: 27" Overall Height: 33" Seat Width: 24" Seat Depth: 24" Seat Height: 18" <b>≡OS</b>	18	1582	1746	1910	2074	2238	

**Finish Options**

Powder Coat - Standard .....	n/c
Powder Coat - Premium .....	\$ 158
Polished Aluminum .....	n/c

**Price**

**Seat Options**

Seat Accent Fabric .....	Code SAF
--------------------------	-------------

**Code**

**Price**

\$ 357

**Custom Charges**

Powder Coat Alternative (per color) .....	Code OPA
---	-------------

**Price**

call

**Power and Data Options**

Please reference the Power Options section



Questions?

800 876 2120


Questions?

800 876 2120


top >

edge >


Laminate Flat PVC



Veneer Flat Wood



Corian Square



edge ordering code (radius corner) >

LP7R

VW7R






CS7R

top thickness >

1"

1"

1"









Model #	Description	Dimensions	Product Wt			
 <b>OH18RDER</b>	Round End Table, Right	Width: 18" Depth: 18" Height: 12"	9	674	2048	1320
 <b>OH18RDEL</b>	Round End Table, Left	Width: 18" Depth: 18" Height: 12"	9	674	2048	1320
 <b>OH18RDLR</b>	Round Linking Table Connector Right	Width: 18" Depth: 18" Height: 12"	9	661	2037	1307
 <b>OH18RDLL</b>	Round Linking Table Connector Left	Width: 18" Depth: 18" Height: 12"	9	661	2037	1307
 <b>OH18RDLD</b>	Round Linking Table Two Connectors	Width: 18" Depth: 18" Height: 12"	9	761	2138	1408

To Order, Specify...

- 1 Model Number
- 2 Frame Color
- 3 Top Material
- 4 Top color
- 5 Edge Detail
- 6 Additional Options



[Questions?](#)  
800 876 2120

			top > edge >	Laminate Flat PVC	Veneer Flat Wood	Corian Square
						
			edge ordering code (radius corner) >	LP7R	VW7R	CS7R
			top thickness >	1"	1"	1"
Model #	Description	Dimensions	Product Wt			
 <b>OH24RDER</b>	Round End Table, Right	Width: 24" Depth: 24" Height: 12"	9	700	2104	1402
 <b>OH24RDEL</b>	Round End Table, Left	Width: 24" Depth: 24" Height: 12"	9	700	2104	1402
 <b>OH24RDLR</b>	Round Linking Table Connector Right	Width: 24" Depth: 24" Height: 12"	9	687	2092	1390
 <b>OH24RDLL</b>	Round Linking Table Connector Left	Width: 24" Depth: 24" Height: 12"	9	687	2092	1390
 <b>OH24RDLD</b>	Round Linking Table Two Connectors	Width: 24" Depth: 24" Height: 12"	9	789	2194	1492




<b>Finish Options</b>	<b>Price</b>
Powder Coat - Standard .....	n/c
Powder Coat - Premium .....	\$ 158
Polished Aluminum .....	n/c

<b>Top Options</b>	<b>Code</b>	<b>Price</b>
Special Laminate .....	TSP	call
<b>Power and Data Options</b>		
Please reference the Power Options section		

<b>Custom Charges</b>	<b>Code</b>	<b>Price</b>
Powder Coat Alternative (per color) .....	OPA	call
Custom PVC Color Match .....	OCF	call
Stain Finish Match (per finish) .....	OSM	\$ 957

Questions?




800 876 2120

				material › grade ›	Fabric Grade 2 or COM	Fabric Grade 3	Fabric Grade 4	Fabric Grade 5	Fabric Grade 6
Model #	Description	Dimensions	Product Wt						
 <b>OHSD34T</b>	Privacy Screen Tackable	Overall Width: 33½" Overall Height: 62½" Panel Thickness: 2"	40	2793	3126	3457	3788	4119	
 <b>OHSD44T</b>	Privacy Screen Tackable	Overall Width: 43½" Overall Height: 66½" Panel Thickness: 2"	66	2969	3395	3820	4120	4546	
 <b>OHSD2065T</b>	Privacy Screen Tackable	Overall Width: 19¾" Overall Height: 70¾" Panel Thickness: 2"	46	2895	3321	3748	4173	4600	

To Order, Specify...

- 1 Model Number
- 2 Frame Color
- 3 Upholstery Selection
- 4 Additional Options

[Questions?](#)  
800 876 2120

				material > grade >	Fabric Grade 2 or COM	Fabric Grade 3	Fabric Grade 4	Fabric Grade 5	Fabric Grade 6
Model #	Description	Dimensions	Product Wt						
<b>OHSD34A</b>	Privacy Screen Acoustic	Overall Width: 33½" Overall Height: 62½" Panel Thickness: 2"	36	3376	3708	4038	4369	4702	
									
<b>OHSD44A</b>	Privacy Screen Acoustic	Overall Width: 43¼" Overall Height: 66½" Panel Thickness: 2"	59	3551	3978	4405	4829	5256	
									
<b>OHSD2065A</b>	Privacy Screen Acoustic	Overall Width: 19½" Overall Height: 70½" Panel Thickness: 2"	40	3478	3904	4331	4757	5184	
									

Finish Options	Price
Powder Coat - Standard .....	n/c
Powder Coat - Premium .....	\$ 158
Platinum Powder Coat .....	\$ 469

Custom Charges	Code	Price
Powder Coat Alternative (per color) .....	OPA	call

All prices are delivered list price effective with date printed on cover and supersedes all other published price lists. Versteel reserves the right to change prices or specifications without prior notice. Orders are accepted subject to price prevailing at time of shipment.

**versteel.com**  
Made in America  
800 876 2120