
Price List

JUMP TO PRICING CLICK HERE



S

Troupe Gathering 01 July 2022





Tops

The 1 ¼" tops are available in laminate or veneer. Top shapes are round, square and rectangle.

Laminate and Veneer, Standard Core Construction

The standard top construction consists of 45-50 lb particleboard, surfaced with a high pressure laminate or plain sliced veneer face. A backer sheet is laminated to the underside of the top. Tops are shipped with understructure attached.

PVC Flat or Fluted Edge - 1 1/4"



Edge of 2mm PVC hot melt banded to the top with 1/8" radius at the top and bottom. Available with 1 1/2" radius corners or square corners.



Offered in twenty-one (21) standard colors.

Wood Flat or Fluted Edge - 1 ¼"



Wood banding hot melt banded to the top with 1/8" radius at the top and bottom. Available with 1 % radius corners or square



Offered in Ash, Cherry, Maple or Walnut materials.

Table Heights

Table heights are 30", 36" and 42" tall.

Stretcher Rails

All 36" and 42" tall tables have stretcher rails running diagonally from leg to leg. Rails are 2" tall with a distance of 10" from bottom rail to the floor. They are fully welded for rectangle tables and K.D. for round and square tables. Stretcher rails are the same color as the legs.

Leg Accent

As an added feature all Troupe legs have a metal accent piece. This appealing design aesthetic allows the designer or specifier to specify one color for a monochromatic look or select two coordinating powder coat colors enhancing the design beauty of the table.

Apron

A 2" angle iron apron is mounted under the top for added stability. Apron is the same color as the accent pieces and will be mounted to all four sides of the table.

Shipping Schedule

Standard Items

Laminate, PVC Edge 3-5 WEEKS Laminate, Wood Edge 3-5 WEEKS Veneer, Wood Edge 6-8 WEEKS

Contact Versteel for special lead time requests.


BIFMA

Manufacturer certifies that products meet or exceed applicable ANSI/BIFMA standards and testing.

Quality Standards

All Versteel table bases are constructed to pass the industry test standards set forth by BIFMA. For more detailed specifications by series and base style, contact Versteel Customer Service at 800.876.2120.

Additional information regarding warranty, terms and conditions, shipping, care and maintenance, etc. can be found on pages 2-6 of the All Tables price list.



Model Number TPF2 3684REH42



Orders may be sent via

Mailing Address

Versteel 2332 Cathy Lane Jasper IN 47546

Contact Versteel

 Email
 contact@versteel.com

 Phone
 800 876 2120

 812 634 2120

 Fax
 812 482 9318

Laminate		PVC Edge Colors	
Versteel's standard offering of la	ıminates includes over 900	Absolute Acajou CABA	Nimbus CNIM
laminates from Formica, Nevam	ar, Pionite and Wilsonart.	Alloy	Pearl CPEA
		Carbon CCAR	Platinum CPLA
Laminate manufacturers change	e standard offerings frequently,	Champagne CCHA	Pralines & Cream CPRC
	roduct can become unavailable.	Coconut	Shadow CSHA
Versteel cannot be responsible f	or any inconvenience this may	EbonyCEBO	Snow CSNO
cause.		Florence Walnut CFLW	Stone CSTO
		Fossil CFOS	StormCSTM
Veneer		Graphite CGRA	Whisper CWHI
Troupe tables are available with	plain sliced Ash, Cherry, Maple	Grey	White Linen CWHL
and Walnut veneers.		Kensington Maple CKEM	
Veneer Species		Wood Edge Species	
Ash AP01	MapleMP01	Ash	Maple
Cherry CP01	Walnut WP01	Cherry	Walnut W01
Veneer Finish		Wood Edge Finishes	
Ash		Ash	
Beach VBEA	Fog VFOG	Beach WBEA	FogWFOG
ChestnutVCHE	Pebble VPEB	Chestnut WCHE	Pebble WPEB
Drift VDRI	Whisper VWHI	Drift WDRI	Whisper WWHI
Fawn VFAW		Fawn	
Cherry		Cherry	
Blossom Cherry VBLC	Java Cherry VJAC	Blossom Cherry WBLC	Java Cherry WJAC
Cordovan Cherry VCNC	Millwork Cherry VMWC	Cordovan Cherry WCNC	Millwork Cherry WMWC
Golden Cherry VGNC		Golden Cherry WGNC	
Maple		Maple	
Caramel Maple VCMM	Sugar Maple	Caramel Maple WCMM	Sugar Maple
Solar Maple VSLM		Solar Maple WSLM	
Walnut		Walnut	
Brighton WalnutVBRW	Natural Walnut VNAW	Brighton WalnutWBRW	Natural Walnut WNAW
Espresso WalnutVESW		Espresso WalnutWESW	

Table Top Alternatives

Table tops can be produced in alternative top material if desired. Contact Versteel Customer Service for pricing and availability.

Powder Coat Finishes

All powder coat finishes in the Versteel offering have been formulated with the use of epoxy, polyester or epoxy and polyester blends to maximize the finish durability.

Powder Coat Finish Options

Powder Coat - Standard													n/	С	
Powder Coat - Premium												¢	:14	17	

Powder Coat Colors

	Alloy		Navy PNAV
	Amethyst PAME		Nimbus PNIM
	Anthracite PANT		Nutmeg PNUT
	Black Anodized PBLA		Pearl PPEA
	Bronze PBRO		Pebble PPEB
	Calypso PCAL	P	Platinum PPLA
	${\sf Carbon}.\dots{\sf PCAR}$		PoppyPPOP
	Champagne PCHA		Royal PROY
	Coconut PCOC		Seaside PSEA
	Crimson PCRI		Shipyard
	Daffodil PDAF		Silver
	EbonyPEBO		Snow
	ForestPFOR		Stone PSTO
	Fossil PFOS		StormPSTM
	Graphite PGRA		Terra Cotta PTEC
e	Hope		Whisper PWHI
	Kelly Green PKEG		White Linen PWHL
	Mica PMIC		Powder Coat Alternative .OPA
	$Mint\dots\dots PMNT$		

NOTE CHROME, NICKEL AND TRANSPARENT POWDER COAT ARE NOT AVAILABLE ON TROUPE

Premium Powder Coats (indicated by (9)

Versteel's premium process uses specially formulated powder coats for a truly unique color palette.

Powder Coat Alternative

Call for quotation

Specify code **OPA** (Powder Coat Alternative), add cost from Versteel quotation

Powder Coat Alternative is available from Versteel. The entire RAL color reference along with hundreds of other color and finishes are available.

For Powder Coat Alternative matching, you must supply a color reference sample, or an RAL number. Versteel will review the sample for possible existing colors available and send a sample for customer approval. If no color match exists a custom match can be developed. Call Versteel Customer Service for associated upcharges on custom color development.

NOTE CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

Special Laminate

Call for quotation

Specify code TSP (Special Laminate), indicate the quoted charges per table

Special laminates and patterns can be specified as an option on Troupe. To specify, contact Versteel for availability and pricing.

NOTE LAMINATES IN STANDARD COLORS AND TEXTURES FROM FORMICA, NEVAMAR,

PIONITE AND WILSONART ARE STANDARD

CAUTION LAMINATE MANUFACTURERS CHANGE STANDARD OFFERINGS FREQUENTLY, AND IT IS POSSIBLE THAT A STANDARD PRODUCT CAN BECOME UNAVAILABLE. VERSTEEL CANNOT BE RESPONSIBLE FOR ANY INCONVENIENCE THIS MAY CAUSE.

Custom PVC Color Match

Call for quotation / one time charge per color, per order

Specify code OCP (Custom PVC Color Match), add cost from

Versteel quotation

PVC Color Match can be the selection of a color that is available from a Versteel supplier or a new custom color developed for the order. Minimum footage requirements mean that the amount of material needed for your order will effect the cost.

For PVC Color Matching you must supply a color reference sample. Versteel will review the sample for possible existing colors available and send a sample for customer approval. If no color match exists, a custom match will be developed and sampled for customer approval before a production schedule is established.

NOTE CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

Stain Finish Match

\$894 / one time charge per finish, per order

Specify code OSM (Stain Finish Match), add \$894.00 list per finish, per order

Alternative Stain Finishes are available for veneer and wood edged tops.

For Stain Finish Matching you must supply two 4" x 4" finish color and grain reference samples. An expertly finish matched sample will be provided for customer approval.

NOTE CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

Veneer or Wood edge Alternatives

For veneer or wood edge requirements other than our standard plain sliced Ash, Cherry, Maple or Walnut, contact Versteel Customer Service with the specifications of the materials you would like to specify.

NOTE VENEER OR WOOD EDGE ALTERNATIVES APPROVAL MAY AFFECT STANDARD PRODUCTION SCHEDULES

Wood Finish Alternatives

Versteel finish has a natural grain fill level finish appearance, contact Versteel Customer Service for alternative fill levels.

Coarse grain will require additional application steps for a full-fill grain appearance and will require a quote.

NOTE WOOD FINISH ALTERNATIVE APPROVAL MAY AFFECT STANDARD PRODUCTION SCHEDULES

Power + Data Options Henri®

VERSTEEL

Henri - \$308 / unit

Specify code PH_ (Henri - Location_), add \$308.00 list per Henri

The pop-up Henri electrical unit(s) is factory installed in the specified location. Perfect for single table applications.

SPECIFICATIONS

- One 9' cord, one 15 amp circuit, standard grounded plug
- Surge protection
- Two electrical outlets per unit

NOTE FOR MORE PLANNING AND ORDERING DETAIL INFORMATION SEE ELECTRICAL PLANNING SECTION IN THE POWER & DATA PRICE LIST NOTE FOR HENRI VOICE AND DATA JACK OPTIONS SEE PAGE 19



1 Henri - Location F \$308 / table

Specify code **PHF** (1 Henri - Location F), add \$308.00 list per table

One pop-up Henri electrical unit is factory installed in the center of the top.



1Henri - Location K \$308 / table

Specify code PHK (1 Henri - Location K), add \$308.00 list per table

One pop-up Henri electrical unit is factory installed lengthwise in the center of the top.



2 Henris - Location H \$616 / table

Specify code **PHH** (2 Henris - Location H), add \$616.00 list per table

Two pop-up Henri electrical units are factory installed in predetermined positions in the top.

NOTE IF A LOCATION OTHER THAN F, K OR H IS REQUIRED, CONTACT CUSTOMER SERVICE

Henri Now linking systems require an **HNPU** power supply unit per each sequence. Specify code HNPU, \$403.00 list each.

- o 120" cord length
- 15 amp circuit
- standard grounded plug
- surge protection



Henri Now - \$298 / unit

Specify code PHN_ (Henri Now - Location_), add \$298.00 list per Henri Now.

Units may be linked within a table, but not table to table.

The pop-up Henri Now electrical unit(s) is factory installed in the specified location. Recommended for multiple table applications. May be sequenced in any order.

SPECIFICATIONS

- ° One 10' cord, one 15 amp circuit, standard grounded plug
- Surge protection
- o Two electrical outlets per unit



NOTE FOR MORE PLANNING AND ORDERING DETAIL INFORMATION SEE ELECTRICAL PLANNING SECTION PAGES 23-37

NOTE FOR HENRI NOW VOICE AND DATA JACK OPTIONS SEE PAGE 19

NOTE HENRI NOW SOFT WIRED LINKED SYSTEMS DO NOT WORK WITH GFCI RECEPTACLES. CONTACT VERSTEEL FOR ADDITIONAL INFORMATION.



1 Henri Now - Location F \$298 / table

Specify code PHNF (1 Henri Now - Location F), add \$298.00 list per table

One pop-up Henri Now electrical unit is factory installed in the center of the top.



1 Henri Now - Location K \$298 / table

Specify code PHNK (1 Henri Now - Location K), add \$298.00 list per table

One pop-up Henri Now electrical unit is factory installed lengthwise in the center of the top.



2 Henri Nows - Location H \$596 / table

Specify code PHNH (2 Henri Nows - Location H), add \$596.00 list per table

Two pop-up Henri Now electrical units are factory installed in predetermined positions in the top.

NOTE IF A LOCATION OTHER THAN F, K OR H IS REQUIRED, CONTACT CUSTOMER SERVICE

Power Access

The flush mount Power Access unit(s) is factory installed in the worksurface. Indicate specified location on your purchase order.



SPECIFICATIONS

- o Completely flush mounted in work surface
- Two (2) power outlets per unit
 Two (2) USB-A charging ports per unit
- Two (2) open ports for data/AV jacks per unit
- 6" x 4" bezel
- o Body and interior of unit black

NOTE FOR POWER ACCESS VOICE AND DATA JACKS REFER TO DATA JACK OPTIONS

Bezel and Door Color

n/c Standard Powder Coat \$147 Premium Powder Coat

NOTE TRANSPARENT POWDER COATS AND PLATINUM ARE NOT AVAILABLE

Individually Powered Unit

Model	Description	
EPA-IP	Individually powered (corded system)	\$491 list
Cord Length		
72	72" cord length	n/c
144	144" cord length	\$36 list
180	180" cord length	\$48 list

Model Example: EPA-IP-144

Soft-Wired Linking Unit

UL/CSA Listed

Model	Description	
EPA-SL	Soft-wired linking system	\$595 list

SPECIFICATIONS

- o Single circuit, 15 AMP
- No sequencing of units required
- Up to eight (8) units per circuit
- Requires HNPU power supply per circuit

HNPU	Power supply unit	\$404 list
Cord Lenat	h	

120	120" cord length	n/c
144	144" cord length	\$17 list
180	180" cord length	\$27 list

ETL Listed to the UL962 Standard

Model Example: EPA-SL-120

Hard-Wired System

Model	Description	
EPA-HW	Hard-wired system	Call
SPECIFICATIONS		

- o Multi-circuit (4 wire, 2 circuit, 20 AMP circuits)
- No sequencing of units required
- Up to 20 units linked per circuit
- System priced per project, call for quote

NOTE UP TO 20 UNITS LINKED PER SYSTEM (10 CIRCUIT 1 AND 10 CIRCUIT 2). MUST SPECIFY WHICH UNITS ARE TO BE ON WHICH CIRCUIT

UL/CSA Listed

Model Example: EPA-HW-DA-HD

Power Access Data Plate Guidelines

The Power Access Data Plate has (4) available slots for data jacks. Listed below are specification codes, number of slots each jack will occupy, and pricing.

Jack Type	Specify Code	Number of Slots	List Price per Jack Type
Data	DA	1	\$40
Voice	VO	1	\$16
HDMI	HD	2	\$93
Data Coupler	DD	1	\$128
Voice Coupler	VV	1	\$37



Power Bay - \$1164 / unit

Specify code EPB_ (Power Bay - Location_), add \$1164.00 list per Power Bay for first unit per table and \$1164.00 for each additional unit.

For clear anodized aluminum finish, add \$126 list per unit

The flush mount Power Bay electrical unit(s) is factory installed in the specified location. Choose any standard powder coat, or Clear Anodized Aluminum, for bezel and door.

SPECIFICATIONS

- One 10' cord, one 15 amp circuit, standard grounded plug
- Surge protection
- o Four electrical outlets per unit
- Data plate with 9 slots







1 Power Bay - Provide Location Print \$1164 / table

Specify code **EPBI** (1 Power Bay - Provide Location Print), add \$1164.00 list per table

One flush mount Power Bay electrical unit is factory installed in the top location indicated by specifier's print.



2 Power Bays - Provide Location Print \$2328 / table

Specify code **EPB2** (2 Power Bays - Provide Location Print), add \$2328.00 list per table

Two flush mount Power Bay electrical units are factory installed in the top locations indicated by specifier's print.



3 Power Bays - Provide Location Print \$3492 / table

Specify code **EPB3** (3 Power Bays - Provide Location Print), add \$3492.00 list per table

Three flush mount Power Bay electrical units are factory installed in the top locations indicated by specifier's print.



4 Power Bays - Provide Location Print \$4656 / table

Specify code **EPB4** (4 Power Bays - Provide Location Print), add \$4656.00 list per table

Four flush mount Power Bay electrical units are factory installed in the top locations indicated by specifier's print.



Power Bay Data Plate Guidelines

The Power Bay Data Plate has (9) available slots for data jacks. Listed below are specification codes, number of slots each jack will occupy, and pricing.

Jack Type	Specify Code	Number of Slots	List Price per Jack Type
Data	DA	1	\$40
Voice	VO	1	\$16
Mini Stereo	MS	1	\$19
VGA	VG	2	\$28
HDMI	HD	2	\$93
USB	US	2	\$42
Data Coupler	DD	1	\$128
Voice Coupler	VV	1	\$37

Power + Data Options V Charge

VERSTEEL

V Charge Wireless Charging

Wireless charging pads for phones and tablets with built-in Qi wireless charging. Pads are surface mounted into the table



Option Code

VWC1 \$275 list

SPECIFICATIONS

- 。 10 Watt fast charge wireless charging unit embedded in table
- Soft touch cover plate with V Charge logoSurface mounted
- o 6' power supply included

Unit Color

BLK	Black	n/c
WHT	White	n/c

Option Code

VWC2 \$353 list

SPECIFICATIONS

- $\,\circ\,$ 15 watt fast charge wireless charging unit embedded in table
- Soft touch cover plate with V Charge logoSurface mounted
- o 5' power supply included

Unit Color

BLK	Black	n/c
WHT	White	n/c

V Power™ (Kwikboost EdgePower)

V Power™ supports diversity and flexibility in a fluid environment. Utilizing cordless, battery-powered charging, the V Power attaches to the edge of each worksurface, giving individuals and teams the freedom to work or learn anywhere. For a more discreet appearance, mount unit under the worksurface with an optional bracket, sold separately.

CHARGING UNIT SPECIFICATIONS

- o Adjustable, attaches to 0.7" to 1.5" tops
- o Includes 110V AC outlet, USB-A port and USB-C PD port
- o Charges laptops, tablets, phones, etc
- Operating temperatures: 32 to 113°F (0 to 45°C) while in use 14 to 131°F (-10 to 55°C) when not in use
- Dimensions (with battery): 10.3"L x 4.9"W x 5.2" to 6"H

RECHARGEABLE BATTERY SPECIFICATIONS

- · Easily interchangeable
- Rechargeable using base charging station
- Includes LED charge indicator lights
- 146.52 battery capacity
- 18650 Li-ion battery
- Up to 500 life cycles
- Recharge time: 2 hours
- o Dimensions: 9.1"L x 3"W x 2.1"H

CHARGER / CHARGING STATION SPECIFICATIONS

- o Single charger, 3-bay charging station, or 9-bay charging station
- Fully recharges batteries in 2 hours
 3-bay station is stackable and expandable
- Dimensions (with battery): Single 3.25"L x 0.75"W x 2.25"H 3-bay 15"L x 12"W x 6"H 9-bay 15"L x 12"W x 13.5"H





Personal Use Bundle

Model	Description	
VPPUB	Two (2) Rechargeable Batteries	\$1097 list
	One (1) Clamp-on Desktop Charging Unit	
	One (1) Single Battery Charger	

Light Use Bundle

Model	Description	
VPLUB	Three (3) Rechargeable Batteries Three (3) Clamp-on Desktop Charging Units	\$2157 list
	One (1) 3-Bay Base Charging Station	

Medium Use Bundle

Model	Description	
VPMUB	Six (6) Rechargeable Batteries Three (3) Clamp-on Desktop Charging Units (1) 3-Bay Base Charging Station	\$3158 list

Heavy Use Bundle

Mode	el	Description	
VPHU	В	Nine (9) Rechargeable Batteries	\$5284 list
		Six (6) Clamp-on Desktop Charging Units	
		One (1) 9-Bay Base Charging Station	

Constant Use Bundle

Model	Description	
VPCUB	Twelve (12) Rechargeable Batteries Six (6) Clamp-on Desktop Charging Units One (1) 9-Bay Base Charging Station	\$6263 list
Um dan Cu	wfw.c. Marratin a Demokrat	

Under Surface Mounting Bracket

Model	Description	
VPUSMB		\$ 34 list

Troupe Gathering Power + Data Options Versteel Power

Eclipse

Soft touch finish brings a hint of play to any fashionable work environment. Three port options. Mounts in surface.



SPECIFICATIONS

∘ Hole mount is 4.5" diameter

Model	Description	
ECL-IP3X	Three (3) power	\$392 list
ECL-IP2U	Two (2) power and one (1) dual port USB charger	\$462 list
Unit Color		
STB	Soft Touch Black Plastic	n/c
STG	Soft Touch Green Plastic	n/c
STO	Soft Touch Orange Plastic	n/c
STW	Soft Touch White Plastic	n/c
Cord Length		
72	72" cord length, black	n/c
120	120" cord length, black	\$ 18 list

Model Example: ECL-IP2U-STB-72

Hemisphere

Soft touch finish brings a hint of play to any fashionable work environment. Three port options. Mounts in surface.



SPECIFICATIONS

· Hole mount is 3" diameter

Model HEM-IP3X HEM-IP2U	Description Three (3) power Two (2) power and one (1) dual port USB charger	282 list 350 list
Unit Color		
STB STG STO STW	Soft Touch Black Plastic Soft Touch Green Plastic Soft Touch Orange Plastic Soft Touch White Plastic	n/c n/c n/c n/c
Cord Length	72" cord length, black	n/c
120	120" cord length, black	\$ 18 list

Mini-Tap

Mini-Tap provides 2 outlets that can be mounted, with key slots, so as to put power near the edge of the worksurface. Mini-Tap is black.



SPECIFICATIONS

- o Two (2) Simplexes
- Available with spill-proof Simplexes

Model Example: HEM-IP2U-STB-72

Model	Description	
MTP-IP2X	Two (2) power	\$133 list
MTP-IP2U	One (1) power and one (1) dual port USB charger	\$343 list
Cord Length		
72	72" cord length, black	n/c
120	120" cord length, black	\$ 18 list

Node

Flush mount design complements a wide range of aesthetics. Plated or powder coat finishes bely a robust, die-cast construction.



		/
Model	Description	-
NOD-IP2X	Two (2) power	\$252 list
NOD-IP2U	One (1) power and one (1) dual port USB charger	\$347 list
NOD-IP2O	One (1) power and one (1) open data port	\$238 list
Unit Color (Ad	dditional finishes available upon request)	
DBP	Dark Bronze Plated	\$122 list
MPC	Midnight Powder Coat	n/c
PPC	Parchment Powder Coat	n/c
SNP	Satin Nickel Plated	\$122 list
SPC	Silver Powder Coat	n/c
Cord Length		
72	72" cord length, black	n/c
120	120" cord length, black	\$ 18 list
Data Option	Only available with NOD-IP2O)	
DA	Cat6 RJ45 data jack w/ 10' patch cord	\$ 86 list
HD	HDMI jack	\$ 98 list
US	USB passive jack	\$ 63 list

Cat3 RJ11 voice jack w/ 7' patch cord

Model Example: NOD-IP2U-SPC-72

Salt or Pepper

VO

Individual dual USB charger or power outlet for easy, quick access applications.

SPECIFICATIONS

- o Salt or Pepper hole mount is 1 3/4" diameter
- Smooth seamless design Spill-proof power simplex o 72" power cord, black



\$ 40 list

Model	Description	
SLT1	One (1) dual port USB A charger	\$185 list
SLT3	One (1) single port USB C 60 watt	\$390 list
SLT4	charger One (1) 10 watt USB A + 10 watt USB C charger	\$234 list
PPR	One (1) power outlet w/72" black cord	\$102 list

Unit Color (Additional finishes available upon request)

BERP	Berry
BLKP	Black
BLUP	Blue
DSKP	Dusk
FOGP	Fog
HNYP	Honey
NVYP	Navy
ORGP	Orange
PCKP	Peacock
PPYP	Poppy
SGRP	Spring Green
SRMP	Storm
WHTP	White

Model Example: SLT4-BLKP

Model Example: MTP-IP2X-72

Axil Z IP (Individually Powered)

Constructed out of anodized aluminum with a painted, steel faceplate, Axil Z is a robust, scalable and customizable power/data solution.

SPECIFICATIONS

- o Mounts flat, sitting just above worksurface
- · Requires cutout in worksurface
- o Includes a voice/data adapter kit to accept couplers and jacks when required
- Fits in tops 3/4" to 1 3/4" thick

Model AXZ-IP-2-0 AXZ-IP-2-2 AXZ-IP-2-4 AXZ-IP-2-6	Description Two (2) power and no data Two (2) power and two (2) open ports Two (2) power and four (4) open ports Two (2) power and six (6) open ports	\$373 list \$382 list \$390 list \$399 list
AXZ-IP-3-1 AXZ-IP-3-3 AXZ-IP-3-5	Three (3) power and one (1) open port Three (3) power and three (3) open ports Three (3) power and five (5) open ports	\$396 list \$403 list \$412 list
AXZ-IP-4-0 AXZ-IP-4-2 AXZ-IP-4-4	Four (4) power and no open ports Four (4) power and two (2) open ports Four (4) power and four (4) open ports	\$491 list \$499 list \$505 list
Unit Color		
MWCA MBCA MSCA MFCA GWCA GBCA SVCA MWBA MBBA MFBA GWBA GBBA SVBA	Matte White Faceplate, Clear Al Trim Matte Black Faceplate, Clear Al Trim Matte Storm Faceplate, Clear Al Trim Matte Fog Faceplate, Clear Al Trim Gloss White Faceplate, Clear Al Trim Gloss Black Faceplate, Clear Al Trim Silver Faceplate, Clear Al Trim Matte White Faceplate, Black Trim Matte White Faceplate, Black Trim Matte Storm Faceplate, Black Trim Matte Fog Faceplate, Black Trim Gloss White Faceplate, Black Trim Gloss Black Faceplate, Black Trim Gloss Black Faceplate, Black Trim Silver Faceplate, Black Trim	n/c n/c n/c n/c n/c n/c s128 list \$128 list \$128 list \$128 list \$128 list \$128 list \$128 list
Cord Length		
72 120	72" cord length, black 120" cord length, black	n/c \$ 18 list
USB Charging	Options (Total cannot exceed 80 watts)	
UA	One (1) 20 watt dual port USB A charging	\$136 list
UA2	module (requires 1 open port) Two (2) 20 watt dual port USB A charging modules (requires 2 open ports)	\$268 list
UAC	One (1) 10 watt USB A + 10 watt USB C	\$136 list
UAC2	charging module (requires 1 open port) Two (2) 10 watt USB A + 10 watt USB C charging modules (requires 2 open ports)	\$272 list
UC	One (1) 45 watt smart dual USB C charging module (requires 1 open port)	\$290 list
Data Option (Each data jack requires 1 open port)	
DA HD MS US VG VO	Cat6 RJ45 data jack w/ 10' patch cord HDMI jack 3.5mm mini-stereo audio jack USB passive jack VGA jack, 15 pin Cat3 RJII voice jack w/ 7' patch cord	\$ 86 list \$ 98 list \$ 28 list \$ 63 list \$ 122 list \$ 40 list

Model Example: AXZ-IP-4-2-GWCA-72-DA-DA

Axil Z SL2 (Soft-Wired, Linked)

Units may be linked within a table, but not table to table.

Constructed out of anodized aluminum with a painted, steel faceplate, Axil Z is a robust, scalable and customizable power/data solution.

SPECIFICATIONS

- Mounts flat, sitting just above worksurface
- · Requires cutout in worksurface
- o Includes a voice/data adapter kit to accept couplers and jacks when required
- Fits in tops 3/4" to 1 3/4" thick

Maximum of 8 units in sequence InterlinkiQ 2.0 (not compatible with units sold prior to 2/1/19)						
ModelDescriptionAXZ-SL2-2-0Two (2) power and no dataAXZ-SL2-2-2Two (2) power and two (2) open portsAXZ-SL2-2-4Two (2) power and four (4) open portsAXZ-SL2-2-6Two (2) power and six (6) open ports						
AXZ-SL2-3-1 Three (3) power and one (1) open port AXZ-SL2-3-3 Three (3) power and three (3) open ports AXZ-SL2-3-5 Three (3) power and five (5) open ports						
	ED, LINKED UNITS CAN HAVE A MAXIMUM OF 3 POV UAL PORT USB CHARGING MODULE PER UNIT.	WER				
Unit Color MWCA MBCA MSCA MFCA GWCA GBCA SVCA MWBA MBBA MSBA MFBA GWBA GBBA SVBA	Matte White Faceplate, Clear Al Trim Matte Black Faceplate, Clear Al Trim Matte Storm Faceplate, Clear Al Trim Matte Fog Faceplate, Clear Al Trim Gloss White Faceplate, Clear Al Trim Gloss Black Faceplate, Clear Al Trim Silver Faceplate, Clear Al Trim Matte White Faceplate, Black Trim Matte Black Faceplate, Black Trim Matte Storm Faceplate, Black Trim Matte Fog Faceplate, Black Trim Gloss White Faceplate, Black Trim Gloss Black Faceplate, Black Trim Silver Faceplate, Black Trim Silver Faceplate, Black Trim	n/c n/c n/c n/c n/c n/c s128 list \$128 list \$128 list \$128 list \$128 list \$128 list \$128 list				
Power Infeed BPS2-72 BPS2-120 BPS2-180 NOTE 8 UNITS PER	72° cord length, black 120° cord length, black 180° cord length, black 18PS.	\$509 list \$526 list \$556 list				
Jumper BEJ2	Standard jumper included with tables up to and including 60". BEJ2 jumper required for tables greater than 60".	\$134 list				
USB Charging UA	Options (Total cannot exceed 80 watts) One (1) 20 watt dual port USB A charging	\$136 list				
UA2	module (requires 1 open port) Two (2) 20 watt dual port USB A charging modules (requires 2 open ports)	\$268 list				
UAC	One (1) 10 watt USB A + 10 watt USB C	\$136 list				

charging module (requires 1 open port)

charging modules (requires 2 open ports)

charging module (requires 1 open port)

Cat6 RJ45 data jack w/10' patch cord

Cat3 RJ11 voice jack w/7' patch cord

3.5mm mini-stereo audio jack

\$272 list

\$290 list

\$ 86 list

\$ 98 list

\$ 28 list \$ 63 list

\$ 122 list

\$ 40 list

Two (2) 10 watt USB A + 10 watt USB C

One (1) 45 watt smart dual USB C

Data Option (Each data jack requires 1 open port)

HDMI jack

USB passive jack

VGA jack, 15 pin

UAC2

UC

DA

HD

MS

US

VG

VO

Ellora IP (Individually Powered)

Anodized aluminum construction and smart design keep cable clutter out of sight.



SPECIFICATIONS

- Includes a voice/data adapter kit to accept couplers and jacks when required
- Fits in tops 3/4" to 1 3/4" thick
- Requires cutout in worksurface

Model	Description		
ELL-IP-2-0 ELL-IP-2-2	Two (2) power and no data Two (2) power and two (2) open ports	\$585 list \$597 list	
ELL-IP-2-2 ELL-IP-2-4	Two (2) power and four (4) open ports	\$597 list \$606 list	
ELL-IP-2-6	Two (2) power and six (6) open ports	\$617 list	
	(2) police and six (5) opon police	V 0.11 11.01	
ELL-IP-3-1	Three (3) power and one (1) open port	\$612 list	
ELL-IP-3-3	Three (3) power and three (3) open ports	\$623 list	
ELL-IP-3-5	Three (3) power and five (5) open ports	\$632 list	
ELL-IP-4-0	Four (4) power and no open ports	\$761 list	
ELL-IP-4-2	Four (4) power and two (2) open ports	\$771 list	
ELL-IP-4-4	Four (4) power and four (4) open ports	\$782 list	
Unit Color		,	
SAAWT	Silver Anodized Aluminum with White Trim	n/c	
SAABT	Silver Anodized Aluminum with	n/c	
	Black Trim	,	
BAABT	Black Anodized Aluminum with	\$184 list	
	Black Trim		
Cord Length			
•			
72	72" cord lenath, black	n/c	
72 120	72" cord length, black 120" cord length, black	n/c \$ 18 list	
120	120" cord length, black		
120 USB Charging	120" cord length, black g Options (Total cannot exceed 80 watts)	\$ 18 list	
120	120° cord length, black g Options (Total cannot exceed 80 watts) One (1) 20 watt dual port USB A charging		
USB Charging	120° cord length, black g Options (Total cannot exceed 80 watts) One (1) 20 watt dual port USB A charging module (requires 1 open port)	\$ 18 list \$136 list	
120 USB Charging	120° cord length, black g Options (Total cannot exceed 80 watts) One (1) 20 watt dual port USB A charging module (requires 1 open port) Two (2) 20 watt dual port USB A charging	\$ 18 list	
USB Charging	120° cord length, black g Options (Total cannot exceed 80 watts) One (1) 20 watt dual port USB A charging module (requires 1 open port)	\$ 18 list \$136 list	
USB Charging UA UA2	120° cord length, black g Options (Total cannot exceed 80 watts) One (1) 20 watt dual port USB A charging module (requires 1 open port) Two (2) 20 watt dual port USB A charging modules (requires 2 open ports)	\$ 18 list \$136 list \$268 list	
USB Charging UA UA2	120° cord length, black g Options (Total cannot exceed 80 watts) One (1) 20 watt dual port USB A charging module (requires 1 open port) Two (2) 20 watt dual port USB A charging modules (requires 2 open ports) One (1) 10 watt USB A + 10 watt USB C charging module (requires 1 open port) Two (2) 10 watt USB A + 10 watt USB C	\$ 18 list \$136 list \$268 list	
USB Charging UA UA2 UAC UAC2	120° cord length, black g Options (Total cannot exceed 80 watts) One (1) 20 watt dual port USB A charging module (requires 1 open port) Two (2) 20 watt dual port USB A charging modules (requires 2 open ports) One (1) 10 watt USB A + 10 watt USB C charging module (requires 1 open port) Two (2) 10 watt USB A + 10 watt USB C charging modules (requires 2 open ports)	\$ 18 list \$136 list \$268 list \$136 list \$272 list	
USB Charging UA UA2 UAC	120° cord length, black g Options (Total cannot exceed 80 watts) One (1) 20 watt dual port USB A charging module (requires 1 open port) Two (2) 20 watt dual port USB A charging modules (requires 2 open ports) One (1) 10 watt USB A + 10 watt USB C charging module (requires 1 open port) Two (2) 10 watt USB A + 10 watt USB C charging modules (requires 2 open ports) One (1) 45 watt smart dual USB C	\$ 18 list \$136 list \$268 list \$136 list	
USB Charging UA UA2 UAC UAC2	120° cord length, black g Options (Total cannot exceed 80 watts) One (1) 20 watt dual port USB A charging module (requires 1 open port) Two (2) 20 watt dual port USB A charging modules (requires 2 open ports) One (1) 10 watt USB A + 10 watt USB C charging module (requires 1 open port) Two (2) 10 watt USB A + 10 watt USB C charging modules (requires 2 open ports)	\$ 18 list \$136 list \$268 list \$136 list \$272 list	
USB Charging UA UA2 UAC UAC2 UC	120° cord length, black g Options (Total cannot exceed 80 watts) One (1) 20 watt dual port USB A charging module (requires 1 open port) Two (2) 20 watt dual port USB A charging modules (requires 2 open ports) One (1) 10 watt USB A + 10 watt USB C charging module (requires 1 open port) Two (2) 10 watt USB A + 10 watt USB C charging modules (requires 2 open ports) One (1) 45 watt smart dual USB C	\$ 18 list \$136 list \$268 list \$136 list \$272 list	
USB Charging UA UA2 UAC UAC2 UC	120° cord length, black g Options (Total cannot exceed 80 watts) One (1) 20 watt dual port USB A charging module (requires 1 open port) Two (2) 20 watt dual port USB A charging modules (requires 2 open ports) One (1) 10 watt USB A + 10 watt USB C charging module (requires 1 open port) Two (2) 10 watt USB A + 10 watt USB C charging modules (requires 2 open ports) One (1) 45 watt smart dual USB C charging modules (requires 2 open ports) One (1) 45 watt smart dual USB C charging module (requires 1 open port)	\$ 18 list \$136 list \$268 list \$136 list \$272 list	
USB Charging UA UA2 UAC UAC2 UC Data Option	120° cord length, black g Options (Total cannot exceed 80 watts) One (1) 20 watt dual port USB A charging module (requires 1 open port) Two (2) 20 watt dual port USB A charging modules (requires 2 open ports) One (1) 10 watt USB A + 10 watt USB C charging module (requires 1 open port) Two (2) 10 watt USB A + 10 watt USB C charging modules (requires 2 open ports) One (1) 45 watt smart dual USB C charging module (requires 2 open ports) One (1) 45 watt smart dual USB C charging module (requires 1 open port) (Each data jack requires 1 open port) Cat6 RJ45 data jack w/ 10' patch cord HDMI jack	\$ 18 list \$136 list \$268 list \$136 list \$272 list \$290 list \$ 86 list \$ 98 list	
USB Charging UA UA2 UAC UAC2 UC Data Option (DA HD MS	120° cord length, black g Options (Total cannot exceed 80 watts) One (1) 20 watt dual port USB A charging module (requires 1 open port) Two (2) 20 watt dual port USB A charging modules (requires 2 open ports) One (1) 10 watt USB A + 10 watt USB C charging module (requires 1 open port) Two (2) 10 watt USB A + 10 watt USB C charging modules (requires 2 open ports) One (1) 45 watt smart dual USB C charging module (requires 2 open ports) One (1) 45 watt smart dual USB C charging module (requires 1 open port) (Each data jack requires 1 open port) Cat6 RJ45 data jack w/ 10' patch cord HDMI jack 3.5mm mini-stereo audio jack	\$ 18 list \$136 list \$268 list \$136 list \$272 list \$290 list \$ 86 list \$ 98 list \$ 28 list	
USB Charging UA UA2 UAC UAC2 UC Data Option I DA HD MS US	120° cord length, black g Options (Total cannot exceed 80 watts) One (1) 20 watt dual port USB A charging module (requires 1 open port) Two (2) 20 watt dual port USB A charging modules (requires 2 open ports) One (1) 10 watt USB A + 10 watt USB C charging module (requires 1 open port) Two (2) 10 watt USB A + 10 watt USB C charging modules (requires 2 open ports) One (1) 45 watt smart dual USB C charging module (requires 2 open ports) One (1) 45 watt smart dual USB C charging module (requires 1 open port) (Each data jack requires 1 open port) Cat6 RJ45 data jack w/ 10' patch cord HDMI jack 3.5mm mini-stereo audio jack USB passive jack	\$ 18 list \$136 list \$268 list \$136 list \$272 list \$290 list \$ 86 list \$ 98 list \$ 28 list \$ 63 list	
USB Charging UA UA2 UAC UAC2 UC Data Option (DA HD MS	120° cord length, black g Options (Total cannot exceed 80 watts) One (1) 20 watt dual port USB A charging module (requires 1 open port) Two (2) 20 watt dual port USB A charging modules (requires 2 open ports) One (1) 10 watt USB A + 10 watt USB C charging module (requires 1 open port) Two (2) 10 watt USB A + 10 watt USB C charging modules (requires 2 open ports) One (1) 45 watt smart dual USB C charging module (requires 2 open ports) One (1) 45 watt smart dual USB C charging module (requires 1 open port) (Each data jack requires 1 open port) Cat6 RJ45 data jack w/ 10' patch cord HDMI jack 3.5mm mini-stereo audio jack	\$ 18 list \$136 list \$268 list \$136 list \$272 list \$290 list \$ 86 list \$ 98 list \$ 28 list	

Model Example: ELL-IP-4-4-SAABT-72-U1-DA-DA-HD

Ellora SL2 (Soft-Wired, Linked)


Smart design keeps cable clutter out of sight by allowing use while the lid is shut.

SPECIFICATIONS

Units may be linked

within a table, but not table to table.

- Includes a voice/data adapter kit to accept couplers and jacks when required
- Fits in tops 3/4" to 1 3/4" thick
- Requires cutout in worksurface
- · Maximum of 8 units in sequence





Cat3 RJ11 voice jack w/ 7' patch cord

\$ 40 list

Mho IP (Individually Powered)

Retractable and durably constructed. Highly functional with a fluid, one touch door that remains open during use.



SPECIFICATIONS

- Fluid, one touch accessibility
 Includes a voice/data adapter kit to accept couplers and jacks when required
- Fits in tops 3/4" to 1 3/4" thick

Model	Description		
MHO-IP-2-0 MHO-IP-2-2 MHO-IP-2-4 MHO-IP-2-6	Two (2) power and no data Two (2) power and two (2) open ports Two (2) power and four (4) open ports Two (2) power and six (6) open ports	\$501 list \$510 list \$522 list \$531 list	
MHO-IP-3-1 MHO-IP-3-3 MHO-IP-3-5	Three (3) power and one (1) open port Three (3) power and three (3) open ports Three (3) power and five (5) open ports	\$585 list \$598 list \$608 list	
MHO-IP-4-0 MHO-IP-4-2 MHO-IP-4-4	Four (4) power and no open ports Four (4) power and two (2) open ports Four (4) power and four (4) open ports	\$653 list \$662 list \$672 list	
Unit Color			
SAABT	Silver Anodized Aluminum with Black Trim	n/c	
SAAWT	Silver Anodized Aluminum with White Trim	n/c	
SAA BAA	Silver Anodized Aluminum Black Anodized Aluminum	n/c \$184 list	
Cord Length			
72 120	72" cord length, black 120" cord length, black	n/c \$ 18 list	
USB Charging	g Options (Total cannot exceed 80 watts)		
UA	One (1) 20 watt dual port USB A charging module (requires 1 open port)	\$136 list	
UA2	Two (2) 20 watt dual port USB A charging modules (requires 2 open ports)	\$268 list	
UAC	One (1) 10 watt USB A + 10 watt USB C charging module (requires 1 open port)	\$136 list	
	UAC2 Two (2) 10 watt USB A + 10 watt USB C charging modules (requires 2 open ports) UC One (1) 45 watt smart dual USB C		
UC	\$290 list		
Data Option ((Each data jack requires 1 open port)		
DA HD MS US VG VO	Cat6 RJ45 data jack w/ 10' patch cord HDMI jack 3.5mm mini-stereo audio jack USB passive jack VGA jack, 15 pin Cat3 RJII voice jack w/ 7' patch cord	\$ 86 list \$ 98 list \$ 28 list \$ 63 list \$ 122 list \$ 40 list	

Model Example: MHO-IP-3-3-SAABT-72-U1-DA-DA

Mho SL2 (Soft-Wired, Linked)

Retractable and durably constructed. Highly functional with a fluid, one touch door that remains open during use.



SPECIFICATIONS

Units may be linked

table to table.

within a table, but not

- Fluid, one touch accessibility
 Includes a voice/data adapter kit to accept couplers and jacks when required
- Fits in tops 3/4" to 1 3/4" thick
- Maximum of 8 units in sequence
- Interlink iQ 2.0 (not compatible with units sold prior to 2/1/19)

Model	Description	
MHO-SL2-2-0 MHO-SL2-2-2 MHO-SL2-2-4 MHO-SL2-2-6	Two (2) power and no data Two (2) power and two (2) open ports Two (2) power and four (4) open ports Two (2) power and six (6) open ports	\$520 list \$529 list \$542 list \$550 list
MHO-SL2-3-1 MHO-SL2-3-3 MHO-SL2-3-5	\$608 list \$618 list \$629 list	
	ID, LINKED UNITS CAN HAVE A MAXIMUM OF 3 POW JAL PORT USB CHARGING MODULE PER UNIT.	ER
Unit Color		
SAABT	Silver Anodized Aluminum with Black Trim	n/c
SAAWT	Silver Anodized Aluminum with White Trim	n/c
SAA BAA	Silver Anodized Aluminum Black Anodized Aluminum	n/c \$184 list
Power Infeed		
BPS2-72 BPS2-120 BPS2-180	72" cord length, black 120" cord length, black 180" cord length, black	\$509 list \$526 list \$556 list
NOTE 8 UNITS PE	RTBPS.	
Jumper		
BEJ2	Standard jumper included with tables up to and including 60". BEJ2 jumper required for tables greater than 60".	\$134 list
USB Charging	Options (Total cannot exceed 80 watts)	
UA	One (1) 20 watt dual port USB A charging module (requires 1 open port)	\$136 list
UA2	Two (2) 20 watt dual port USB A charging modules (requires 2 open ports)	\$268 list
UAC	One (1) 10 watt USB A + 10 watt USB C charging module (requires 1 open port)	\$136 list
UAC2	Two (2) 10 watt USB A + 10 watt USB C charging modules (requires 2 open ports)	\$272 list
UC	One (1) 45 watt smart dual USB C charging module (requires 1 open port)	\$290 list
Data Option (E	ach data jack requires 1 open port)	
DA HD MS US VG VO	Cat6 RJ45 data jack w/ 10' patch cord HDMI jack 3.5mm mini-stereo audio jack USB passive jack VGA jack, 15 pin Cat3 RJ11 voice jack w/ 7' patch cord	\$ 86 list \$ 98 list \$ 28 list \$ 63 list \$ 122 list \$ 40 list

Model Example: MHO-SL2-2-0-SAAWT

All Ashley soft-wired linking systems require an **HNPU** power supply unit per each sequence. Specify code HNPU, \$403.00 list each.

- o 120" cord length
- 15 amp circuit
 standard grounded plug
- surge protection



Ashley Duo Under

Tables specified with linked units require table link. The table link will prevent the accidental disconnection of power supply to adjacent tables.

Sharp, clean design features smooth receptacle faces, sleek satin metal trim, and optional ports for extensive power and data delivery.



Model	Description	
ADU-IP	Two (2) power, one (1) dual port USB charging, individually powered, soft-wired	\$425 list
ADU-HW	Two (2) power, one (1) dual port USB charging, individually powered, hard-wired	\$483 list
ADU-SL	Two (2) power, one (1) dual port USB charging, soft-wired linking (includes jumper)	\$618 list
Unit Color		
BB	Black with Black Mounting Bracket	n/c
WS	White with Silver Mounting Bracket	n/c
WW	White with White Mounting Bracket	n/c
Cord Length	(Individually powered units only)	
72	72" cord length	n/c
120	120" cord length	\$ 18 list

Ashley Trio Under

Tables specified with linked units require table link. The table link will prevent the accidental disconnection of power supply to adjacent tables.

Sharp, clean design features smooth receptacle faces, sleek satin metal trim, and optional ports for extensive power and data delivery.



Model	Description	
ATU-IP	Three (3) power, one (1) dual port USB charging, individually powered, soft-wired	\$503 list
ATU-HW	Three (3) power, one (1) dual port USB charging, individually powered, hard-wired	\$542 list
ATU-SL	Three (3) power, one (1) dual port USB charging, soft-wired linking (includes jumper)	\$618 list
Unit Color		
BB	Black with Black Mounting Bracket	n/c
WS	White with Silver Mounting Bracket	n/c
WW	White with White Mounting Bracket	n/c
Cord Length	(Individually powered units only)	
72	72" cord length	n/c
120	120" cord length	\$ 18 list

Data Jacks \$81 / set of 2

Specify code AHDDJ (Two Data Jacks), add \$81.00 list for set of 2



SPECIFICATIONS

- · Data/data access plate with two jacks
- Two (2) CAT6 data jacks
- o The mounting plate snaps into the Henri unit

NOTE CONTACT VERSTEEL CUSTOMER SERVICE FOR AVAILABILITY OF ALTERNATE JACKS

Voice and Data Jacks \$70 / set of 2

Specify code AHVDJ (Voice and Data Jacks), add \$70.00 list for set of 2

SPECIFICATIONS

- · Voice/data access plate with two jacks
- o One (1) CAT3 voice jack
- One (1) CAT6 data jack
- $\circ\;$ The mounting plate snaps into the Henri unit

NOTE CONTACT VERSTEEL CUSTOMER SERVICE FOR AVAILABILITY OF ALTERNATE JACKS

Couplers

Data Couplers - Specify code **DD**, add \$107.00 list each **Voice Couplers -** Specify code **VV**, add \$81.00 list each

Installed directly in the power/data unit, couplers are "female" jacks that allow units to be connected to a data wall

plate with a standard data patch cable (with "male" jacks on each end). This is a convenient option for tables that will be moved frequently.

Available on all power/data units, excluding Henri and Henri Now (Henri Quick Connect provides the same functionality as a data coupler for Henri and Henri Now).

Quick Connect \$174 / each

Specify code **AHQCVDJ** (Quick Connect System), add \$174.00 per unit

This option provides a pre-wired, quick connection for hooking up tables to standard RJ45 patch cables. The standard option includes two CAT3 voice jacks and



two CAT6 data jacks which are pre-wired and terminated on the bottom side of the table top in a surface-mount box. To connect the table to existing voice/data lines, the user simply plugs a standard RJ45 patch cable into the surface mount box under the table.

SPECIFICATIONS

- Voice/data access plate with two (2) jacks
- · The mounting plate snaps in to the Henri unit
- o Surface-mount box with two jacks

NOTE CONTACT VERSTEEL CUSTOMER SERVICE FOR AVAILABILITY OF ALTERNATE JACKS

Quick Connect \$199 / each

Specify code **AHQCDDJ** (Quick Connect System), add \$199.00 per unit

This option provides pre-wired quick connection for hooking up tables to standard RJ45 patch cables. The standard option includes two CAT6 data jacks which are pre-wired and terminated on the bottom side of the table top in a surfacemount box. To connect the table to existing data lines, the user simply plugs a standard RJ45 patch cable into the surface mount box under the table.

SPECIFICATIONS

- 。 Data access plate with two (2) jacks
- The mounting plate snaps into the Henri unit
- Surface-mount box with two (2) jacks

NOTE CONTACT VERSTEEL CUSTOMER SERVICE FOR AVAILABILITY OF ALTERNATE JACKS

Power Source Outlets \$175 / power source

Specify code PPS (Power Source Outlets), add \$175.00 list per table

Power Source Outlets supply individual tables surge protected electrical connections. Unit is field installed and controlled by an illuminated On/Off switch.



SPECIFICATIONS

- o 10'14 AWGx3C power cord
- Illuminated On/Off and Reset switch
- o 1,000 Joules surge protection
- Six (6) grounded power outlets per unit
- · Aluminum housing mounts to underside of top
- Black

NOTE FOR MORE PLANNING AND ORDERING DETAIL INFORMATION SEE ELECTRICAL PLANNING SECTION IN THE POWER AND DATA PRICE LIST

1

Round Grommet - \$68 / each

Specify code **WR_** (Round Grommet - Location _), add \$68.00 list per grommet

SPECIFICATIONS

- o 3" diameter
- ∘ 21/4" inside dimension
- o 2-piece black insert
- o factory installed in specified location

Oval Brush Grommet - \$86 / each

Specify code **WO_** (Oval Brush Grommet - Location_), add \$86.00 list per grommet

SPECIFICATIONS

- ∘ 3" x 7 ½" oval
- o black brush insert cord access
- ° 1 ½" x 4" inside dimension
- o factory installed in specified location



Round Grommet - Specify code **WRF**, add \$68.00 list per table



Oval Brush Grommet - Specify code **WOF**, add \$86.00 list per table

 ${\bf 1}$ oval brush grommet is factory installed running widthwise in the center location of the top.

2 Grommets - Location H

Round Grommet - Specify code **WRH**, add \$136.00 list per table



Oval Brush Grommet - Specify code **WOH**, add \$172.00 list per table

2 grommets are factory installed in a predetermined centerline location of the top.

1 Grommet - Location K

Round Grommet - Specify code WRK, add \$68.00 list per table



Oval Brush Grommet - Specify code WOK,

add \$86.00 list per table

1 grommet is factory installed running lengthwise in the center location of the top.

1 Grommet - Provide Location Print

Round Grommet - Specify code WRG, add \$68.00 list per table

Oval Brush Grommet - Specify code WOG,

add \$86.00 list per table

1 oval brush grommet is factory installed in the top location based on specifier's print.



Basket - Under Top Mount \$86 / basket

Specify code **WBT** (Basket - Under Top Mount), add \$86.00 list per basket

The under top mount basket is J-shaped, made of form resistance welded wire and powder coated black. Inside dimensions are 2 ½" x 2 ½". Other options specified on the table dictate the length of the basket.

Maximum length is 18".



Plastic Legways \$100 / set of 2

Specify code **WTPL** (Plastic Legways), add \$100.00 list per set of 2

Legway managers are held into place within the concave of the table leg concealing wires. Plastic legway managers should be ordered on a separate line item.



Questions? 1.800.876.2120			top > edge >	Laminate PVC	Laminate Wood	Veneer Wood
1.000.070.2120		Flat	Flat	Flat		
		LP2R	LW2R	VW2R		
			top thickness >	1 1/4"	1 ¼"	1 1/4"
				Fluted	Fluted	Fluted
		edge orde	ring code (radius corner) >	LPF2R	LWF2R	VWF2R
			top thickness >	1 1/4"	1 1/4"	1 1/4"
	Tuble Description	14-1-14	top thickness price >	1 1/4"	1 ¼"	1 1/4"
	Table Description 36 Fix	Model # TPF2 36RDH30	Product Wt	1921	2266	4247
	48 Fix	TPF2 48RDH30	109	2240	2698	5174
	54 Fix	TPF2 54RDH30	129	2660	3177	5638
<i>u</i> <i>u</i>	60 Fix	TPF2 60RDH30	151	2778	3353	6100
30" Table Height	0011X	IFF2 OURDING	151	2110	3000	0100
	36 Fix	TPF2 36RDH36	87	1995	2340	4321
	48 Fix	TPF2 48RDH36	123	2314	2772	5248
	54 Fix	TPF2 54RDH36	144	2734	3251	5712
	60 Fix	TPF2 60RDH36	167	2852	3427	6174
36" Table Height						
	36 Fix	TPF2 36RDH42	93	2072	2417	4398
	48 Fix	TPF2 48RDH42	128	2391	2849	5325
	54 Fix	TPF2 54RDH42	149	2810	3327	5788
	60 Fix	TPF2 60RDH42	172	2928	3503	6250
42" Table Height						

To Order, Specify...

- Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Leg and stretcher color
- 6 Accent and apron color
- Additional options

Finish Options

Powder Coat, Standard	n/c
Powder Coat, Premium	\$ 147
Top Options	
Special LaminateTSP	call
Custom Cutout (per cutout)TCC	\$ 107

Power + Data Options

Please reference the Power + Data section (pages 8-20) or the Power + Data Price List

Wire Management Options

Troupe Legway Manager, Set of 2WTPL	\$ 100
1 Oval Brush Grommet, Provide Location PrintWOG	\$ 86
l Round Grommet, Provide Location Print WRG	\$ 68
Basket, Under Top MountWBT	\$ 86

uare VERSTEEL

Questions? 1.800.876.2120			top > edge >	Laminate PVC	Laminate Wood	Veneer Wood
1.000.070.2120				Flat	Flat	Flat
		LP2R or LP2S	LW2R or LW2S	VW2R VW2S		
			top thickness >	1 1/4" Fluted	1 ¼" Fluted	1 1/4" Fluted
			ring code (radius corner) > or ing code (square corner) >	LPF2R or LPF2S	LWF2R or LWF2S	VWF2R OF VWF2S
			top thickness >	1 1/4" 1 1/4"	1 ¼" 1 ¼"	1 1/4"
	Table Description	Model #	Product Wt	. , ,	. /1	. , ,
	36 Fix	TPF2 36SQH30	93	1921	2266	4247
\searrow	48 Fix	TPF2 48SQH30	136	2240	2698	5174
/	54 Fix	TPF2 54SQH30	162	2660	3177	5638
30" Table Height	60 Fix	TPF2 60SQH30	190	2778	3353	6100
	36 Fix	TPF2 36SQH36	107	1995	2340	4321
	48 Fix	TPF2 48SQH36	154	2314	2772	5248
" "	54 Fix	TPF2 54SQH36	181	2734	3251	5712
36" Table Height	60 Fix	TPF2 60SQH36	211	2852	3427	6174
	36 Fix	TPF2 36SQH42	112	2072	2417	4398
	48 Fix	TPF2 48SQH42	159	2391	2849	5325
	54 Fix	TPF2 54SQH42	187	2810	3327	5788
42" Table Height	60 Fix	TPF2 60SQH42	216	2928	3503	6250

To Order, Specify...

- Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Leg and stretcher color
- 6 Accent and apron color
- Additional options

n	ie	h	n	nt	'n۱	ne	

Powder Coat, Standard	n/c
Powder Coat, Premium	\$ 147
Top Options	
Special LaminateTSP	call
Custom Cutout (per cutout)TCC	\$ 107

Power + Data Options

Please reference the Power + Data section (pages 8-20) or the Power + Data Price List

Wire Management Options

Troupe Legway Manager, Set of 2 $\ldots \ldots$ WTPL	\$ 100
Oval Brush Grommet, Location K WOK	\$ 86
l Oval Brush Grommet, Provide Location Print WOG	\$ 86
1 Round Grommet, Location K	\$ 68
l Round Grommet, Provide Location Print WRG	\$ 68
Basket, Under Top MountWBT	\$ 86

Questions?			top > edge >	Laminate PVC	Laminate Wood	Veneer Wood
1.800.876.2120				Flat	Flat	Flat
			ng code (radius corner) > or ng code (square corner) >	LP2R or	LW2R or LW2S	VW2R
		eage orderir	top thickness >	LP2S 1 1/4"	1 1/4"	VW2S 1 1/4"
				Fluted	Fluted	Fluted
			ng code (radius corner) >	LPF2R or	LWF2R	VWF2R
		edge orderir	ng code (square corner) > top thickness >	LPF2S 1 1/4"	LWF2S 1 1/4"	VWF2S 1 1/4"
			top thickness price >	1 1/4"	1 1/4"	1 1/4"
	Table Description	Model #	Product Wt			
	36 x 72 Fix	TPF2 3672REH30	163	2560	3250	4799
$\langle \mathcal{A} \rangle$	36 x 84 Fix	TPF2 3684REH30	185	2943	3710	5649
/ \	36 x 96 Fix	TPF2 3696REH30	206	3060	3903	6493
	42 x 72 Fix	TPF2 4272REH30	180	2842	3569	6075
	42 x 84 Fix	TPF2 4272REH30	204	3321	4126	6681
	42 x 96 Fix	TPF2 4296REH30	204	3443	4324	7282
	42 X 90 FIX	1PF2 4290REH30	221	3443	4324	7202
	48 x 72 Fix	TPF2 4872REH30	197	2930	3696	6292
	48 x 84 Fix	TPF2 4884REH30	224	3384	4227	6874
	48 x 96 Fix	TPF2 4896REH30	249	3517	4435	7448

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Leg and stretcher color
- 6 Accent and apron color
- Additional options

Finish Options		
Powder Coat, Standard		n/c
Powder Coat, Premium	\$	147
Top Options		
Special LaminateTSP		call
Custom Cutout (per cutout)TCC	\$	107
Power + Data Options		
Please reference the Power + Data section (pages 8-20)	10 (the
Power + Data Price List		
Wire Management Options		
Troupe Legway Manager, Set of 2WTPL	\$	100
Oval Brush Grommet, Location FWOF	\$	86
2 Oval Brush Grommets, Location HWOH	\$	172
1 Oval Brush Grommet, Location K WOK	\$	86

 1 Oval Brush Grommet, Provide Location Print.
 ...WOG
 \$ 86

 1 Round Grommet, Location F
 ...WRF
 \$ 68

 2 Round Grommet, Location H
 ...WRH
 \$ 136

 1 Round Grommet, Location K
 ...WRK
 \$ 68

 1 Round Grommet, Provide Location Print
 ...WRG
 \$ 68

 Basket, Under Top Mount
 ...WBT
 \$ 86

Questions?			top > edge >	Laminate PVC	Laminate Wood	Veneer Wood
1.800.876.2120				Flat	Flat	Flat
edge ordering code (radius corner) >			LP2R	LW2R	VW2R	
		edge orde	ring code (square corner) >	LP2S	LW2S	VW2S
			top thickness >	1 1/4"	1 ¼"	1 1/4"
				Fluted	Fluted	Fluted
		edge orde	ering code (radius corner) >	LPF2R	LWF2R	VWF2R
		edge orde	ring code (square corner) >	LPF2S	LWF2S	VWF2S
			top thickness >	1 1/4"	1 1/4"	1 1/4"
	Table Description	Model#	top thickness price > Product Wt	1 1/4"	1 ¼"	1 1/4"
	36 x 72 Fix	TPF2 3672REH36	186	2634	3324	4873
	36 x 84 Fix	TPF2 3684REH36	210	3017	3784	5723
	36 x 96 Fix	TPF2 3696REH36	233	3134	3977	6567
<i>'</i>	30 / 30 / 1/	1112 3030KE1130	200	0104	3377	0307
	42 x 72 Fix	TPF2 4272REH36	204	2916	3643	6149
	42 x 84 Fix	TPF2 4284REH36	230	3395	4200	6755
	42 x 96 Fix	TPF2 4296REH36	256	3517	4398	7356
	42 X 30 I IX	1112 4230KL1130	230	0017	4000	7000
	48 x 72 Fix	TPF2 4872REH36	222	3003	3770	6366
	48 x 84 Fix	TPF2 4884REH36	251	3458	4301	6948
	48 x 96 Fix	TPF2 4896REH36	278	3591	4509	7522
	40 X 00 TIX	1112 4000KE1100	270	0001	4000	1022

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Leg and stretcher color
- 6 Accent and apron color
- Additional options

Finish Options
Powder Coat, Standard

Powder Coat, Standard	n/c
Powder Coat, Premium	\$ 147
Top Options	
Special LaminateTSP	call
Custom Cutout (per cutout)TCC	\$ 107

Power + Data Options

Please reference the Power + Data section (pages 8-20) or the Power + Data Price List

Wire Management Options

wire management options		
Troupe Legway Manager, Set of 2 WTPL	\$ 100	
1 Oval Brush Grommet, Location F	\$ 86	
2 Oval Brush Grommets, Location H WOH	\$ 172	
1 Oval Brush Grommet, Location K WOK	\$ 86	
1 Oval Brush Grommet, Provide Location Print WOG	\$ 86	
1 Round Grommet, Location F WRF	\$ 68	
2 Round Grommet, Location H	\$ 136	
1 Round Grommet, Location K	\$ 68	
1 Round Grommet, Provide Location Print WRG	\$ 68	
Basket, Under Top MountWBT	\$ 86	

Questions?			top >	Laminate PVC	Laminate Wood	Veneer Wood
1.800.876.2120				Flat	Flat	Flat
			g code (radius corner) >	LP2R	LW2R	VW2R
		edge ordering	code (square corner) > top thickness >	LP2S 1 1/4"	LW2S 1 1/4"	VW2S 1 1/4"
				Fluted	Fluted	Fluted
			g code (radius corner) >	LPF2R or	LWF2R	VWF2R
		edge ordering	code (square corner) > top thickness >	LPF2S 1 1/4"	LWF2S 1 1/4"	VWF2S 1 1/4"
			top thickness price >	1 1/4"	1 1/4"	1 1/4"
	Table Description	Model#	Product Wt			
	36 x 72 Fix	TPF2 3672REH42	191	2710	3400	4949
\langle	36 x 84 Fix	TPF2 3684REH42	215	3093	3860	5799
	36 x 96 Fix	TPF2 3696REH42	238	3210	4053	6643
.						
	42 x 72 Fix	TPF2 4272REH42	209	2992	3719	6225
	42 x 84 Fix	TPF2 4284REH42	236	3472	4277	6832
	42 x 96 Fix	TPF2 4296REH42	261	3593	4474	7432
	48 x 72 Fix	TPF2 4872REH42	227	3080	3847	6443
	48 x 84 Fix	TPF2 4884REH42	256	3534	4377	7024
	48 x 96 Fix	TPF2 4896REH42	284	3667	4585	7598
			-			

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Leg and stretcher color
- 6 Accent and apron color
- Additional options

Finish Options


Powder Coat, Standard	n/c
Powder Coat, Premium	\$ 147
Top Options	
Special LaminateTSP	call
Custom Cutout (per cutout)TCC	\$ 107

Power + Data Options

Please reference the Power + Data section (pages 8-20) or the Power + Data Price List

Wire Management Options

Troupe Legway Manager, Set of 2WTPL	\$ 100	
1 Oval Brush Grommet, Location FWOF	\$ 86	
2 Oval Brush Grommets, Location H WOH	\$ 172	
1 Oval Brush Grommet, Location K WOK	\$ 86	
1 Oval Brush Grommet, Provide Location Print WOG	\$ 86	
1 Round Grommet, Location F WRF	\$ 68	
2 Round Grommet, Location HWRH	\$ 136	
1 Round Grommet, Location K	\$ 68	
1 Round Grommet, Provide Location Print \dots WRG	\$ 68	
Basket, Under Top Mount	\$ 86	



* Percentage rates for **Alaska** and **Hawaii** are to Port of Exit in the 48 contiguous states.

Freight Program

Normal delivery is on a dock-to-dock basis, F.O.B. Versteel's factory in Jasper, Indiana. Orders within the 48 contiguous United States will be assessed a freight charge based on a percentage of the total list* price, or a flat rate of \$300*, whichever is greater. Using the zone map above apply the appropriate percentage to the total list* to determine freight cost. Special requests such as inside delivery, "call before," etc. should be noted on the customer's purchase order and are subject to additional charges. Contact Versteel Customer Service regarding freight quotes for shipments to Canada, a minimum charge of \$400* will apply.

Oversized Shipping Fee

Orders received for items or tops greater than 94" in length will receive a \$250 \(^*\) net oversized shipping fee per order. Fee not applied to orders with multi-piece tops where each section is less than 94" in length.