

Proudly crafted in the USA.

# Seating

## 2025 Price List

[➔ JUMP TO PRICING](#)



# VERSTEEL



#### Specifications

Available in Polished Aluminum or any standard powder coat finish, OH! legs, back supports and connectors are one piece cast aluminum, polished to a high-gloss sheen. Seats are machined 1" plywood with a multi-layered construction high density polyurethane molded foam cushion. Backs are molded .75" plywood with a multi-layered construction high density polyurethane foam cushion. Seats and backs are top stitched with single side seams. Laminate or veneer table top surfaces are 1" particle board, Corian® table tops are 1" thick.

**NOTE** TRANSPARENT POWDER COAT FINISHES ARE NOT AVAILABLE

#### Features

Since there is no contact between upholstered surfaces, OH! is very easy to clean and more hygienic. The 24" diameter seats appeal to multiple sitting styles and body shapes. Modular construction allows for unlimited configuration options. Under mount power option is available in addition to integrated wire management across the connector.

#### Laminate and Veneer, Standard Core Construction

The standard top construction consists of 45-50 lb particleboard, surfaced with a high pressure laminate or veneer face. A backer sheet is laminated to the under side of the top. Tops are shipped predrilled for field installation of bases and accessories.

#### Corian® Construction

Tops are 1" thick Corian® fabricated by bonding two .5" thick sheets together and machining them to size. The underside is bored to allow pressing in metal screw inserts for field installation of the legs and/or connectors.

#### PVC Flat Edge



Edge of 2mm PVC hot melt banded to the 1" top with 1/4" radius at the top and bottom.

Offered in twenty-one (21) standard colors.

#### Wood Flat Edge



Wood banding hot melt banded to the 1" top with 1/8" radius at the top and bottom.

Offered in Ash, Cherry, Maple or Walnut materials.

#### Corian® Eased Square Edge



A traditional 1" flat edge with a small radius where horizontal surfaces meet vertical for comfort and a softened aesthetic.

Offered in twelve (12) standard colors.

**Quickship Program**

Available for select products in the Companion series, see pricing pages.

The Versteel Quickship Program consists of up to 50 tables, 25 tables with modesty panels or 100 chairs in 10 working days from time of order (received by 12pm EST). Orders must be accompanied by final material and finish specifications for order entry. They must be clearly marked "Quickship" and consist of products from the program. Quickship orders cannot be changed or cancelled, and credit approval must be acquired within 24 hours.

For additional information see Versteel.com.

**Shipping Schedule**

Upholstered Items	4-5 WEEKS
Laminate, PVC Edge	4-5 WEEKS
Laminate, Wood Edge	4-5 WEEKS
Veneer, Wood Edge	6-8 WEEKS
Quickship Products	10 WORKING DAYS

Contact Versteel Customer Service for special lead time requests.

**NOTE** ORDERS WITH COM UPHOLSTERY WILL BE SCHEDULED UPON RECEIPT OF COM UPHOLSTERY YARDAGE

**NOTE** OH! SHIPS DISASSEMBLED AND REQUIRES ASSEMBLY

**BIFMA**

All Versteel products are constructed to pass the relevant ANSI/BIFMA standards. For more detailed specifications by series and base style, contact Versteel Customer Service at 800.876.2120.

Additional information regarding warranty, terms and conditions, shipping, care and maintenance, etc. can be found in the All Seating price list.

**Standard Versteel Upholstery**

Standard Versteel Upholstery offers a range of materials, from fabrics in a variety of colors and textures to vinyl for soil resistance. Please refer to Versteel's fabric cards or the "Materials + Finishes" section of our website for reference information.

**Grade-In Upholstery**

Versteel has coordinated with upholstery manufacturers to simplify your order process. Many of the manufacturers' offerings have been pre-approved for application on Versteel Seating.

Contact Versteel Customer Service with your selected fabric choice to be graded in. They will supply you with the appropriate grade-in designator. On your purchase order, complete the information with the pattern name, color description and grade-in designator, and Versteel will take it from there.

**Customer's Own Material**

Customer's Own Materials (COM's) are not an issue on OH!. Many COM's are pre-approved for application on Versteel Seating. Call Versteel Customer Service with your COM selection to determine if it has been pre-approved. If your selection has not been pre-approved, reference the "Receiving COM Approval" section below.

**Receiving COM Approval**

Not all materials are suitable for upholstery on OH!. A 12" X 12" memo sample must be supplied for approval before a COM material is accepted for an order. If the material is directional in pattern or weave, the pattern repeat (in inches) in both directions or the weave direction must be supplied.

**Excess COM**

Versteel will not store excess COM for more than 30 days after the order has been completed. If excess material is to be returned after order completion, send the request to Versteel Customer Service prior to acknowledge ship date. It is the customer's responsibility to arrange for the return of the material "freight collect."

**Seat Accent Fabric**

The OH! seat band may be specified in a different fabric than the rest of the unit. Specify and add \$372.00 list per unit.  
Seat Accent Fabric . . . . .**.SAF**

**COM Requiring Application Test**

If an application test is required for your selected COM, send test sample material along with the following:

- Name and return address
- Chair model selected
- Sketch showing special requirements for the positioning of the material's pattern on the chair seat and chair back, if special considerations are required.

**Ship COM to:**

Versteel  
2332 Cathy Lane  
Jasper, IN 47546

COM must be shipped to the factory with transportation costs "prepaid." If material is considered defective or unusable, it will be returned "transportation collect."


For standard lead time orders, tag fabric with purchase order number and identify with project number if possible.

**Application of Directional Fabrics**


Due to the upholstering process, some fabrics not considered directional by the supplier may be considered directional by Versteel.

All COM's for OH! are **railroaded** unless otherwise directed by the customer (see illustration below).

**EXAMPLE PATTERN CUT RAILROADED**



If special cutting or upholstery application is required, you must indicate requirement at time of order entry.



### OH! COM Yardage Requirements

COM yardage requirements are calculated based on a material width of 54" and a repeat of 2" or less. For material less than 54" wide, contact Versteel for yardage requirements. Use the chart below as a guide to calculate your COM yardage. For quantities greater than 10, contact Versteel Customer Service for calculation of COM yardage by chair model.

**NOTE** THIS CHART IS NOT APPLICABLE FOR MULTIPLE FABRICS ON ONE UNIT. CONTACT VERSTEEL CUSTOMER SERVICE FOR YARDAGE REQUIREMENTS WHEN SPECIFYING MULTIPLE FABRICS.

Quantity of Units	1	2	3	4	5	6	7	8	9	10
<b>Freestanding (without back)</b>										
OH24	2.5	2.5	3.0	3.0	4.0	5.5	5.5	6.5	7.5	8.0
OH245I	2.5	3.0	5.5	6.5	8.0	8.0	10.5	13.0	14.0	14.5
OH2478	3.0	5.5	7.5	8.0	10.5	14.0	14.5	16.5	20.0	20.5
<b>Freestanding (with back)</b>										
OH24B	3.0	4.5	5.0	8.0	8.5	11.0	12.5	16.0	18.5	20.0
OH245IB	3.0	8.0	11.0	16.0	20.0	22.0	24.0	27.0	31.5	33.0
OH2478B	5.5	11.0	18.5	22.0	26.0	31.5	35.0	38.0	43.0	48.0
<b>Freestanding Ottoman</b>										
OH36O	2.5	3.5	4.5	5.5	8.0					
OH48O	3.0	5.0	7.5	9.0	12.0					
<b>Configurable (without back)</b>										
OH24ER	2.5	2.5	3.0	3.0	4.0	5.5	5.5	6.5	7.5	8.0
OH24EL	2.5	2.5	3.0	3.0	4.0	5.5	5.5	6.5	7.5	8.0
OH24LR	2.5	2.5	3.0	3.0	4.0	5.5	5.5	6.5	7.5	8.0
OH24LL	2.5	2.5	3.0	3.0	4.0	5.5	5.5	6.5	7.5	8.0
OH24LD	2.5	2.5	3.0	3.0	4.0	5.5	5.5	6.5	7.5	8.0
<b>Configurable (with back)</b>										
OH24ERB	3.0	4.5	5.0	8.0	8.5	11.0	12.5	16.0	18.5	20.0
OH24ELB	3.0	4.5	5.0	8.0	8.5	11.0	12.5	16.0	18.5	20.0
OH24LRB	3.0	4.5	5.0	8.0	8.5	11.0	12.5	16.0	18.5	20.0
OH24LLB	3.0	4.5	5.0	8.0	8.5	11.0	12.5	16.0	18.5	20.0
OH24LDB	3.0	4.5	5.0	8.0	8.5	11.0	12.5	16.0	18.5	20.0

### Patterned COM Additional Yardage Guide

Use the guide below to aid in ordering the appropriate COM fabric when needing to match a pattern with a repeat. To use this guide, add the vertical and horizontal repeats together (e.g. a 5" vertical repeat plus an 11" horizontal repeat gives a 16" total). Then find the appropriate entry on the chart, and increase the yardage estimate by the percentage indicated.

For example: The yardage estimate is 8 yards of 54" wide fabric and the pattern has a repeat of 11" horizontal and 5" vertical. Add up the repeats (11" + 5" = 16") and find the appropriate entry - 15% in this example. Fifteen percent more fabric is required to match the pattern. 8 yards plus an extra 15% is 9.2 yards.

### Decorative Patterns

Yardage requirements are greatly affected by the size of the repeat and the print or pattern of the material. Versteel cuts all seating patterns with aesthetic concerns in mind for high quality and consistency. Refer to the COM listing for the yardage required for pattern repeat.

### Repeats and Striped Fabrics

The geometry of curved products prevents repeats and stripes from matching at the seams.

**NOTE** CALIFORNIA TECHNICAL BULLETIN 133 (CAL 133) COMPLIANCE HAS BEEN ESTABLISHED THROUGH THIRD-PARTY TESTING OF THE PRODUCTS. ALL CHAIRS THAT MEET CAL 133 STANDARDS WILL HAVE A LABEL ATTACHED TO THE UNDERSIDE OF THE SEAT TO MAINTAIN COMPLIANCE, THE LABEL MUST NOT BE REMOVED FROM THE PRODUCT.

Fabric Width	Plain Fabric	3" - 14" Repeat	15" - 19" Repeat	20" - 27" Repeat	28" - 36" Repeat	37" - 45" Repeat	46" - 54" Repeat
54"	0%	10%	15%	20%	25%	30%	35%
50" - 52"	10%	20%	25%	30%	35%	40%	45%

**Configure**

Utilizing basic components (a single leg, seat, back and connector) of polished, cast aluminum, OH! is simplistic in its approach to modularity. Legs are positioned for strength and stability while connectors are used to organize the seats into configurations. By using the connector, a set distance is established between individual seats to create personal space. Plush seats, along with a curved ergonomic back option, allow users to position their bodies without interfering with their neighbors. This ensures that everyone can find their own comfort solution. Seats are generously sized and proportioned.

Because the circle is the basis for the seating series it is possible to create an infinite number of configurations, as the designer is no longer bound by a corner. Typical OH! configurations include L, T, X and Y as well as unlimited numbers of runs, arcs and serpentes.

The use of the circle eliminates any sidedness to backless configurations. The addition of a back can be used to guide users to approach sides.

**Tables**

Tables can be inserted at any point of any configuration for optimum flexibility.

**Upholstery**

Upholstery may be specified in monochromatic (single textile choice) or contrasting applications (different textiles on different parts). No contact between upholstery surfaces makes for an easy to clean and more hygienic product.


**Power**


The Twine corded system offers mounted, and below-surface power and USB to multiple users in a range of settings. With just one infeed, this system can power up to six (6) Mini-Tap units.

Mini-Tap power can be added to any seat as an undermount option, or to any 24" diameter table as an integrated or undermount option.

Wires seamlessly run between seats via a concealed channel located on the underside of the connector.

Additional power and data can be added to any seat as an undermount option, or any table as an integrated or undermount option.





A. 15-Degree Arc B. 7.5-Degree Arc C. Combination Arc Serpentine

**Large Configurations**

Versteel will help with your configuration if you have concerns. Simply call Customer Service and provide the dimensions of your space and the type of configuration you desire. Like any other space planning, it is helpful to know where the power and data sources are, as well as windows, doors, any other obstructions and proposed traffic patterns.

All configurations are priced with powder coat frames and Grade 2/COM fabric. Tops are priced with standard laminate and PVC edges.

**L Configuration**

- (1) OH18RDER
- (2) OH24LRB
- (1) OH18RDLD
- (2) OH24LLB
- (1) OH18RDEL

Total List: \$8,498

**Serpentine Configuration**

- (1) OH24ER
- (1) OH24LLB
- (1) OH18RDLD
- (2) OH24LLB
- (1) OH18RDLL
- (1) OH24LL
- (1) OH18RDEL

Total List: \$8,692



**Large Configurations**



**X Configuration**

- (2) OH18RDER
- (3) OH24LL
- (1) OH18RDLD
- (3) OH24LR
- (2) OH18RDEL
- (2) OH24LD

Total List: \$10,890



**T Configuration**

- (1) OH18RDER
- (2) OH24LRB
- (1) OH18RDLD
- (2) OH24LLB
- (1) OH18RDEL
- (1) OH24LD
- (1) OH24ER

Total List: \$10,352



**Y Configuration**

- (1) OH24ERB
- (1) OH24LDB
- (1) OH18RDER
- (2) OH24LL
- (1) OH18RDLD
- (1) OH24LLB
- (1) OH24ELB

Total List: \$9,571

To Order, Specify...

- 1 Model Number
- 2 Frame Color
- 3 Upholstery Selection
- 4 Additional Options

model number	finish selections		additional options
<b>OH2451B</b> <small>model number</small>	/	<b>PALY</b> <small>frame color</small>	/
		<b>FTH Alabaster</b> <small>upholstery selection</small>	/
			<b>----</b> <small>chair frame options</small>

An **OH2451B** is an OH! series, two seat with backs.

The codes **PALY** / **FTH Alabaster** specify Alloy legs and Grade 2 Theory Alabaster upholstery.

Model Number **OH2451B**



NOTE SAMPLE ORDER DOES NOT MATCH ABOVE IMAGE FABRIC.

Orders may be sent via

Mailing Address

Versteel  
2332 Cathy Lane  
Jasper, IN 47546

Contact Versteel

Email      contact@versteel.com  
Phone      800 876 2120  
             812 634 2120

### Powder Coat Finishes

All powder coat finishes in the Versteel offering have been formulated with the use of epoxy, polyester or epoxy and polyester blends to maximize the finish durability.

Powder Coat – Standard . . . . .n/c  
Powder Coat – Premium. . . . . \$165 per chair

### OH! Powder Coat Colors

Alloy. . . . .	.PALY	Navy . . . . .	.PNAV
Amethyst . . . . .	.PAME	Nimbus. . . . .	.PNIM
Anthracite. . . . .	.PANT	Nutmeg . . . . .	.PNUT
Black Anodized. . . . .	.PBLA	Pearl . . . . .	.PPEA
Bronze . . . . .	.PBRO	Pebble . . . . .	.PPEB
Calypso . . . . .	.PCAL	Platinum . . . . .	.PPLA
Carbon. . . . .	.PCAR	Poppy. . . . .	.PPOP
Champagne . . . . .	.PCHA	Royal . . . . .	.PROY
Coconut . . . . .	.PCOC	Seaside . . . . .	.PSEA
Crimson . . . . .	.PCRI	Shipyard. . . . .	.PSHI
Daffodil. . . . .	.PDAF	Silver . . . . .	.PSIL
Ebony. . . . .	.PEBO	Snow . . . . .	.PSNO
Forest. . . . .	.PFOR	Stone . . . . .	.PSTO
Fossil . . . . .	.PFOS	Storm. . . . .	.PSTM
Graphite . . . . .	.PGRA	Terra Cotta . . . . .	.PTEC
Hope . . . . .	.PHOP	Whisper . . . . .	.PWHI
Kelly Green . . . . .	.PKEG	White Linen . . . . .	.PWHL
Mica. . . . .	.PMIC	Powder Coat Alternative .	.OPA
Mint . . . . .	.PMNT		

### Premium Powder Coats (indicated by P)

Versteel's premium process uses specially formulated powder coats for a truly unique color palette.

### Polished Aluminum

One piece cast aluminum legs, back supports and connectors are polished to a high gloss sheen.

Polished Aluminum. . . . .APOL

**NOTE** POLISHED ALUMINUM IS NOT AVAILABLE ON THE PULL UP TABLE

### Chrome (available on Pull Up Table only)

Versteel applies a deep luster nickel chrome plated finish.

Chrome is the most durable finish available. Specify and add \$228 list each.

Chrome . . . . . ECHR

### Laminates

Versteel's standard offering of laminates includes over 900 laminates from Formica, Nevamar, Pionite and Wilsonart.

Laminate manufacturers change standard offerings frequently, making it possible a standard product can become unavailable. Versteel cannot be responsible for any inconvenience this may cause.

### PVC Edges

OH! laminate table edges are available with a PVC Edge.

- PVC provides hot melt application in a continuous band around the surface.

### OH! PVC Edge Colors

Absolute Acajou . . . . .	.CABA	Nimbus. . . . .	.CNIM
Alloy. . . . .	.CALY	Pearl . . . . .	.CPEA
Carbon. . . . .	.CCAR	Platinum . . . . .	.CPLA
Champagne . . . . .	.CCHA	Pralines & Cream . . . . .	.CPRC
Coconut . . . . .	.CCOC	Shadow . . . . .	.CSHA
Ebony. . . . .	.CEBO	Snow . . . . .	.CSNO
Florence Walnut . . . . .	.CFLW	Stone . . . . .	.CSTO
Fossil . . . . .	.CFOS	Storm. . . . .	.CSTM
Graphite . . . . .	.CGRA	Whisper . . . . .	.CWHI
Grey. . . . .	.CGRE	White Linen . . . . .	.CWHL
Kensington Maple. . . . .	.CKEM		

### Veneer & Wood Finish

OH! tables are available with standard Ash, Cherry, Maple and Walnut veneers.

### OH! Veneer Species

Ash . . . . .	.AP01	Maple. . . . .	.MP01
Cherry . . . . .	.CP01	Walnut . . . . .	.WP01

### Veneer Finish

#### Ash

Beach. . . . .	.VBEA	Fog . . . . .	.VFOG
Chestnut. . . . .	.VCHE	Pebble . . . . .	.VPEB
Drift . . . . .	.VDRI	Whisper . . . . .	.VWHI
Fawn . . . . .	.VFAW		

#### Cherry

Blossom Cherry . . . . .	.VBLC	Java Cherry. . . . .	.VJAC
Cordovan Cherry . . . . .	.VCNC	Millwork Cherry. . . . .	.VMWC
Golden Cherry . . . . .	.VGNC		

#### Maple

Caramel Maple . . . . .	.VCMM	Sugar Maple . . . . .	.VSUM
Solar Maple. . . . .	.VSLM		

#### Walnut

Brighton Walnut . . . . .	.VBRW	Natural Walnut. . . . .	.VNAW
Espresso Walnut. . . . .	.VESW		

**NOTE** WOOD BANDING IS A MULTI-PLY MAPLE WOOD BAND

**Corian®**

Corian® is an advanced composite product used as an architectural and design material in a variety of residential and commercial applications.

**OH! Corian® Colors**

Antarctica . . . . .	<a href="#">NART</a>	Linen . . . . .	<a href="#">.NLIN</a>
Bisque . . . . .	<a href="#">NBIS</a>	Matterhorn . . . . .	<a href="#">.NMTH</a>
Designer White. . . . .	<a href="#">NDEW</a>	Pearl Gray . . . . .	<a href="#">.NPLG</a>
Elegant Gray . . . . .	<a href="#">NELG</a>	Silver Gray . . . . .	<a href="#">.NSLG</a>
Glacier White. . . . .	<a href="#">.NGLW</a>	Vanilla . . . . .	<a href="#">.NVAN</a>

Alternative Corian® colors may be specified. Contact Customer Service for quote.

**Finish Reference & Samples**

For finish color reference, please refer to our website. Contact Versteel Customer Service to receive actual color samples for color matches and final color approval.

**Powder Coat Alternative****Call for quotation**

Specify code *OPA* (Powder Coat Alternative), add cost from Versteel quotation

Powder Coat Alternative is available from Versteel. The entire RAL color reference along with hundreds of other color and finishes are available.

For Powder Coat Alternative matching, you must supply a color reference sample, or an RAL number. Versteel will review the sample for possible existing colors available and send a sample for customer approval. If no color match exists a custom match can be developed. Call Versteel Customer Service for associated upcharges on custom color development.

**NOTE** CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

**Special Laminate****Call for quotation**

Specify code *TSP* (Special Laminate), indicate the quoted charges per table

Special laminates and patterns can be specified as an option. To specify, contact Versteel for availability and pricing.

**NOTE** LAMINATES IN STANDARD COLORS AND TEXTURES FROM FORMICA, NEVAMAR, PIONITE AND WILSONART ARE STANDARD

**CAUTION** LAMINATE MANUFACTURERS CHANGE STANDARD OFFERINGS FREQUENTLY, AND IT IS POSSIBLE THAT A STANDARD PRODUCT CAN BECOME UNAVAILABLE. VERSTEEL CANNOT BE RESPONSIBLE FOR ANY INCONVENIENCE THIS MAY CAUSE.

**Custom PVC Color Match****Call for quotation / one time charge per color, per order**

Specify code *OCF* (Custom PVC Color Match), add cost from Versteel quotation

PVC Color Match can be the selection of a color that is available from a Versteel supplier or a new custom color developed for the order. Minimum footage requirements mean that the amount of material needed for your order will effect the cost.

For PVC Color Matching you must supply a color reference sample. Versteel will review the sample for possible existing colors available and send a sample for customer approval. If no color match exists, a custom match will be developed and sampled for customer approval before a production schedule is established.

**NOTE** CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

**Stain Finish Match****\$996 / one time charge per finish, per order**

Specify code *OSM* (Stain Finish Match), add \$996.00 list per finish, per order

Alternative Stain Finishes are available for veneer and wood edged tops.

For Stain Finish Matching you must supply two 4" x 4" finish color and grain reference samples. An expertly finish matched sample will be provided for customer approval.

**NOTE** CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

**Veneer or Wood Edge Alternatives**

For veneer or wood edge requirements other than our standard plain sliced Ash, Cherry, Maple or Walnut, contact Versteel Customer Service with the specifications of the materials you would like to specify.

**NOTE** VENEER OR WOOD EDGE ALTERNATIVES APPROVAL MAY AFFECT STANDARD PRODUCTION SCHEDULES

**Wood Finish Alternatives**

Versteel finish has a natural grain fill level finish appearance, contact Versteel Customer Service for alternative fill levels. Coarse grain will require additional application steps for a full-fill grain appearance and will require a quote.

**NOTE** WOOD FINISH ALTERNATIVE APPROVAL MAY AFFECT STANDARD PRODUCTION SCHEDULES

**Table Top Alternatives**

Table tops can be produced in alternative top material if desired. Contact Versteel Customer Service for pricing and availability.

**Alternate Core Construction**

Alternate core constructions are available, including medium density fiberboard (MDF), honeycomb cores and cores that contain no urea formaldehyde. Contact Versteel Customer Service for pricing and availability

**A la Carte Connector**

When your configuration requires an additional connector it can be ordered by specifying model number [OHAC19CTR](#)

[OHAC19CTR](#) . . . . . \$113

Versteel recommends either the Garcia or Mini-Tap for the freestanding OH! units. Other under mount units may be specified. Contact Versteel Customer Service with questions.

The recommended location of the under mount power unit is on the lower right side as seated. Refer to diagram below. Electrical unit is shipped uninstalled and may be placed in alternate locations.



Electrical location

**Garcia**

Low-profile, low-voltage Garcia mounts under the seat providing power for tablets, cell phones and more.



- SPECIFICATIONS (per unit)
- Two (2), 2.1 Amp USB ports
  - LED charging indicator lights
  - 72" power supply cored with a barrel connector

Model	Description	
GRC-IP2U	Two (2) USB Ports	\$ 411 list

Unit Color		
BB	Black with Black Mounting Bracket	n/c
WW	White with White Mounting Bracket	n/c

Model Example: **GRC-IP2U-BB**

**Mini-Tap (per unit)**

Mini-Tap provides 2 outlets that can be mounted, with key slots, so as to put power near the edge of the seat. Mini-Tap is black.



- SPECIFICATIONS
- Two (2) Simplexes
  - Available with spill-proof Simplexes

Model	Description	
MTP-IP2X	Two (2) power	\$ 149 list
MTP-IP2U	One (1) power and one (1) dual port USB charger	\$ 383 list

Cord Length		
72	72" cord length, black	n/c
120	120" cord length, black	\$ 21 list

Model Example: **MTP-IP2X-72**

Utilizing the Twine corded system up to six (6) power accessories can be sequenced with one infeed cord. Refer to diagrams and ordering information below.

NOTE: Additional configurations are available. Contact Versteel Customer Service with questions.

SPECIFICATIONS

- Finish: Black plastic
- Power & USB
- Up to 8 power outlets with multiple USB ports
- 6' power infeed cord



Above diagram shows the recommended location of sequenced under mount power units. Electrical units are shipped uninstalled and may be placed in alternate locations.

Garcia (USB only)

Model	Description	
OHGA51	Two (2) USB ports (per unit)	\$ 676 list

SPECIFICATIONS (per unit)

- Two (2) USB ports
- LED charging indicator lights

Unit Color

BB	Black with Black Mounting Bracket	n/c
WW	White with White Mounting Bracket	n/c

Model Example: [OHGA51-WW](#)

Mini-Tap (power or power/USB)

Model	Description	
OHMTTP51	Two (2) power (per unit)	\$ 523 list
OHMTPU51	One (1) power and one (1) dual port USB charger (per unit)	\$ 976 list

SPECIFICATIONS (per unit)

- Two (2),simplexes
- Available with spill-proof Simplexes

Model Example: [OHMTPU51](#)



Above diagram shows the recommended location of sequenced under mount power units. Electrical units are shipped uninstalled and may be placed in alternate locations.

Garcia (USB only)

Model	Description	
OHGA78	Two (2) USB ports (per unit)	\$ 908 list

SPECIFICATIONS (per unit)

- Two (2) USB ports
- LED charging indicator lights

Unit Color

BB	Black with Black Mounting Bracket	n/c
WW	White with White Mounting Bracket	n/c

Model Example: [OHGA78-BB](#)

Mini-Tap (power or power/USB)

Model	Description	
OHMTTP78	Two (2) power (per unit)	\$ 535 list
OHMTPU78	One (1) power and one (1) dual port USB charger (per unit)	\$ 992 list

SPECIFICATIONS (per unit)

- Two (2),simplexes
- Available with spill-proof Simplexes

Model Example: [OHMTPU78](#)





Above diagram shows the recommended location of sequenced under mount power units. Electrical units are shipped uninstalled and may be placed in alternate locations.

Garcia (USB only)

Model	Description	
OHGA105	Two (2) USB ports (per unit)	\$ 948 list

- SPECIFICATIONS (per unit)
- Two (2), 2.1 Amp USB ports
  - LED charging indicator lights

Unit Color

BB	Black with Black Mounting Bracket	n/c
WW	White with White Mounting Bracket	n/c

Model Example: OHGA105-BB

Mini-Tap (power or power/USB)

Model	Description	
OHMTPI105	Two (2) power (per unit)	\$ 578 list
OHMTPI105	One (1) power and one (1) dual port USB charger (per unit)	\$1032 list

- SPECIFICATIONS (per unit)
- Two (2), simplexes
  - Available with spill-proof Simplexes

Model Example: OHMTPI105

OH!  
Freestanding  
No Back






VERSTEEL

Questions?

800 876 2120




Quickship Program Product

						material / fabric grade >	2/COM	3	4	5	6
Description		Model#	Product Wt	Dimensions							
  	<b>Single Seat</b> Seat: Upholstered	<b>OH24</b>	<b>QS</b> 17	Overall Height: 18" Overall Width: 24" Overall Depth: 24"	Seat Height: 18" Seat Width: 24" Seat Depth: 24"		957	1044	1128	1213	1298
	<b>Two Seats</b> Seat: Upholstered	<b>OH2451</b>	<b>QS</b> 34	Overall Height: 18" Overall Width: 51" Overall Depth: 24"	Seat Height: 18" Seat Width: 24" Seat Depth: 24"		1850	2062	2275	2488	2700
	<b>Three Seats</b> Seat: Upholstered	<b>OH2478</b>	<b>QS</b> 50	Overall Height: 18" Overall Width: 78" Overall Depth: 24"	Seat Height: 18" Seat Width: 24" Seat Depth: 24"		2596	2810	3024	3236	3449

COM Yardage  
Refer to page 233.

- To Order, Specify...
- 1 Model Number
  - 2 Frame Color
  - 3 Upholstery Selection
  - 4 Additional Options



						material / fabric grade >				
	Description	Model#	Product Wt	Dimensions		2/COM	3	4	5	6
	<b>Single Seat</b> Seat: Upholstered	<b>OH24B</b>	24	Overall Height: 33" Overall Width: 24" Overall Depth: 27"	Seat Height: 18" Seat Width: 24" Seat Depth: 24"	1637	1810	1980	2150	2320
	<b>Two Seats</b> Seat: Upholstered	<b>OH2451B</b>	48	Overall Height: 33" Overall Width: 51" Overall Depth: 27"	Seat Height: 18" Seat Width: 24" Seat Depth: 24"	3211	3596	3980	4362	4746
	<b>Three Seats</b> Seat: Upholstered	<b>OH2478B</b>	71	Overall Height: 33" Overall Width: 78" Overall Depth: 27"	Seat Height: 18" Seat Width: 24" Seat Depth: 24"	4641	5110	5578	6047	6515
<b>COM Yardage</b> Refer to page 233.										

**Finish Options**

	Price
Powder Coat - Standard .....	n/c
Powder Coat - Premium.....	\$ 165
Polished Aluminum.....	n/c

**Seat Options**

	Code	Price
Seat Accent Fabric .....	SAF	\$ 372

**Power + Data Options**

Please reference the Power Options section

**Custom Charges**

	Code	Price
Powder Coat Alternative (per color) .....	OPA	call



Questions?

800 876 2120

Questions?

800 876 2120

						material / fabric grade ›				
						2/COM	3	4	5	6










Questions?

800 876 2120

top >  
edge >

Laminate PVC	Veneer Wood	Corian Square
Flat 	Flat 	
LP7R	VW7R	CS7R
1"	1"	1"
804	2265	1532

edge ordering code (radius corner) >

	Description	Model#	Product Wt	Dimensions	top thickness
	Round Table	OH24RD	17	Overall Height: 12" Overall Width: 24" Overall Depth: 24"	
	Pull Up Table	OH14RDLT	24	Overall Height: 25½" Overall Width: 14" Overall Depth: 14"	

To Order, Specify...

- 1 Model Number
- 2 Frame Color
- 3 Top Material
- 4 Top Color
- 5 Edge Detail
- 6 Additional Options

Finish Options	Price
Powder Coat - Standard .....	n/c
Powder Coat - Premium .....	\$ 165
Polished Aluminum .....	n/c
Not Available on Pull Up Table	
Chrome .....	\$ 227
Not Available on Round Table	

Top Options	Code	Price
Special Laminate.....	TSP	call

**Power + Data Options**  
Please reference the Power Options section

Custom Charges	Code	Price
Powder Coat Alternative (per color) .....	OPA	call
Custom PVC Color Match .....	OCP	call
Stain Finish Match (per finish).....	OSM	\$ 996



## Questions?

800 876 2120

Quickship Program Product

material / fabric grade &gt;

Description		Model#	Product Wt	Dimensions		2/COM	3	4	5	6
    	<b>End Seat, Right</b> Seat: Upholstered	<b>OH24ER</b>	16	Overall Height: 18" Overall Width: 24" Overall Depth: 24"	Seat Height: 18" Seat Width: 24" Seat Depth: 24"	889	974	1058	1143	1230
	<b>End Seat, Left</b> Seat: Upholstered	<b>OH24EL</b>	16	Overall Height: 18" Overall Width: 51" Overall Depth: 24"	Seat Height: 18" Seat Width: 24" Seat Depth: 24"	889	974	1058	1143	1230
	<b>Linking Seat</b> Connector Right Seat: Upholstered	<b>OH24LR</b>	17	Overall Height: 18" Overall Width: 78" Overall Depth: 24"	Seat Height: 18" Seat Width: 24" Seat Depth: 24"	894	978	1063	1150	1235
	<b>Linking Seat</b> Connector Left Seat: Upholstered	<b>OH24LL</b>	17	Overall Height: 18" Overall Width: 78" Overall Depth: 24"	Seat Height: 18" Seat Width: 24" Seat Depth: 24"	894	978	1063	1150	1235
	<b>Linking Seat</b> Two Connectors Seat: Upholstered	<b>OH24LD</b>	19	Overall Height: 18" Overall Width: 78" Overall Depth: 24"	Seat Height: 18" Seat Width: 24" Seat Depth: 24"	965	1049	1134	1220	1306

## COM Yardage






Refer to page 233.

## To Order, Specify...

- 1 Model Number
- 2 Frame Color
- 3 Upholstery Selection
- 4 Additional Options





material / fabric grade >						2/COM	3	4	5	6
	Description	Model#	Product Wt	Dimensions						
	<b>End Seat, Right</b> Seat: Upholstered Back: Upholstered	OH24ERB	23	Overall Height: 33" Overall Width: 24" Overall Depth: 27"	Seat Height: 18" Seat Width: 24" Seat Depth: 24"	1569	1740	1911	2080	2251
	<b>End Seat, Left</b> Seat: Upholstered Back: Upholstered	OH24ELB	23	Overall Height: 33" Overall Width: 24" Overall Depth: 27"	Seat Height: 18" Seat Width: 24" Seat Depth: 24"	1569	1740	1911	2080	2251
	<b>Linking Seat</b> Connector Right Seat: Upholstered Back: Upholstered	OH24LRB	24	Overall Height: 33" Overall Width: 24" Overall Depth: 27"	Seat Height: 18" Seat Width: 24" Seat Depth: 24"	1576	1745	1917	2087	2256
	<b>Linking Seat</b> Connector Left Seat: Upholstered Back: Upholstered	OH24LLB	24	Overall Height: 33" Overall Width: 24" Overall Depth: 27"	Seat Height: 18" Seat Width: 24" Seat Depth: 24"	1576	1745	1917	2087	2256
	<b>Linking Seat</b> Two Connectors Seat: Upholstered Back: Upholstered	OH24LDB	26	Overall Height: 33" Overall Width: 24" Overall Depth: 27"	Seat Height: 18" Seat Width: 24" Seat Depth: 24"	1646	1816	1987	2157	2328

COM Yardage

Refer to page 233.

**COM Yardage**  
 Refer to page 233.

**Finish Options**

	Price
Powder Coat - Standard .....	n/c
Powder Coat - Premium .....	\$ 165
Polished Aluminum .....	n/c

**Seat Options**

	Code	Price
Seat Accent Fabric .....	SAF	\$ 372

**Power + Data Options**

Please reference the Power Options section

**Custom Charges**




	Code	Price
Powder Coat Alternative (per color) .....	OPA	call













Questions?

800 876 2120

top >  
edge >









Laminate PVC	Veneer Wood	Corian Square
Flat 	Flat 	
LP7R	VW7R	CS7R
1"	1"	1"
701	2130	1373
688	2119	1360
688	2119	1360
792	2224	1465

edge ordering code (radius corner) >

	Description	Model#	Product Wt	Dimensions	top thickness
 	Round Table End, Right	OH18RDER	13	Overall Height: 12" Overall Width: 18" Overall Depth: 18"	
 	Round Table End, Left	OH18RDEL	13	Overall Height: 12" Overall Width: 18" Overall Depth: 18"	
 	Round Table Linking Connector Right	OH18RDLR	12	Overall Height: 12" Overall Width: 18" Overall Depth: 18"	
 	Round Table Linking Connector Left	OH18RDLL	12	Overall Height: 12" Overall Width: 18" Overall Depth: 18"	
 	Round Table Linking Two Connectors	OH18RDLD	14	Overall Height: 12" Overall Width: 18" Overall Depth: 18"	

To Order, Specify...

- 1 Model Number
- 2 Frame Color
- 3 Top Material
- 4 Top Color
- 5 Edge Detail
- 6 Additional Options

					top > edge >	Laminate PVC	Veneer Wood	Corian Square
					edge ordering code (radius corner) >	Flat  <b>LP7R</b>	Flat  <b>VW7R</b>	 <b>CS7R</b>
					top thickness	1"	1"	1"
	<b>Round Table</b> End, Right	<b>OH24RDER</b>	19	Overall Height: 12" Overall Width: 24" Overall Depth: 24"		728	2189	1459
	<b>Round Table</b> End, Left	<b>OH24RDEL</b>	19	Overall Height: 12" Overall Width: 24" Overall Depth: 24"		728	2189	1459
	<b>Round Table</b> Linking Connector Right	<b>OH24RDLR</b>	17	Overall Height: 12" Overall Width: 24" Overall Depth: 24"		715	2176	1446
	<b>Round Table</b> Linking Connector Left	<b>OH24RDLL</b>	17	Overall Height: 12" Overall Width: 24" Overall Depth: 24"		715	2176	1446
	<b>Round Table</b> Linking Two Connectors	<b>OH24RDLD</b>	20	Overall Height: 12" Overall Width: 24" Overall Depth: 24"		821	2282	1552

**Finish Options**

	Price
Powder Coat - Standard .....	n/c
Powder Coat - Premium.....	\$ 165
Polished Aluminum.....	n/c

**Top Options**

	Code	Price
Special Laminate.....	TSP	call

**Power + Data Options**

Please reference the Power Options section

**Custom Charges**

	Code	Price
Powder Coat Alternative (per color) .....	OPA	call
Custom PVC Color Match .....	OCB	call
Stain Finish Match (per finish).....	OSM	\$ 996



Questions?

800 876 2120



					material / fabric grade >				
					2/COM	3	4	5	6
Description	Model#	Product Wt	Dimensions						
Privacy Screen Tackable	OHSD34T	45	Overall Height: 62% Overall Width: 33% Panel Thickness: 2"		2905	3252	3596	3940	4284
Privacy Screen Tackable	OHSD44T	74	Overall Height: 66% Overall Width: 43% Panel Thickness: 2"		3088	3531	3973	4285	4728
Privacy Screen Tackable	OHSD2065T	53	Overall Height: 70% Overall Width: 19% Panel Thickness: 2"		3011	3454	3898	4340	4784

To Order, Specify...

- 1 Model Number
- 2 Frame Color
- 3 Upholstery Selection
- 4 Additional Options



					material / fabric grade >				
	Description	Model#	Product Wt	Dimensions	2/COM	3	4	5	6
  	Privacy Screen Acoustic	OHSD34A	36	Overall Height: 62% Overall Width: 33% Panel Thickness: 2"	3512	3857	4200	4544	4891
	Privacy Screen Acoustic	OHSD44A	60	Overall Height: 66% Overall Width: 43% Panel Thickness: 2"	3694	4138	4582	5023	5467
	Privacy Screen Acoustic	OHSD2065A	41	Overall Height: 70% Overall Width: 19% Panel Thickness: 2"	3618	4061	4505	4948	5392

**Finish Options**

	Price
Powder Coat, Standard .....	n/c
Powder Coat, Premium .....	\$ 165
Platinum Powder Coat .....	488

**Custom Charges**

	Code	Price
Powder Coat Alternative (per color) .....	OPA	call

All prices are delivered list price effective with date printed on cover and supersedes all other published price lists. Versteel reserves the right to change prices or specifications without prior notice. Orders are accepted subject to price prevailing at time of shipment.

**versteel.com**  
Made in America  
800 876 2120