Proudly crafted in the USA.

Seating 2025 Price List



JUMP TO PRICING





OH! 01 April 2025



Specifications

Available in Polished Aluminum or any standard powder coat finish, OH! legs, back supports and connectors are one piece cast aluminum, polished to a high-gloss sheen. Seats are machined 1" plywood with a multi-layered construction high density polyurethane molded foam cushion. Backs are molded .75" plywood with a multi-layered construction high density polyurethane foam cushion. Seats and backs are top stitched with single side seams. Laminate or veneer table top surfaces are 1" particle board, Corian® table tops are 1" thick.

NOTE TRANSPARENT POWDER COAT FINISHES ARE NOT AVAILABLE

Features

Since there is no contact between upholstered surfaces, OH! is very easy to clean and more hygienic. The 24" diameter seats appeal to multiple sitting styles and body shapes. Modular construction allows for unlimited configuration options. Under mount power option is available in addition to integrated wire management across the connector.

Laminate and Veneer, Standard Core Construction

The standard top construction consists of 45–50 lb particleboard, surfaced with a high pressure laminate or veneer face. A backer sheet is laminated to the under side of the top. Tops are shipped predrilled for field installation of bases and accessories.

Corian® Construction

Tops are 1" thick Corian® fabricated by bonding two .5" thick sheets together and machining them to size. The underside is bored to allow pressing in metal screw inserts for field installation of the legs and/or connectors.

PVC Flat Edge

Edge of 2mm PVC hot melt banded to the 1" top with ¼" radius at the top and bottom. Offered in twenty-one (21) standard colors.

Wood Flat Edge

Wood banding hot melt banded to the I" top with ¼" radius at the top and bottom. Offered in Ash, Cherry, Maple or Walnut materials.

Corian® Eased Square Edge



A traditional 1" flat edge with a small radius where horizontal surfaces meet vertical for comfort and a softened aesthetic. Offered in twelve (10) standard colors.

Quickship Program

Available for select products in the Companion series, see pricing pages.

The Versteel Quickship Program consists of up to 50 tables, 25 tables with modesty panels or 100 chairs in 10 working days from time of order (received by 12pm EST). Orders must be accompanied by final material and finish specifications for order entry. They must be clearly marked "Quickship" and consist of products from the program. Quickship orders cannot be changed or cancelled, and credit approval must be acquired within 24 hours.

For additional information see Versteel.com.

Shipping Schedule

Upholstered Items	4-5 WEEKS
Laminate, PVC Edge	4-5 WEEKS
Laminate, Wood Edge	4-5 WEEKS
Veneer, Wood Edge	6-8 WEEKS
Quickship Products	10 WORKING DAYS

Contact Versteel Customer Service for special lead time requests.

NOTE ORDERS WITH COM UPHOLSTERY WILL BE SCHEDULED UPON RECEIPT OF COM UPHOLSTERY YARDAGE

NOTE OH! SHIPS DISASSEMBLED AND REQUIRES ASSEMBLY

BIFMA

All Versteel products are constructed to pass the relevant ANSI/BIFMA standards. For more detailed specifications by series and base style, contact Versteel Customer Service at 800.876.2120.

Additional information regarding warranty, terms and conditions, shipping, care and maintenance, etc. can be found in the All Seating price list.

Standard Versteel Upholstery

Standard Versteel Upholstery offers a range of materials, from fabrics in a variety of colors and textures to vinyl for soil resistance. Please refer to Versteel's fabric cards or the "Materials + Finishes" section of our website for reference information.

Grade-In Upholstery

Versteel has coordinated with upholstery manufacturers to simplify your order process. Many of the manufacturers' offerings have been pre-approved for application on Versteel Seating.

Contact Versteel Customer Service with your selected fabric choice to be graded in. They will supply you with the appropriate grade-in designator. On your purchase order, complete the information with the pattern name, color description and grade-in designator, and Versteel will take it from there.

Customer's Own Material

Customer's Own Materials (COM's) are not an issue on OH!. Many COM's are pre-approved for application on Versteel Seating. Call Versteel Customer Service with your COM selection to determine if it has been pre-approved. If your selection has not been pre-approved, reference the "Receiving COM Approval" section below.

Receiving COM Approval

Not all materials are suitable for upholstery on OH!. A 12" X 12" memo sample must be supplied for approval before a COM material is accepted for an order. If the material is directional in pattern or weave, the pattern repeat (in inches) in both directions or the weave direction must be supplied.

Excess COM

Versteel will not store excess COM for more than 30 days after the order has been completed. If excess material is to be returned after order completion, send the request to Versteel Customer Service prior to acknowledge ship date. It is the customer's responsibility to arrange for the return of the material "freight collect."

Seat Accent Fabric

The OH! seat band may be specified in a different fabric than the rest of the unit. Specify and add \$372.00 list per unit. Seat Accent FabricSAF

COM Requiring Application Test

If an application test is required for your selectred COM, send test sample material along with the following:

- Name and return address
- Chair model selected
- Sketch showing special requirements for the positioning of the material's pattern on the chair seat and chair back, if special considerations are required.

Ship COM to:

Versteel 2332 Cathy Lane Jasper, IN 47546

COM must be shipped to the factory with transportation costs "prepaid." If material is considered defective or unusable, it will be returned "transportation collect."


For standard lead time orders, tag fabric with purchase order number and identify with project number if possible.

Application of Directional Fabrics

Due to the upholstering process, some fabrics not considered directional by the supplier may be considered directional by Versteel.

All COM's for OH! are railroaded unless otherwise directed by the customer (see illustration below).

EXAMPLE PATTERN CUT RAILROADED



If special cutting or upholstery application is required, you must indicate requirement at time of order entry.

> Single Seam on Back Side panel of back is sewn with a single seam, positioned at the bottom.

> > Single Seam on Seat Side panel of seat is sewn with a single seam, positioned at the rear

OH! COM Yardage Requirements

COM yardage requirements are calculated based on a material width of 54" and a repeat of 2" or less. For material less than 54" wide, contact Versteel for yardage requirements. Use the chart below as a guide to calculate your COM yardage. For quantities greater than 10, contact Versteel Customer Service for calculation of COM yardage by chair model.

NOTE THIS CHART IS NOT APPLICABLE FOR MULTIPLE FABRICS ON ONE UNIT. CONTACT VERSTEEL CUSTOMER SERVICE FOR YARDAGE REQUIREMENTS WHEN SPECIFYING MULTIPLE FABRICS.

Quantity of Units	1	2	3	4	5	6	7	8	9	10
Freestanding (without back)										
OH24	2.5	2.5	3.0	3.0	4.0	5.5	5.5	6.5	7.5	8.0
OH2451	2.5	3.0	5.5	6.5	8.0	8.0	10.5	13.0	14.0	14.5
OH2478	3.0	5.5	7.5	8.0	10.5	14.0	14.5	16.5	20.0	20.5
Freestanding (with back)										
OH24B	3.0	4.5	5.0	8.0	8.5	11.0	12.5	16.0	18.5	20.0
OH2451B	3.0	8.0	11.0	16.0	20.0	22.0	24.0	27.0	31.5	33.0
OH2478B	5.5	11.0	18.5	22.0	26.0	31.5	35.0	38.0	43.0	48.0
Freestanding Ottoman										
OH36O	2.5	3.5	4.5	5.5	8.0					
OH48O	3.0	5.0	7.5	9.0	12.0					
Configurable (without back)										
OH24ER	2.5	2.5	3.0	3.0	4.0	5.5	5.5	6.5	7.5	8.0
OH24EL	2.5	2.5	3.0	3.0	4.0	5.5	5.5	6.5	7.5	8.0
OH24LR	2.5	2.5	3.0	3.0	4.0	5.5	5.5	6.5	7.5	8.0
OH24LL	2.5	2.5	3.0	3.0	4.0	5.5	5.5	6.5	7.5	8.0
OH24LD	2.5	2.5	3.0	3.0	4.0	5.5	5.5	6.5	7.5	8.0
Configurable (with back)										
OH24ERB	3.0	4.5	5.0	8.0	8.5	11.0	12.5	16.0	18.5	20.0
OH24ELB	3.0	4.5	5.0	8.0	8.5	11.0	12.5	16.0	18.5	20.0
OH24LRB	3.0	4.5	5.0	8.0	8.5	11.0	12.5	16.0	18.5	20.0
OH24LLB	3.0	4.5	5.0	8.0	8.5	11.0	12.5	16.0	18.5	20.0
OH24LDB	3.0	4.5	5.0	8.0	8.5	11.0	12.5	16.0	18.5	20.0

Patterned COM Additional Yardage Guide

Use the guide below to aid in ordering the appropriate COM fabric when needing to match a pattern with a repeat. To use this guide, add the vertical and horizontal repeats together (e.g. a 5" vertical repeat plus an 11" horizontal repeat gives a 16" total). Then find the appropriate entry on the chart, and increase the yardage estimate by the percentage indicated.

For example: The yardage estimate is 8 yards of 54" wide fabric and the pattern has a repeat of 11" horizontal and 5" vertical. Add up the repeats (11" + 5" = 16") and find the appropriate entry - 15% in this example. Fifteen percent more fabric is required to match the pattern. 8 yards plus an extra 15% is 9.2 yards.

Decorative Patterns

Yardage requirements are greatly affected by the size of the repeat and the print or pattern of the material. Versteel cuts all seating patterns with aesthetic concerns in mind for high quality and consistency. Refer to the COM listing for the yardage required for pattern repeat.

Repeats and Striped Fabrics

The geometry of curved products prevents repeats and stripes from matching at the seams.

NOTE CALIFORNIA TECHNICAL BULLETIN 133 (CAL 133) COMPLIANCE HAS BEEN ESTABLISHED THROUGH THIRD-PARTY TESTING OF THE PRODUCTS. ALL CHAIRS THAT MEET CAL 133 STANDARDS WILL HAVE A LABEL ATTACHED TO THE UNDERSIDE OF THE SEAT TO MAINTAIN COMPLIANCE, THE LABEL MUST NOT BE REMOVED FROM THE PRODUCT.

Fabric Width	Plain Fabric	3" - 14" Repeat	15" - 19" Repeat	20" - 27" Repeat	28" - 36" Repeat	37" - 45" Repeat	46" - 54" Repeat
54"	0%	10%	15%	20%	25%	30%	35%
50" - 52"	10%	20%	25%	30%	35%	40%	45%

Configure

Utilizing basic components (a single leg, seat, back and connector) of polished, cast aluminum, OH! is simplistic in its approach to modularity. Legs are positioned for strength and stability while connectors are used to organize the seats into configurations. By using the connector, a set distance is established between individual seats to create personal space. Plush seats, along with a curved ergonomic back option, allow users to position their bodies without interfering with their neighbors. This ensures that everyone can find their own comfort solution. Seats are generously sized and proportioned.

Because the circle is the basis for the seating series it is possible to create an infinite number of configurations, as the designer is no longer bound by a corner. Typical OH! configurations include L, T, X and Y as well as unlimited numbers of runs, arcs and serpentines.

The use of the circle eliminates any sidedness to backless configurations. The addition of a back can be used to guide users to approach sides.

Tables

Tables can be inserted at any point of any configuration for optimum flexibility.

Upholstery

Upholstery may be specified in monochromatic (single textile choice) or contrasting applications (different textiles on different parts). No contact between upholstery surfaces makes for an easy to clean and more hygienic product.




Power


The Twine corded system offers mounted, and below-surface power and USB to multiple users in a range of settings. With just one infeed, this system can power up to six (6) Mini-Tap units.

Mini-Tap power can be added to any seat as an undermount option, or to any 24" diameter table as an integrated or undermount option.

Wires seamlessly run between seats via a concealed channel located on the underside of the connector.

Additional power and data can be added to any seat as an undermount option, or any table as an integrated or undermount option.





A. 15-Degree Arc B. 7.5-Degree Arc C. Combination Arc Serpentine

Large Configurations

Versteel will help with your configuration if you have concerns. Simply call Customer Service and provide the dimensions of your space and the type of configuration you desire. Like any other space planning, it is helpful to know where the power and data sources are, as well as windows, doors, any other obstructions and proposed traffic patterns.

All configurations are priced with powder coat frames and Grade 2/COM fabric. Tops are priced with standard laminate and PVC edges.



L Configuration (1) OH18RDER

(2) OH24LRB (1) OH18RDLD (2) OH24LLB (1) OH18RDEL

Total List: \$8,498



Serpentine Configuration


(1) OH24ER (1) OH24LLB (1) OH18RDLD (2) OH24LLB (1) OH18RDLL (1) OH18RDLL (1) OH18RDEL

Total List: \$8,692

Large Configurations **X Configuration** (2) OH18RDER (3) OH24LL (1) OH18RDLD (3) OH24LR (4) OH28DEL (2) OH18RDEL (2) OH24LD Total List: \$10,890 **T Configuration** (1) OH18RDER (2) OH24LRB (1) OH18RDLD (2) OH24LLB (1) OH18RDEL
(1) OH24LD
(1) OH24ER Total List: \$10,352

Y Configuration (1) OH24ERB (1) OH24LDB (1) OH18RDER (2) OH24LL (1) OH18RDLD (1) OH24LLB (1) OH24ELB

Total List: \$9,571



Orders may be sent via

Mailing Address Versteel 2332 Cathy Lane Jasper, IN 47546

Contact Versteel

Email	contact@versteel.com
Phone	800 876 2120
	812 634 2120

OH! Powder Coat Colors

Alloy	Navy
Amethyst PAME	Nimbus PNIM
AnthracitePANT	NutmegPNUT
Black Anodized PBLA	Pearl PPEA
Bronze PBRO	Pebble PPEB
Calypso PCAL	Platinum PPLA
CarbonPCAR	РорруРРОР
Champagne PCHA	Royal PROY
Coconut PCOC	Seaside PSEA
Crimson PCRI	Shipyard
Daffodil PDAF	Silver
EbonyPEBO	Snow
ForestPFOR	Stone PSTO
Fossil PFOS	StormPSTM
Graphite PGRA	Terra Cotta PTEC
● Hope	Whisper PWHI
Kelly Green PKEG	White Linen
Mica PMIC	Powder Coat Alternative .OPA
Mint	

Premium Powder Coats (indicated by

Versteel's premium process uses specially formulated powder coats for a truly unique color palette.

Polished Aluminum

NOTE POLISHED ALUMINUM IS NOT AVAILABLE ON THE PULL UP TABLE

Chrome (available on Pull Up Table only)

Laminates

Versteel's standard offering of laminates includes over 900 laminates from Formica, Nevamar, Pionite and Wilsonart.

Laminate manufacturers change standard offerings frequently, making it possible a standard product can become unavailable. Versteel cannot be responsible for any inconvenience this may cause.

PVC Edges

OH! laminate table edges are available with a PVC Edge.

 PVC provides hot melt application in a continuous band around the surface.

OH! PVC Edge Colors

Absolute Acajou CABA	Nimbus
Alloy	Pearl CPEA
CarbonCCAR	Platinum CPLA
Champagne CCHA	Pralines & Cream CPRC
Coconut	Shadow CSHA
EbonyCEBO	Snow CSNO
Florence Walnut CFLW	Stone CSTO
Fossil CFOS	StormCSTM
Graphite CGRA	Whisper CWHI
GreyCGRE	White Linen CWHL
Kensington Maple CKEM	

Veneer & Wood Finish

OH! tables are available with standard Ash, Cherry, Maple and Walnut veneers.

OH! Veneer Species

Ash	Maple
CherryCP01	Walnut WP01

Veneer Finish

Ash	
Beach VBEA	FogVFOG
Chestnut VCHE	Pebble
Drift	Whisper VWHI
Fawn	

Cherry

Blossom Cherry VBLC	Java Cherry VJAC
Cordovan Cherry VCNC	Millwork Cherry VMWC
Golden Cherry VGNC	

Maple

Caramel Maple VCMM	Sugar Maple VSUM
Solar Maple VSLM	

Walnut

Brighton Walnut VBRW	Natural Walnut VNAW
Espresso Walnut VESW	

NOTE WOOD BANDING IS A MULTI-PLY MAPLE WOOD BAND

Corian®

Corian® is an advanced composite product used as an architectural and design material in a variety of residential and commercial applications.

OH! Corian® Colors

AntarcticaNART	Linen
Bisque NBIS	Matterhorn
Designer White NDEW	Pearl Gray NPLG
Elegant Gray NELG	Silver Gray NSLG
Glacier White	Vanilla NVAN

Alternative Corian[®] colors may be specified. Contact Customer Service for quote.

Finish Reference & Samples

For finish color reference, please refer to our website. Contact Versteel Customer Service to receive actual color samples for color matches and final color approval.

Powder Coat Alternative

Call for quotation

Specify code OPA (Powder Coat Alternative), add cost from Versteel quotation

Powder Coat Alternative is available from Versteel. The entire RAL color reference along with hundreds of other color and finishes are available.

For Powder Coat Alternative matching, you must supply a color reference sample, or an RAL number. Versteel will review the sample for possible existing colors available and send a sample for customer approval. If no color match exists a custom match can be developed. Call Versteel Customer Service for associated upcharges on custom color development.

NOTE CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

Special Laminate

Call for quotation

Specify code TSP (Special Laminate), indicate the quoted charges per table

Special laminates and patterns can be specified as an option. To specify, contact Versteel for availability and pricing.

NOTE LAMINATES IN STANDARD COLORS AND TEXTURES FROM FORMICA, NEVAMAR, PIONITE AND WILSONART ARE STANDARD

CAUTION LAMINATE MANUFACTURERS CHANGE STANDARD OFFERINGS FREQUENTLY, AND IT IS POSSIBLE THAT A STANDARD PRODUCT CAN BECOME UNAVAILABLE. VERSTEEL CANNOT BE RESPONSIBLE FOR ANY INCONVENIENCE THIS MAY CAUSE.

Custom PVC Color Match

Call for quotation / one time charge per color, per order Specify code OCP (Custom PVC Color Match), add cost from Versteel quotation

PVC Color Match can be the selection of a color that is available from a Versteel supplier or a new custom color developed for the order. Minimum footage requirements mean that the amount of material needed for your order will effect the cost.

For PVC Color Matching you must supply a color reference sample. Versteel will review the sample for possible existing colors available and send a sample for customer approval. If no color match exists, a custom match will be developed and sampled for customer approval before a production schedule is established.

NOTE CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

Stain Finish Match

\$996 / one time charge per finish, per order

Specify code OSM (Stain Finish Match), add \$996.00 list per finish, per order

Alternative Stain Finishes are available for veneer and wood edged tops.

For Stain Finish Matching you must supply two 4" x 4" finish color and grain reference samples. An expertly finish matched sample will be provided for customer approval.

NOTE CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

Veneer or Wood Edge Alternatives

For veneer or wood edge requirements other than our standard plain sliced Ash, Cherry, Maple or Walnut, contact Versteel Customer Service with the specifications of the materials you would like to specify.

NOTE VENEER OR WOOD EDGE ALTERNATIVES APPROVAL MAY AFFECT STANDARD PRODUCTION SCHEDULES

Wood Finish Alternatives

Versteel finish has a natural grain fill level finish appearance, contact Versteel Customer Service for alternative fill levels. Coarse grain will require additional application steps for a full-fill grain appearance and will require a quote.

NOTE WOOD FINISH ALTERNATIVE APPROVAL MAY AFFECT STANDARD PRODUCTION SCHEDULES

Table Top Alternatives

Table tops can be produced in alternative top material if desired. Contact Versteel Customer Service for pricing and availability.

Alternate Core Construction

Alternate core constructions are available, including medium density fiberboard (MDF), honeycomb cores and cores that contain no urea formaldehyde. Contact Versteel Customer Service for pricing and availability

A la Carte Connector

Versteel recommends either the Garcia or Mini-Tap for the freestanding OH! units. Other under mount units may be specified. Contact Versteel Customer Service with questions.

The recommended location of the under mount power unit is on the lower right side as seated. Refer to diagram below. Electrical unit is shipped uninstalled and may be placed in alternate locations.



Electrical location

Garcia

Low-profile, low-voltage Garcia mounts under the seat providing power for tablets, cell phones and more.



SPECIFICATIONS (per unit)

• Two (2), 2.1 Amp USB ports

- LED charging indicator lights
- 72" power supply cored with a barrel connector

Model	Description	
GRC-IP2U	Two (2) USB Ports	\$ 411 list

Unit Color

BB	Black with Black Mounting Bracket	n/c
WW	White with White Mounting Bracket	n/c

Model Example: GRC-IP2U-BB

Mini-Tap (per unit)

Mini-Tap provides 2 outlets that can be mounted, with key slots, so as to put power near the edge of the seat. Mini-Tap is black.

SPECIFICATIONS

120

• Two (2) Simplexes

Available with spill-proof Simplexes

Model MTP-IP2X MTP-IP2U	Description Two (2) power One (1) power and one (1) dual port USB charger	\$ \$	149 list 383 list
Cord Length 72	72" cord length, black		n/c

72" cord length, black

\$ 21 list 120" cord length, black

Model Example: MTP-IP2X-72

Utilizing the Twine corded system up to six (6) power accessories can be sequenced with one infeed cord. Refer to diagrams and ordering information below.

NOTE: Additional configurations are available. Contact Versteel Customer Service with questions.

SPECIFICATIONS

- Finish: Black plastic
- Power & USB
- Up to 8 power outlets with multiple USB ports
- 6' power infeed cord



Above diagram shows the recommended location of sequenced under mount power units. Electrical units are shipped uninstalled and may be placed in alternate locations.

Garcia (USB only)

Model OHGA51	Description Two (2) USB ports (per unit)	\$ 676 list
SPECIFICATIONS (• Two (2) USB po • LED charging ir	rts	
Unit Color		,
BB	Black with Black Mounting Bracket	n/c n/c
WW	White with White Mounting Bracket	n/c
Model Example:	OHGA51-WW	

Mini-Tap (power or power/USB)

Model	Description	
OHMTPP51 OHMTPU51	Two (2) power (per unit) One (1) power and one (1) dual port USB charger (per unit)	\$ 523 list \$ 976 list

SPECIFICATIONS (per unit)

• Two (2),simplexes

· Available with spill-proof Simplexes

Model Example: OHMTPU51



Above diagram shows the recommended location of sequenced under mount power units. Electrical units are shipped uninstalled and may be placed in alternate locations.

Garcia (USB only)

Model Ohga78	Description Two (2) USB ports (per unit)	\$ 908 list
SPECIFICATION • Two (2) USB (• LED charging		
Unit Color BB WW	Black with Black Mounting Bracket White with White Mounting Bracket	n/c n/c
Model Examp	le: OHGA78-BB	
Mini-Tap (po	wer or power/USB)	
Model OHMTPP78 OHMTPU78	Description Two (2) power (per unit) One (1) power and one (1) dual port USB charger (per unit)	\$ 535 list \$ 992 list

SPECIFICATIONS (per unit) • Two (2),simplexes

Available with spill-proof Simplexes

Model Example: OHMTPU78



Above diagram shows the recommended location of sequenced under mount power units. Electrical units are shipped uninstalled and may be placed in alternate locations.

Garcia (USB only)

Model OHGA105	Description Two (2) USB ports (per unit)	\$948 list
SPECIFICATIONS • Two (2), 2.1 Am • LED charging	up USB ports	
Unit Color BB WW	Black with Black Mounting Bracket White with White Mounting Bracket	n/c n/c
Model Example	e: OHGA105-BB	
	(mar)	

Mini-Tap (power or power/USB)

Model	Description	
OHMTPP105	Two (2) power (per unit)	\$ 578 list
OHMTPU105	One (1) power and one (1) dual	\$1032 list
	port USB charger (per unit)	

SPECIFICATIONS (per unit) • Two (2),simplexes • Available with spill-proof Simplexes

Model Example: OHMTPU105

Freestanding No Back

0 876 2120	Description	Model#	Pr	oduct Wt	Dimensions	material / fabric grade >	2/СОМ	3	4	5	6
2	Single Seat Seat: Upholstered	OH24	≣QS	17	Overall Height: 18" Overall Width: 24 Overall Depth: 24"	Seat Height: 18" Seat Width: 24" Seat Depth: 24"	957	1044	1128	1213	1298
P	Two Seats Seat: Upholstered	OH2451	'≡QS	34	Overall Height: 18" Overall Width: 51" Overall Depth: 24"	Seat Height: 18" Seat Width: 24" Seat Depth: 24"	1850	2062	2275	2488	2700
	Three Seats Seat: Upholstered	OH2478	S	50	Overall Height: 18" Overall Width: 78" Overall Depth: 24"	Seat Height: 18" Seat Width: 24" Seat Depth: 24"	2596	2810	3024	3236	3449
/ardage to page 233.											

 \square

To Order, Specify... Model Number

Prame Color
 Upholstery Selection
 Additional Options

VERSTEEL

OH!	
ding	247

	Description	Model#	Product Wt	Dimensions						
	Single Seat Seat: Upholstered	OH24B	24	Overall Height: 33" Overall Width: 24 Overall Depth: 27"	Seat Height: 18" Seat Width: 24" Seat Depth: 24"	1637	1810	1980	2150	2320
	Two Seats Seat: Upholstered	OH2451B	48	Overall Height: 33* Overall Width: 51* Overall Depth: 27*	Seat Height: 18" Seat Width: 24" Seat Depth: 24"	3211	3596	3980	4362	4746
	Three Seats Seat: Upholstered	OH2478B	71	Overall Height: 33* Overall Width: 78* Overall Depth: 27*	Seat Height: 18" Seat Width: 24" Seat Depth: 24"	4641	5110	5578	6047	6515
/ardage to page 233.										

Polished Aluminum.....n/c

Power + Data Options Please reference the Power Options section

Questions?

Questions?										
800 876 2120					material / fabric grade >	2/СОМ	3	4	5	6
	Description	Model#	Product Wt	Dimensions						
	Ottoman 5 Legs Upholstered	он360	32		Seat Height: 18"	1700	1872	2043	2213	2384
	Two Seats 6 Legs Upholstered	0H480	51	Overall Height: 18" Overall Width: 48" Overall Depth: 48"	Seat Height: 18"	2428	2685	2938	3194	3450
:OM Yardage efer to page 233.										

To Order, Specify... Model Number

- Frame Color
- 3 Upholstery Selection4 Additional Options

and the first second se	-			
Finish	o	DTI	or	IS-

Finish Options	P	rice
Powder Coat - Standard		n/c
Powder Coat - Premium	\$	165
Polished Aluminum		n/c

Seat Options

Code Price
 Custom Charges
 Code
 Price

 Powder Coat Alternative (per color)
 OPA
 call

Power + Data Options Please reference the Power Options section

OH! Freestanding Tables		\bigcap						VERSTEE
Questions? 800 876 2120					top > edge > edge ordering code (radius corner) >	Laminate PVC Flat LP7R	Veneer Wood Flat VW7R	Corian Square CS7R
	Description	Model#	Product Wt	Dimensions	top thickness	1"	1"]"
9	Round Table	OH24RD	17	Overall Height: 12" Overall Width: 24" Overall Depth: 24"	Up Unickiess	804	2265	1532
J	Pull Up Table	OHI4RDLT	24	Overall Height: 25½" Overall Width: 14" Overall Depth: 14"		579	1912	1157

- 1 Model Number

- Frame Color
- 3 Top Material
 4 Top Color
 5 Edge Detail
- 6 Additional Options

Бŝ	nis	h	^	-	43	-	-	~

Finish Options	F	Price
Powder Coat - Standard		n/c
Powder Coat - Premium	\$	165
Polished Aluminum		n/c
Not Available on Pull Up Table		
Chrome	\$	227
Not Available on Round Table		

Top Options

Special Laminate.....TSP

Code Price call

Custom Charges Powder Coat Altern Code Price ativo (po

Powder Coat Alternative (per color) OPA	call
Custom PVC Color Match OCP	call
Stain Finish Match (per finish)OSM	\$ 996

Power + Data Options Please reference the Power Options section

876 2120	Description	Model#	Pro	oduct Wt	Dimensions	material / fabric grade >	2/СОМ	3	4	5	6
	End Seat, Right Seat: Upholstered	OH24ER	≣QS	16	Overall Height: 18" Overall Width: 24 Overall Depth: 24"	Seat Height: 18" Seat Width: 24" Seat Depth: 24"	889	974	1058	1143	123
	End Seat, Left Seat: Upholstered	OH24EL	≣QS	16	Overall Height: 18" Overall Width: 51" Overall Depth: 24"	Seat Height: 18" Seat Width: 24" Seat Depth: 24"	889	974	1058	1143	123
	Linking Seat Connector Right Seat: Upholstered	OH24LR	≣QS	17	Overall Height: 18" Overall Width: 78" Overall Depth: 24"	Seat Height: 18" Seat Width: 24" Seat Depth: 24"	894	978	1063	1150	123
	Linking Seat Connector Left Seat: Upholstered	OH24LL	≣QS	17	Overall Height: 18" Overall Width: 78" Overall Depth: 24"	Seat Height: 18" Seat Width: 24" Seat Depth: 24"	894	978	1063	1150	123
	Linking Seat Two Connectors Seat: Upholstered	OH24LD	≌OS	19	Overall Height: 18" Overall Width: 78" Overall Depth: 24"	Seat Height: 18" Seat Width: 24" Seat Depth: 24"	965	1049	1134	1220	130
ardage o page 233.											

To Order, Specify... Model Number

Prame Color
 Upholstery Selection
 Additional Options

VERSTEEL

253

	Description	Model#	Product Wt	Dimensions						
	End Seat, Right Seat: Upholstered Back: Upholstered	OH24ERB	23	Overall Height: 33" Overall Width: 24 Overall Depth: 27"	Seat Height: 18" Seat Width: 24" Seat Depth: 24"	1569	1740	1911	2080	2251
	End Seat, Left Seat: Upholstered Back: Upholstered	OH24ELB	23	Overall Height: 33" Overall Width: 24 Overall Depth: 27"	Seat Height: 18" Seat Width: 24" Seat Depth: 24"	1569	1740	1911	2080	2251
	Linking Seat Connector Right Seat: Upholstered Back: Upholstered	OH24LRB	24	Overall Height: 33" Overall Width: 24 Overall Depth: 27"	Seat Height: 18" Seat Width: 24" Seat Depth: 24"	1576	1745	1917	2087	2256
	Linking Seat Connector Left Seat: Upholstered Back: Upholstered	OH24LLB	24	Overall Height: 33" Overall Width: 24 Overall Depth: 27"	Seat Height: 18" Seat Width: 24" Seat Depth: 24"	1576	1745	1917	2087	2256
	Linking Seat Two Connectors Seat: Upholstered Back: Upholstered	OH24LDB	26	Overall Height: 33" Overall Width: 24 Overall Depth: 27"	Seat Height: 18" Seat Width: 24" Seat Depth: 24"	1646	1816	1987	2157	2328
rdage page 233.										

Polished Aluminum.....n/c

Power + Data Options Please reference the Power Options section

OH! Configurable Tables								VERSTEEL
Questions? 800 876 2120					top > edge >	Laminate PVC Flat	Veneer Wood Flat	Corian Square
					edge ordering code (radius corner) >	LP7R	WV7R	CSTR
			Product]"	1"
	Description Round Table End, Right	Model# OH18RDER	13	Dimensions Overall Height: 12" Overall Width: 18" Overall Depth: 18"	top thickness	1" 701	2130	1373
	Round Table End, Left	OH18RDEL	13	Overall Height: 12" Overall Width: 18" Overall Depth: 18"		701	2130	1373
	Round Table Linking Connector Right	OH18RDLR	12	Overall Height: 12" Overall Width: 18" Overall Depth: 18		688	2119	1360
	Round Table Linking Connector Left	OHIBRDLL	12	Overall Height: 12" Overall Width: 18" Overall Depth: 18		688	2119	1360
	Round Table Linking Two Connectors	OH18RDLD	14	Overall Height: 12" Overall Width: 18" Overall Depth: 18		792	2224	1465

To Order, Specify... Model Number

254

Frame Color

3 Top Material4 Top Color

5 Edge Detail

6 Additional Options

				top > edge >	Laminate PVC	Veneer Wood	Coriar Square
				edge ordering code (radius corner) >	Flat LP7R	Flat VW7R	CS7R
Description	Model#	Product Wt	Dimensions	top thickness	1"	l"	1"
Round Table End, Right	OH24RDER	19	Overall Height: 12" Overall Width: 24" Overall Depth: 24"		728	2189	1459
Round Table End, Left	OH24RDEL	19	Overall Height: 12" Overall Width: 24" Overall Depth: 24"		728	2189	1459
Round Table Linking Connector Right	OH24RDLR	17	Overall Height: 12" Overall Width: 24" Overall Depth: 24"		715	2176	1446
Round Table Linking Connector Left	OH24RDLL	17	Overall Height: 12" Overall Width: 24" Overall Depth: 24"		715	2176	1446
Round Table Linking Two Connectors	OH24RDLD	20	Overall Height: 12" Overall Width: 24" Overall Depth: 24"		821	2282	1552

Power + Data Options

Polished Aluminum.....n/c

Please reference the Power Options section

custom churges coue		
Powder Coat Alternative (per color) OPA	call	
Custom PVC Color Match OCP	call	
Stain Finish Match (per finish)OSM	\$ 996	

Questions?

800 876 2120

\int
\bigcirc
\sum

)									
0			Product	material / fabr	ric grade > 2/COM	3	4	5	6
	Description Privacy Screen Tackable	Model# OHSD34T	<u>Wt</u> 45	Dimensions Overall Height: 62%" Overall Width: 33% Panel Thickness: 2"	2905	3252	3596	3940	4284
	Privacy Screen Tackable	OHSD44T	74	Overall Height: 66%" Overall Width: 43% Panel Thickness: 2"	3088	3531	3973	4285	4728
	Privacy Screen Tackable	OHSD2065T	53	Overall Height: 70%" Overall Width: 19% Panel Thickness: 2"	301	3454	3898	4340	4784

To Order, Specify... Model Number

Prame Color
 Upholstery Selection
 Additional Options

VERSTEEL

	Description	No. do 14	Product	Dimensione	material / fabric grade >	2/СОМ	3	4	5	6
$\bigcup_{i=1}^{n}$	Description Privacy Screen Acoustic	Model# OHSD34A	Wt 36	Dimensions Overall Height: 62% Overall Width: 33% Panel Thickness: 2"		3512	3857	4200	4544	4891
$\bigcup_{i=1}^{n}$	Privacy Screen Acoustic	OHSD44A	60	Overall Height: 66% Overall Width: 43% Panel Thickness: 2"		3694	4138	4582	5023	5467
	Privacy Screen Acoustic	OHSD2065A	41	Overall Height: 70% Overall Width: 19% Panel Thickness: 2"		3618	4061	4505	4948	5392

Finish Options	Price
Powder Coat, Standard	n/c
Powder Coat, Premium	\$ 165
Platinum Powder Coat	488

 Custom Charges
 Code
 Price

 Powder Coat Alternative (per color)
 OPA
 call

All prices are delivered list price effective with date printed on cover and supersedes all other published price lists. Versteel reserves the right to change prices or specifications without prior notice. Orders are accepted subject to price prevailing at time of shipment.

versteel.com Made in America 800 876 2120