

# Rollic

## 2026 Price List

[→ JUMP TO PRICING](#)



# VERSTEEL

A special note from

**Scott Schwinghammer**  
President + CEO

At Versteel, we believe how a product is made is just as important as the product itself. It's an accumulation of the care, intention, and expertise that goes into building it. That's why we manufacture our furniture in Southern Indiana, where we have full visibility into every step of the process. From American steel to local supply chains, we rely on trusted materials and an exceptional team to deliver lasting quality.

When I spend time in our facilities, I'm reminded of what really sets Versteel apart: It's the people. The welders with a practiced eye, the builders who fine-tune every joint, the powder coaters who finish each piece with precision. These are the individuals who bring our products to life. Their skill, pride, and attention to detail are behind everything we make.

Yes, we're proud of our versatility, our integrity, and our design. More than anything, though, we're proud of our people. They carry forward our values and ensure that every product that leaves our doors is built to serve, built to last.

Thank you for supporting American manufacturing, and for trusting in the people who bring our furniture to life every day.

**Our People are our Heart and Soul.**



[→ ABOUT US](#)

**Product Information**

General Information	2
Warranty	4
Care + Maintenance	5
Environmental Policy	6
Intellectual Properties	24
Freight Program	25

**Rollic**

Specifications + General Information	8
Upholstery + COM Information	10
How to Order	12
Materials + Finishes	13
Custom Charges + Alternatives	14
Power Options	15
Storage Unit	16
Table	17
Partitions Shelves	18
Partitions Frosted Acrylic	19
Partitions Markerboard	20
Partitions Acoustic	21
Ottoman	22

**Prices**

All prices are list price, effective with date printed on cover, and supersedes all other published price lists. Orders within the 48 contiguous United States will be assessed a freight charge based on a percentage of the total list price, or a flat rate of \$300, whichever is greater. A minimum charge of \$400 will apply to all shipments to Canada. Fees will be calculated using the zone map located on page 25. Normal delivery is on a dock-to-dock basis. Additional charges may apply on special requests noted on the customer's purchase order such as inside delivery, "call before," etc. Versteel reserves the right to change prices, shipping fees, or specifications without prior notice. Orders are accepted subject to price prevailing at time of shipment.

**Acknowledgement**

Orders are accepted, manufactured, and invoiced in accordance with the acknowledgement. Notify Versteel immediately of any discrepancies. Acknowledged orders may not be cancelled or modified without written consent from Versteel.

**Orders**

All orders must be received in writing, accompanied by final material and finish specifications for order entry.

**Contact Versteel**

Email [contact@versteel.com](mailto:contact@versteel.com)  
Telephone 800 876 2120  
812 634 2120

**Mailing Address**

Versteel  
2332 Cathy Lane  
Jasper IN 47546

Telephone orders must be confirmed in writing within 24 hours, marked "Confirmation." Duplicate orders not marked "Confirmation" are the responsibility of the customer.

**Credit**

You are requested to enclose one bank reference and three trade references with your initial order.

**Credit Cards**

Versteel accepts Mastercard, Visa & AMEX credit card payment for invoiced sales. Credit card information must be presented along with the Sales Order (with a signed Credit Card Authorization Form attached). There is no cash discount extended to credit card orders. Credit cards will be charged at time of shipment. A processing fee will be applied for all credit card purchases. Processing fee will not be applied to GSA or contract orders. Versteel will not accept credit cards for payment of account balances. Credit card payment will not be accepted on orders over \$30,000.00.

**Changes or Cancellation**

Any change or cancellation to an order must be submitted in writing and confirmed by Versteel Customer Service before the change or cancellation is effective. Due to short lead times, any change or cancellation may result in charges if materials have entered the production process.

**Packaging**

Versteel has no crate or packaging charge on standard products. All items are packaged to ensure delivery in excellent condition under normal handling by freight personnel. Versteel reserves the right to bulk pack or skid load tops in large quantities.

**Shipping Schedule***Standard Items*

Ottoman	4-5 WEEKS
Storage Unit	4-5 WEEKS
Table	4-5 WEEKS
Partitions	4-5 WEEKS

Contact Versteel for special lead time requests.

**Shipping**

Normal delivery is on a dock-to-dock basis, F.O.B. Versteel's factory in Jasper, Indiana. Special requests such as inside delivery, "call before," etc. should be noted on the customer's purchase order and are subject to additional charges. See freight program on page 25 for shipping charges.

Rollic tables and partitions are shipped disassembled; top(s) and base(s) ship simultaneously. Rollic ottomans and storage units are shipped fully assembled.

Orders shipping outside of the contiguous 48 United States will have shipping quoted as a separate item.

**FOB Origin, Freight Prepaid**

Versteel  
2332 Cathy Lane  
Jasper, IN 47546

**Shipping Damage Claims or Shortages**

Legal title of merchandise passes to the buyer upon acceptance of the carrier. All cartons must be carefully inspected upon delivery. Visibly damaged product should not be accepted from the carrier until the damage is noted on delivery receipt. Versteel will not accept responsibility if the delivery receipt is signed as "clear". Retain any damaged goods and take photos for claim filing purposes. Details of visible damage should be noted on the delivery receipt. Shortages must be noted on the bill of lading prior to accepting the shipment.

**Concealed Damage**

If concealed damage is discovered, the receiver must notify the freight carrier within 5 business days from receipt of the product(s). For claim consideration the receiver must request an inspection of the damaged goods by the carrier. All damaged product and packaging should be retained and photos taken for claim filing use. Inspections must occur at the original delivery point to be considered for claim submittal. Reports of concealed damage after five business days will not be considered.

**Partial Shipments**

Versteel makes every attempt to ship orders complete and on schedule. However, we reserve the right to make partial shipments as product is ready, in an effort to get your order to you as quickly as possible. Invoices covering these shipments are to be paid as they become due.

**Returns**

No return merchandise will be accepted without Versteel's written consent and shipping instructions. Unauthorized returns will not be accepted.

**Terms**

Terms are 1%, 10 days, net 30 days from date of invoice.

**Force Majeure**

Versteel shall be excused from the duty to render timely performance of any obligation hereunder if such inability to perform is caused directly or indirectly by act of God, flood, war, riot, fire, accident, explosion, strikes or labor trouble, act of government, delay or default by a subcontractor or supplier of materials or services, transportation difficulty or delay, the existence of any circumstances making performance commercially impracticable or any other cause beyond Versteel's reasonable control. Buyer's obligation to make any payment due and owing to Versteel shall not be excused for any reason whatsoever.

**Oversized Shipping Fee**

Orders received for items or tops greater than 94" in length will receive a \$250 net oversized shipping fee per order. Fee not applied to orders with multi-piece tops where each section is less than 94" in length.

**Warranty**

All table and seating products manufactured by Versteel are guaranteed by a Lifetime Warranty against defects in materials and workmanship from the date of purchase. Products manufactured/adapted for use in a Pavilion or Pop-Up setting are covered under a three (3) year warranty against defects in materials and workmanship from date of purchase.

Electrical items manufactured by Versteel are guaranteed against defect for a period of one (1) year from date of purchase.

Electrical items not manufactured by Versteel are covered by the manufacturers under their specified warranty.

Consumables such as gas cylinders, casters, and glides are covered for a period of one (1) year. Adjustable height bases with crank and counterbalanced components are covered under a two (2) year warranty. Versteel will not cover labor costs associated with replacing the casters or glides.

Wood veneer is warranted for a period of ten (10) years. Butcher block is covered under a one (1) year warranty. Natural variations in grain, color, or texture of wood should not be construed as defects under this warranty.

Versteel will replace or repair (at our discretion) without cost to our customers any item manufactured by Versteel found to be defective as a result of defective material or workmanship and is still owned by the original purchaser. We will not, however, repair any item which is not properly installed, maintained, is abused, or subject to any use other than that which was originally intended. Warranty does not cover normal wear and tear of the product, which is expected over the course of ownership. In no event shall liability under this warranty exceed the original purchase price.

Pavilion and Pop-Up products must be covered and out of direct sunlight. Use location must be a minimum of 100 miles from saltwater.

Warranty on plastic laminates, solid surface, non-standard materials, and upholstery is not covered by Versteel but is covered by each manufacturer under their specified warranty only. All foams, fabrics, and vinyls are prone to stretch and loosen over time through normal use. This natural effect, called puddling, is covered for a period of one (1) year from the date of purchase.

There are no other warranties expressed or implied.

**Care of Ply Edges**

Clean all surfaces frequently with water-dampened soft cloth, moving the cloth with the grain direction. Quickly buff dry. Immediately remove any liquids that come in contact with wood surfaces using a blotting action to absorb liquid. Lift objects to move them. Never pull them across the finished surface.

For an additional safeguard, use a protective surface pad. Doing so could ensure a lasting finish by protecting your furniture from possible damage caused by pens and sharp objects.

Avoid exposing furniture to extreme heat and cold or to wide humidity variances. Avoid exposing furniture to strong sunlight. Do not use soaps, commercial cleaners or harsh solvents (nail polish remover, acetates, etc.) as they will cause finish deterioration. If using a protective glass top, place spacer pads under the glass top to allow the wood to breathe.

**Care of Laminate Surfaces, PVC Edges and Urethane**

Clean with a mild soap solution and rinse with clean, clear water. Wipe the entire surface, moving with the pattern and follow with a clean, dry soft cloth.

**Care of Powder Coat and Nickel**

Clean with a mild soap solution and rinse with clean, clear water. Wipe the entire surface and follow with a clean, dry cloth to buff dry.

**Maintenance of Mechanical Parts**

Clean any lint or debris from the moving parts of the E-Z install tilt or folding base mechanisms. Do not apply lubricant. Mechanisms have been designed and tested to not require lubrication under normal conditions.

**Care of Upholstery Surfaces**

For Versteel standard fabrics and vinyls, consult the back of the appropriate swatch card for cleaning codes and any specific instructions. For COM materials, consult with the individual textile manufacturer for cleaning codes and any specific instructions pertaining to your particular fabric.

**Care of PET Acoustic Panels**

Clean with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth. Vacuum to remove dust.

**Objective**

It is the objective of Versteel to adhere to Federal, State and local laws and codes, ordinances and regulations as may be applicable to control environmental risks, prevent harm to the public health and welfare, and to preserve our natural resources. Versteel acknowledges the necessity of commitment and hereby commits its resources of all levels of its management and all employees of the company to accomplish this objective.

**Policy Statement**

Each Versteel facility has the responsibility to:

Develop environmental policies which implement regulatory compliance requirements and provide management guidance and support with applicable environmental laws.

Train and motivate personnel to work in an environmentally acceptable manner and to understand and comply with government regulations within the scope of Versteel operations.

Communicate the importance of personal responsibility protection to all employees through formal training. Each employee will be aware of the environmental regulations applicable to their job functions, including limitations and functional restrictions of permits, spill control, emergency response actions, proper waste handling procedures, etc.

Communicate and continually assess relevant environmental developments on operations of the facilities and personnel.

Require sub-contractors or contractors (third parties working for, with, or on behalf of Versteel) to follow Versteel's environmental procedures while working within their facilities.

Make responsible personnel available at all times to carry out environmental procedures, especially under emergency situations.

Apply sound management practices and operating procedures.

Implement appropriate control technologies and process guidelines for preventive and corrective maintenance systems to minimize actual and potential environmental harm and exposures.

Communicate effectively with government and the public regarding serious environmental incidents should they ever occur.

Minimize the generation, emission or discharge of waste, and harmful or regulated substances and pollutants from operations to the extent most practical with laws and regulations. Ensure proper disposal of all waste.

Substitute materials or process to allow the use of less hazardous substances where feasible.

Secure and maintain all environmental permits required for operation. Maintain up-to-date files for all environmental reporting requirements and make this information available to easy access at each operation facility.

Evaluate the causes behind any serious environmental incidents and establish procedures to avoid recurrence.

There is a sincere effort at Versteel to maintain our responsibility to the environment and to our employees. We are mindful of the effectiveness and improvements required to ensure environmentally safe conditions and to preserve our natural resources.

We pride ourselves on exceeding the standards set forth by federal, state and local codes.

Our electroplating plant consistently earns local annual environmental awards, and all of our products have met the requirements for Intertek Green Leaf VOC/VOC+ certification.

At Versteel, we feel it is our responsibility as a manufacturer to build products in a manner that promotes a safe and healthy environment for everyone. We maintain detailed information regarding the environmental impact of all Versteel products. If you have questions regarding our environmental policy or would like more information, please contact Versteel Customer Service at 800.876.2120.





Rollic is a family of mobile, functional products that includes an ottoman, storage unit, table, and partitions. Each item is thoughtfully crafted to have angled sides of 15 degrees to allow for alignment and nesting of the units with one another.

#### **Ottoman Features**

The ottoman is fully upholstered and includes a 16"W x 9"H pass through cubby. The cubby base is a durable black powder coated steel shelf designed to withstand high traffic use. The Rollic ottoman is equipped with four (4) non-locking 2" dual hard wheel swivel casters. Ottomans are standard with a primary fabric and accent fabric. The primary fabric is the seat and base of the unit. The accent fabric is the sides of the unit. The accent fabric is included in the cost of each unit. If an accent fabric isn't desired specify it to be the same as the primary fabric.

#### **Storage Unit Features**

The Rollic storage unit is comprised of three ¾" thick laminate shelves with metal side panels. The pass through openings are 28" wide on the long side, 21" wide on the narrow side, and have a height of 11 ¾". The middle shelf is adjustable in 1" increments. The storage unit come standard with four (4) non-locking 2" dual hard wheel swivel casters.

#### **Table Features**

The Rollic table features a ¾" thick rectangular top with Birch plywood core and radius corners. It is equipped with a flip top mechanism and trapezoid shaped base for easy nesting. The table top also comes with two urethane handles for smooth, quiet operation of the top and PET backing for acoustic dampening. The PET backing is available in Black only. The Rollic table is ADA compliant and comes standard with two (2) locking and two (2) non-locking 2" dual hard wheel swivel casters.

#### **Partition Features**

The Rollic partitions are available in four different styles including 3-shelf, 4-shelf, full partition, and partial partition. The 4-shelf unit and full partition units are available in two different widths, 40" and 51". The shelves are ¾" thick and 10" deep, with the exception of the third shelf on the 3-shelf unit, which is 19" deep. The types of partition screens include frosted acrylic, markerboard and acoustic (PET). All partitions are standard with four (4) locking 2" dual hard wheel swivel casters.

**Laminate, Ply Core Construction**

The standard top construction consists of 15mm Baltic Birch 11-ply, surfaced with a high pressure laminate face on both sides of the top. Tops are shipped with the stretcher sub assembled to them, ready for field installation of bases.



**Clear Finished Edge**

Edge is 5/8" thick flat exposed 11-ply. Offered in Clear Matte finish.



**PVC Flat Edge**

Edge of 2mm PVC hot melt banded to the 5/8" top with 1/4" radius at the top and bottom. Offered in twenty-one (21) standard colors.

**Shipping Schedule**

Ottoman	4-5 WEEKS
Storage Unit	4-5 WEEKS
Table	4-5 WEEKS
Partitions	4-5 WEEKS

Contact Versteel Customer Service for special lead time requests.

**NOTE** ORDERS WITH COM UPHOLSTERY WILL BE SCHEDULED UPON RECEIPT OF COM UPHOLSTERY YARDAGE

**NOTE** ROLLIC TABLES AND PARTITIONS SHIP DISASSEMBLED AND REQUIRE ASSEMBLY. ROLLIC OTTOMANS AND STORAGE UNITS SHIP FULLY ASSEMBLED.

**BIFMA**

All Versteel products are constructed to pass the relevant ANSI/BIFMA standards. For more detailed specifications by series and base style, contact Versteel Customer Service at 800.876.2120.

Additional information regarding warranty, terms and conditions, shipping, care and maintenance, etc. can be found in the beginning pages of this price list.

**Standard Versteel Upholstery**

Standard Versteel Upholstery offers a range of materials, from fabrics in a variety of colors and textures to vinyl for soil resistance. Please refer to Versteel's fabric cards or the "Materials + Finishes" section of our website for reference information.

**Grade-In Upholstery**

Versteel has coordinated with upholstery manufacturers to simplify your order process. Many of the manufacturers' offerings have been pre-approved for application on Versteel Seating.

Contact Versteel Customer Service with your selected fabric choice to be graded in. They will supply you with the appropriate grade-in designator. On your purchase order, complete the information with the pattern name, color description and grade-in designator, and Versteel will take it from there.

**Customer's Own Material**

Customer's Own Materials (COM's) are not an issue on Rollic. Many COM's are pre-approved for application on Versteel Seating. Call Versteel Customer Service with your COM selection to determine if it has been pre-approved. If your selection has not been pre-approved, reference the "Receiving COM Approval" section below.

**Receiving COM Approval**

Not all materials are suitable for upholstery on Rollic. A 12" X 12" memo sample must be supplied for approval before a COM material is accepted for an order. If the material is directional in pattern or weave, the pattern repeat (in inches) in both directions or the weave direction must be supplied.

**Excess COM**

Versteel will not store excess COM for more than 30 days after the order has been completed. If excess material is to be returned after order completion, send the request to Versteel Customer Service prior to acknowledge ship date. It is the customer's responsibility to arrange for the return of the material "freight collect."

**COM Requiring Application Test**

If an application test is required for your selected COM, send test sample material along with the following:

- Name and return address
- Chair model selected
- Sketch showing special requirements for the positioning of the material's pattern on the chair seat and chair back, if special considerations are required.

**Ship COM to:**

Versteel  
 2332 Cathy Lane  
 Jasper, IN 47546


COM must be shipped to the factory with transportation costs "prepaid." If material is considered defective or unusable, it will be returned "transportation collect."

For standard lead time orders, tag fabric with purchase order number and identify with project number if possible.

**Application of Directional Fabrics**

Due to the upholstering process, some fabrics not considered directional by the supplier may be considered directional by Versteel.

All COM's are cut "up the roll" unless otherwise directed by the customer (see illustration below).

**EXAMPLE PATTERN CUT "UP THE ROLL"**


If special cutting or upholstery application is required, you must indicate requirement at time of order entry.

**Rollic COM Yardage Requirements**

COM yardage requirements are calculated based on a material width of 54" and a repeat of 2" or less. For material less than 54" wide, contact Versteel for yardage requirements. Use the chart below as a guide to calculate your COM yardage. For quantities greater than 7, contact Versteel Customer Service for calculation of COM yardage by chair model.

Quantity of Units		1	2	3	4	5	6	7	8	9	10
<b>Ottoman</b>											
RO19310	Seat + Bottom	2.5	4.5	6.5	8.5	10.5	12.0	14.0	16.0	18.0	20.5
	Sides	1.5	2.0	3.5	4.0	4.5	5.5	6.5	7.0	8.0	9.0
	Same	3.5	6.0	8.5	11.5	14.0	16.5	19.0	22.0	24.5	27.5

**Patterned COM Additional Yardage Guide**

Use the guide below to aid in ordering the appropriate COM fabric when needing to match a pattern with a repeat. To use this guide, add the vertical and horizontal repeats together (e.g. a 5" vertical repeat plus an 11" horizontal repeat gives a 16" total). Then find the appropriate entry on the chart, and increase the yardage estimate by the percentage indicated.

For example: The yardage estimate is 8 yards of 54" wide fabric and the pattern has a repeat of 11" horizontal and 5" vertical. Add up the repeats (11" + 5" = 16") and find the appropriate entry - 15% in this example. Fifteen percent more fabric is required to match the pattern. 8 yards plus an extra 15% is 9.2 yards.

**Decorative Patterns**

Yardage requirements are greatly affected by the size of the repeat and the print or pattern of the material. Versteel cuts all seating patterns with aesthetic concerns in mind for high quality and consistency. Refer to the COM listing for the yardage required for pattern repeat.

**Repeats and Striped Fabrics**

The geometry of curved products prevents repeats and stripes from matching at the seams.

**NOTE** CALIFORNIA TECHNICAL BULLETIN 133 (CAL 133) COMPLIANCE HAS BEEN ESTABLISHED THROUGH THIRD-PARTY TESTING OF THE PRODUCTS. ALL CHAIRS THAT MEET CAL 133 STANDARDS WILL HAVE A LABEL ATTACHED TO THE UNDERSIDE OF THE SEAT TO MAINTAIN COMPLIANCE, THE LABEL MUST NOT BE REMOVED FROM THE PRODUCT.

Fabric Width	Plain Fabric	3" - 14" Repeat	15" - 19" Repeat	20" - 27" Repeat	28" - 36" Repeat	37" - 45" Repeat	46" - 54" Repeat
54"	0%	10%	15%	20%	25%	30%	35%
50" - 52"	10%	20%	25%	30%	35%	40%	45%

**To Order, Specify...**

- 1 Model Number
- 2 Frame Color
- 3 Top/Shelf Finish

model number

finish selections

**ROSO 1935L**

model number

**PROY**

frame color

**TW 7937-38**

top laminate manufacturer &amp; color

An **ROSO 1935L** is a Rollic series storage unit.

The codes **PROY / 7937-38** specify a Royal frame with a Wilsonart 7937-38 River Cherry laminate.

**Model Number ROSO 1935L**

**Orders may be sent via**
**Mailing Address**

Versteel  
 2332 Cathy Lane  
 Jasper, IN 47546

**Contact Versteel**

**Email** contact@versteel.com  
**Phone** 800 876 2120  
 812 634 2120

**Powder Coat Finishes**

All powder coat finishes in the Versteel offering have been formulated with the use of epoxy, polyester or epoxy and polyester blends to maximize the finish durability.

Powder Coat – Standard . . . . .	n/c
Powder Coat – Premium. . . . .	.\$165

**Rollic Powder Coat Colors**

Alloy. . . . .	PALY	Navy . . . . .	PNAV
Amethyst . . . . .	PAME	Nimbus. . . . .	PNIM
Anthracite. . . . .	PANT	Nutmeg . . . . .	PNUT
Black Anodized. . . . .	PBLA	Pearl . . . . .	PPEA
Bronze . . . . .	PBRO	Pebble . . . . .	PPEB
Calypso . . . . .	PCAL	Platinum . . . . .	PPLA
Carbon. . . . .	PCAR	Poppy. . . . .	PPOP
Champagne . . . . .	PCHA	Royal . . . . .	PROY
Coconut . . . . .	PCOC	Seaside . . . . .	PSEA
Crimson . . . . .	PCRI	Shipyard. . . . .	PSHI
Daffodil. . . . .	PDAF	Silver . . . . .	PSIL
Ebony. . . . .	PEBO	Snow . . . . .	PSNO
Forest. . . . .	PFOR	Stone . . . . .	PSTO
Fossil . . . . .	PFOS	Storm. . . . .	PSTM
Graphite . . . . .	PGRA	Terra Cotta . . . . .	PTEC
Hope . . . . .	PHOP	Whisper . . . . .	PWHI
Kelly Green . . . . .	PKEG	White Linen . . . . .	PWHL
Mica. . . . .	PMIC	Powder Coat Alternative	OPA
Mint . . . . .	PMNT		

**Premium Powder Coats (indicated by Ⓢ)**

Versteel’s premium process uses specially formulated powder coats for a truly unique color palette.

**Rollic Acoustic Panels**

Rollic acoustic panels are made of 12 mm ½” thick PET while the table top backer is 0.25” thick PET. The PET has a Noise Reduction Coefficient (NRC) of 0.45-0.95 and a Class A fire rating per ASTM E-84. It is comprised of 60% post-consumer recycled PET plastic bottles, 35% pre-consumer recycled PET chips, and 5% polylactic acid (PLA). These panels are 100% recyclable at the end of life.

**Rollic Acoustic Panel Colors**

Ash . . . . .	.AASH	Milky. . . . .	.AMIL
Black . . . . .	.ABLK	Pebble . . . . .	.APEB
Fossil . . . . .	.AFOS	Taupe. . . . .	.ATAU

Additional colors available. Please contact Versteel customer service for assistance.

**Rollic Acrylic Panels**

Rollic frosted acrylic privacy panels are approximately ¼” thick.

**Rollic Markerboard Panels**

Rollic uses a two-sided nonmagnetic acrylic markerboard.

**Laminates**

Versteel’s standard offering of laminates includes over 900 laminates from Formica, Nevamar, Pionier and Wilsonart.

Laminate manufacturers change standard offerings frequently, making it possible a standard product can become unavailable. Versteel cannot be responsible for any inconvenience this may cause.

**Rollic PVC Edge Colors**

Absolute Acajou . . . . .	.CABA	Nimbus. . . . .	.CNIM
Alloy. . . . .	.CALY	Pearl . . . . .	.CPEA
Carbon. . . . .	.CCAR	Platinum. . . . .	.CPLA
Champagne . . . . .	.CCHA	Pralines & Cream . . . . .	.CPRC
Coconut . . . . .	.CCOC	Shadow . . . . .	.CSHA
Ebony. . . . .	.CEBO	Snow . . . . .	.CSNO
Florence Walnut . . . . .	.CFLW	Stone . . . . .	.CSTO
Fossil . . . . .	.CFOS	Storm. . . . .	.CSTM
Graphite . . . . .	.CGRA	Whisper . . . . .	.CWHI
Grey. . . . .	.CGRE	White Linen . . . . .	.CWHL
Kensington Maple. . . . .	.CKEM		

**Rollic Urethane Handles**

Rollic table handles are molded with soft urethane.

**Rollic Urethane Handle Colors**

Alloy. . . . .	.UALY	Stone . . . . .	.USTO
Ebony. . . . .	.UEBO	Storm. . . . .	.USTM
Fossil . . . . .	.UFOS	Whisper . . . . .	.UWHI
Graphite . . . . .	.UGRA	White Linen . . . . .	.UWHL
Nimbus. . . . .	.UNIM		
Pearl . . . . .	.UPEA		

**Finish Reference & Samples**

For finish color reference, please refer to our website. Contact Versteel Customer Service to receive actual color samples for color matches and final color approval.

**Powder Coat Alternative****Call for quotation**

Specify code *OPA* (Powder Coat Alternative), add cost from Versteel quotation

Powder Coat Alternative is available from Versteel. The entire RAL color reference along with hundreds of other color and finishes are available.

For Powder Coat Alternative matching, you must supply a color reference sample, or an RAL number. Versteel will review the sample for possible existing colors available and send a sample for customer approval. If no color match exists a custom match can be developed. Call Versteel Customer Service for associated upcharges on custom color development.

**NOTE** CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

**Special Laminate****Call for quotation**

Specify code *TSP* (Special Laminate), indicate the quoted charges per table

Special laminates and patterns can be specified as an option. To specify, contact Versteel for availability and pricing.

**NOTE** LAMINATES IN STANDARD COLORS AND TEXTURES FROM FORMICA, NEVAMAR, PIONITE AND WILSONART ARE STANDARD

**CAUTION** LAMINATE MANUFACTURERS CHANGE STANDARD OFFERINGS FREQUENTLY, AND IT IS POSSIBLE THAT A STANDARD PRODUCT CAN BECOME UNAVAILABLE. VERSTEEL CANNOT BE RESPONSIBLE FOR ANY INCONVENIENCE THIS MAY CAUSE.

**Custom PVC Color Match****Call for quotation / one time charge per color, per order**

Specify code *OCF* (Custom PVC Color Match), add cost from Versteel quotation

PVC Color Match can be the selection of a color that is available from a Versteel supplier or a new custom color developed for the order. Minimum footage requirements mean that the amount of material needed for your order will effect the cost.

For PVC Color Matching you must supply a color reference sample. Versteel will review the sample for possible existing colors available and send a sample for customer approval. If no color match exists, a custom match will be developed and sampled for customer approval before a production schedule is established.

**NOTE** CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

**Vesta**

Portable, battery powered solution that provides mobile power wherever you need it.



**SPECIFICATIONS (per unit)**



- Two (2) 100W USB-C
- One (1) 20W USB-C
- One (1) 10W USB-A
- 110V outlet on the base
- LED charging indicator lights


<b>Model</b>	<b>Description</b>	
VTA-B-SO-BB	Black Battery Powered Unit	\$3609 list
VTA-B-SO-WW	White Battery Powered Unit	\$3609 list
VTA-B-SO-FF	Fog Battery Powered Unit	\$3609 list
VTA-B-SO-SS	Storm Battery Powered Unit	\$3609 list



**Questions?**

800 876 2120

top >	Laminate	Laminate
edge >	Exposed Ply  <b>LE8R</b>	Flat PVC  <b>LP8R</b>
edge ordering code (radius corner) >		
top thickness >	5/8"	5/8"

Description	Model#	Product Wt	Dimensions			
 <b>Storage Unit</b> 3 Shelves	<b>ROSO 1935L</b>	64	Overall Height: 27" Overall Width: 35" Overall Depth: 19 1/4"	Narrow Side Width: 26 3/8" Opening Height: 11 3/8"	1552	1552

**To Order, Specify...**

- 1 Model Number
- 2 Frame Color
- 3 Top/Shelf Finish

**Finish Options**

Powder Coat - Standard .....	n/c
Powder Coat - Premium .....	\$ 165

**Custom Charges**

Powder Coat Alternative (per color) .....	OPA	call
-------------------------------------------	-----	------



	Description	Model#	Product Wt	Dimensions	top thickness >	5/8"	5/8"
	<b>27 X 42 Table</b> Flip Top	<b>RORI 2742REFT</b>	55	Overall Height: 29" Overall Width: 42" Overall Depth: 27"	top >	Laminate	Laminate
					edge >	Exposed Ply	Flat PVC
					edge ordering code (radius corner) >	 LE8R	 LP8R
					top thickness >	5/8"	5/8"
						1229	1229

**To Order, Specify...**

- 1 Model Number
- 2 Frame Color
- 3 Top Finish
- 4 Urethane Handle Color

**Finish Options**

Powder Coat - Standard .....	n/c
Powder Coat - Premium .....	\$ 165

**Custom Charges**

Powder Coat Alternative (per color) .....	OPA	call
-------------------------------------------	-----	------



**Price**




**Code Price**



**Questions?**

800 876 2120

top >	Laminate	Laminate
edge >	Exposed Ply  <b>LE8R</b>	Flat PVC  <b>LP8R</b>
edge ordering code (radius corner) >		
top thickness >	5/8"	5/8"

	Description	Model#	Product Wt	Dimensions		
	<b>3 Shelf Partition</b> 40 x 72	<b>ROP 4072S3</b>	71	Overall Height: 71 1/2" Overall Width: 40" Overall Depth: 22" Shelf Thickness: 5/8" Shelf Depth: 10, 19 Bottom Shelf Height: 29"	1731	1731
	<b>4 Shelf Partition</b> 40 x 72	<b>ROP 4072S4</b>	76	Overall Height: 71 1/2" Overall Width: 40" Overall Depth: 22" Shelf Thickness: 5/8" Shelf Depth: 10	1892	1892
	<b>4 Shelf Partition</b> 51 x 72	<b>ROP 5172S4</b>	94	Overall Height: 71 1/2" Overall Width: 51" Overall Depth: 22" Shelf Thickness: 5/8" Shelf Depth: 10	1955	1955

**To Order, Specify...**

- 1 Model Number
- 2 Frame Color
- 3 Shelf Finish

**Finish Options**

Powder Coat - Standard .....	n/c
Powder Coat - Premium .....	\$ 165




**Custom Charges**

Powder Coat Alternative (per color) .....	OPA	call
-------------------------------------------	-----	------

**Price**

**Code Price**



	Description	Model#	Product Wt	Dimensions	Price
	<b>Frosted Acrylic</b> 40 x 72 Partial Partition Screen	<b>ROP 4072PFA</b>	48	Overall Height: 71½" Overall Width: 40" Overall Depth: 22" Panel Height: 38" Panel Width: 31¼"	1843
	<b>Frosted Acrylic</b> 40 x 72 Full Partition Screen	<b>ROP 4072FFA</b>	52	Overall Height: 71½" Overall Width: 40" Overall Depth: 22" Panel Height: 52½" Panel Width: 31¼"	1883
	<b>Frosted Acrylic</b> 51 x 72 Full Partition Screen	<b>ROP 5172FFA</b>	58	Overall Height: 71½" Overall Width: 51" Overall Depth: 22" Panel Height: 52½" Panel Width: 42"	1916

**To Order, Specify...**

- 1 Model Number
- 2 Frame Color

**Finish Options**

Powder Coat - Standard .....	n/c
Powder Coat - Premium .....	\$ 165




**Custom Charges**

Powder Coat Alternative (per color) .....	OPA	call
-------------------------------------------	-----	------



**Questions?**

800 876 2120

	Description	Model#	Product Wt	Dimensions	Price
	<b>Markerboard</b> 40 x 72 Partial Partition Screen	<b>ROP 4072PWB</b>	48	Overall Height: 71½" Overall Width: 40" Overall Depth: 22" Panel Height: 38" Panel Width: 31¼"	1728
	<b>Markerboard</b> 40 x 72 Full Partition Screen	<b>ROP 4072FWB</b>	52	Overall Height: 71½" Overall Width: 40" Overall Depth: 22" Panel Height: 52½" Panel Width: 31¼"	2464
	<b>Markerboard</b> 51 x 72 Full Partition Screen	<b>ROP 5172FWB</b>	58	Overall Height: 71½" Overall Width: 51" Overall Depth: 22" Panel Height: 52½" Panel Width: 42"	2497

**To Order, Specify...**

- 1 Model Number
- 2 Frame Color




**Finish Options**

	Price
Powder Coat - Standard .....	n/c
Powder Coat - Premium .....	\$ 165

**Custom Charges**

	Code	Price
Powder Coat Alternative (per color) .....	OPA	call



	Description	Model#	Product Wt	Dimensions	Price
	<b>Acoustic</b> 40 x 72 Partial Partition Screen	<b>ROP 4072PA</b>	43	Overall Height: 71½" Overall Width: 40" Overall Depth: 22" Panel Height: 38" Panel Width: 31¼"	1376
	<b>Acoustic</b> 40 x 72 Full Partition Screen	<b>ROP 4072FA</b>	46	Overall Height: 71½" Overall Width: 40" Overall Depth: 22" Panel Height: 52½" Panel Width: 31¼"	1604
	<b>Acoustic</b> 51 x 72 Full Partition Screen	<b>ROP 5172FA</b>	51	Overall Height: 71½" Overall Width: 51" Overall Depth: 22" Panel Height: 52½" Panel Width: 42"	1637

**To Order, Specify...**

- ① Model Number
- ② Frame Color
- ③ PET Color

**Finish Options**

Powder Coat - Standard .....	n/c
Powder Coat - Premium.....	\$ 165


**Custom Charges**

Powder Coat Alternative (per color) .....	OPA	call
-------------------------------------------	-----	------



**Questions?**

800 876 2120

				material / fabric grade >		2/COM	3	4	5	6
Description	Model#	Product Wt	Dimensions							
 <p><b>Ottoman</b> Seat: Upholstered Shelf: Ebony Powder Coat</p>	<b>RO19310</b>	43	Overall Height: 18½" Overall Width: 31" Overall Depth: 19"	Narrow Side Width: 22½" Cubby Width: 16¼" Cubby Height: 9"		1235	1408	1582	1755	1929

**Note:**  
If two different fabrics are selected, the highest grade will be used for pricing

**COM Yardage**  
Refer to page 11.

**To Order, Specify...**

- ① Model Number
- ② Primary Upholstery Selection
- ③ Accent Upholstery Selection



The Versteel seating, tables, casegoods and components listed in this catalog may be covered in whole or in part by the following active or pending patents and other patents pending in the United States or Canada:

**U.S. Active or Pending Patents:** 7,849,804; 7,850,241; 8,122,837; 8,297,208; 8,869,715; 9800037; 10,213,015; 11,432,645; 12,331,768.

**U.S. Design Patents:** D688,075; D786591; D792,718; D862,102; D948,259.

**Canada Active or Pending Patents:** 2,579,494; 2,600,629; 2,707,148; 2,731,261; 2,760,476; 2,922,333; 3,113,625.

**Canadian Design Patents:** 176,530; 198,325.

#### Trademarks <sup>TM</sup> <sup>®</sup>

Versteel and the Versteel logo are registered trademarks of Ditto Sales, Inc. dba Versteel in the United States, United Kingdom and Canada. Other registered trademarks of Versteel include: Aerie, Arvo, Brattice, Cat's Paw, Chela and Chela designs, Curvare, Elements Conference, Equip, GeoMetrix, Henri, Immix, Interplay, Looksee, ODIS, Paces, Power Bay, Powerlink, Quanta, Rover, Seating in Motion, SIMON, Studio Steel, Tables in Motion, The Maker Project, Thea, TIM, TOD, Training on Demand, Troupe, Tuscany, Uno, Vela, Versteel seating logo, Versteel table logo, Wavelink and Wavelink logo, Wordplay, Zayn, Zuri.

## **BIFMA**


All Versteel products are constructed to pass the relevant ANSI/BIFMA standards. For more detailed specifications by series and base style, contact Versteel Customer Service at 800.876.2120.

Information regarding warranty, terms and conditions, shipping, care and maintenance, etc. can be found in the beginning pages of this price list.

For further information about any Versteel product, please visit our website or contact a Versteel Customer Service Representative at 800.876.2020 or 813.634.2120.

All other trademarks and registered trademarks are the property of their respective owners.

Any rights not expressly granted herein are reserved.



\* Percentage rates for **Alaska** and **Hawaii** are to Port of Exit in the 48 contiguous states.

**Freight Program**

Normal delivery is on a dock-to-dock basis, F.O.B. Versteel's factory in Jasper, Indiana. Orders within the 48 contiguous United States will be assessed a freight charge based on a percentage of the total list price, or a flat rate of \$300, whichever is greater. Using the zone map above apply the appropriate percentage to the total list to determine freight cost. Special requests such as inside delivery, "call before," etc. should be noted on the customer's purchase order and are subject to additional charges. Contact Versteel Customer Service regarding freight quotes for shipments to Canada, a minimum charge of \$400 will apply.

**Oversize Shipping Fee**

Orders received for items or tops greater than 94" in length will receive a \$250 net oversized shipping fee per order. Fee not applied to orders with multi-piece tops where each section is less than 94" in length.

All prices are delivered list price effective with date printed on cover and supersedes all other published price lists. Versteel reserves the right to change prices or specifications without prior notice. Orders are accepted subject to price prevailing at time of shipment.

**versteel.com**  
Made in America  
800 876 2120