

Price List

JUMP TO PRICING [CLICK HERE](#)

TABLES

VERSTEEL



Prices

All prices are list price, effective with date printed on cover, and supersedes all other published price lists. Orders within the 48 contiguous United States will be assessed a freight charge based on a percentage of the total net price, or a flat rate of \$250*, whichever is greater. A minimum charge of \$300* will apply to all shipments to Canada. Fees will be calculated using the zone map located on page 917. Normal delivery is on a dock-to-dock basis. Additional charges may apply on special requests noted on the customer's purchase order such as inside delivery, "call before," etc. Versteel reserves the right to change prices, shipping fees, or specifications without prior notice. Orders are accepted subject to price prevailing at time of shipment.

Acknowledgement

Orders are accepted, manufactured, and invoiced in accordance with the acknowledgement. Notify Versteel immediately of any discrepancies. Acknowledged orders may not be cancelled or modified without written consent from Versteel.

Orders

All orders must be received in writing, accompanied by final material and finish specifications for order entry.

CONTACT VERSTEEL

EMAIL contact@versteel.com
TELEPHONE 800 876 2120
812 634 2120
FACSIMILE 812 482 9318

MAILING ADDRESS

Versteel
2332 Cathy Lane
Jasper, IN 47546

Faxed orders are accepted. Duplicate orders that are received by mail (after having been faxed) and not marked "Confirmation" are the responsibility of the customer.

Telephone orders must be confirmed in writing within 24 hours, marked "Confirmation." Duplicate orders not marked "Confirmation" are the responsibility of the customer.

Credit

You are requested to enclose one bank reference and three trade references with your initial order.

Credit Cards

Versteel accepts Mastercard, Visa & AMEX credit card payment for invoiced sales. Credit card information must be presented along with the Sales Order (with a signed Credit Card Authorization Form attached). There is no cash discount extended to credit card orders. Credit cards will be charged at time of shipment. A 2.5% processing fee will be applied for all credit card purchases. Processing fee will not be

applied to GSA or contract orders. Versteel will not accept credit cards for payment of account balances.

Changes or Cancellation

Any change or cancellation to an order must be submitted in writing and confirmed by Versteel Customer Service before the change or cancellation is effective. Due to short lead times, any change or cancellation may result in charges if materials have entered the production process.

Packaging

Versteel has no crate or packaging charge on standard products. All items are packaged to ensure delivery in excellent condition under normal handling by freight personnel. Versteel reserves the right to bulk pack or skid load tops in large quantities.

Shipping Schedule*Standard Items*

Laminate, PVC Edge	3-5 WEEKS
Laminate, Wood Edge	3-5 WEEKS
Veneer, Wood Edge	6-8 WEEKS
Powder Coat Tops	4-6 WEEKS
KrystalCast® Tops	7-8 WEEKS

Contact Versteel for special lead time requests.

Shipping

Normal delivery is on a dock-to-dock basis, F.O.B. Versteel's factory in Jasper, Indiana. Special requests such as inside delivery, "call before," etc. should be noted on the customer's purchase order and are subject to additional charges. See freight program on page 917 for shipping charges. Aerie tables are shipped unassembled.

Orders shipping outside of the contiguous 48 United States will have shipping quoted as a separate item.

FOB ORIGIN, FREIGHT PREPAID

Versteel
2332 Cathy Lane
Jasper, IN 47546

Shipping Damage Claims or Shortages

Legal title of merchandise passes to the buyer upon acceptance of the carrier. All cartons must be carefully inspected upon delivery. Visibly damaged product should not be accepted from the carrier until the damage is noted on delivery receipt. Versteel will not accept responsibility if the delivery receipt is signed as "clear". Retain any damaged goods and take photos for claim filing purposes. Details of visible damage should be noted on the delivery receipt. Shortages must be noted on the bill of lading prior to accepting the shipment.

Concealed Damage

If concealed damage is discovered, the receiver must notify the freight carrier within 5 business days from receipt of the product(s). For claim consideration the receiver must request an inspection of the damaged goods by the carrier. All damaged product and

packaging should be retained and photos taken for claim filing use. Inspections must occur at the original delivery point to be considered for claim submittal. Reports of concealed damage after five business days will not be considered.

Partial Shipments

Versteel makes every attempt to ship orders complete and on schedule. However, we reserve the right to make partial shipments as product is ready, in an effort to get your order to you as quickly as possible. Invoices covering these shipments are to be paid as they become due.

Returns

No return merchandise will be accepted without Versteel's written consent and shipping instructions. Unauthorized returns will not be accepted.

Terms

Terms are 1%, 10 days, net 30 days from date of invoice.

Force Majeure

Versteel shall be excused from the duty to render timely performance of any obligation hereunder if such inability to perform is caused directly or indirectly by act of God, flood, war, riot, fire, accident, explosion, strikes or labor trouble, act of government, delay or default by a subcontractor or supplier of materials or services, transportation difficulty or delay, the existence of any circumstance making performance commercially impracticable or any other cause beyond Versteel's reasonable control. Buyer's obligation to make any payment due and owing to Versteel shall not be excused for any reason whatsoever.

Oversized Shipping Fee

Orders received for items or tops greater than 94" in length will receive a \$200★ net oversized shipping fee per order. Fee not applied to orders with multi-piece tops where each section is less than 94" in length.

Warranty

All table and seating products manufactured by Versteel are guaranteed by a Lifetime Warranty against defects in materials and workmanship from the date of purchase. Products manufactured/adapted for use in a Pavilion or Pop-Up setting are covered under a three (3) year warranty against defects in materials and workmanship from date of purchase.

Electrical items manufactured by Versteel are guaranteed against defect for a period of five (5) years from date of purchase.

Electrical items not manufactured by Versteel are covered by the manufacturers under their specified warranty.

Consumables such as gas cylinders, casters and glides are covered for a period of one (1) year. Adjustable height bases with crank and counterbalanced components, are covered under a two (2) year warranty. Versteel will not cover labor costs associated with replacing the casters or glides.

Wood veneer is warranted for a period of ten (10) years. Natural variations in grain, color or texture of wood should not be construed as defects under this warranty.

Versteel will replace or repair (at our discretion) without cost to our customers any item manufactured by Versteel found to be defective as a result of defective material or workmanship and is still owned by the original purchaser. We will not, however, repair any item which is not properly installed, abused or subject to any use other than that which was originally intended. Warranty does not cover normal wear and tear of the product, which is expected over the course of ownership. Any repairs by the customer must receive specific written authorization from Versteel before being executed on location to receive proper reimbursement for associated costs. In no event shall liability under this warranty exceed the original purchase price.

Pavilion and Pop-Up products must be covered and out of direct sunlight. Use location must be a minimum of 100 miles from saltwater

Warranty on plastic laminates, Corian®, KrystalCast® and upholstery is not covered by Versteel but is covered by laminate, Corian®, KrystalCast® and textile manufacturers under their specified warranty only. All foams, fabrics and vinyls are prone to stretch and loosen over time through normal use. This natural effect, called puddling, is covered for a period of one (1) year from the date of purchase.

There are no other warranties expressed or implied.

Care of Laminate Surfaces with PVC edge

Clean with a mild soap solution and rinse with clean, clear water. Wipe the entire surface, moving with the pattern and follow with a clean, dry soft cloth. When a wood edge exists, follow instructions found under "Care of Wood Edges and Veneer Surfaces" for edge.

Care of Wood Edges and Veneer Surfaces

Clean all surfaces frequently with water-dampened soft cloth, moving the cloth with the grain direction. Quickly buff dry. Immediately remove any liquids that come in contact with wood surfaces using a blotting action to absorb liquid. Lift objects to move them. Never pull them across the finished surface.

For an additional safeguard, use a protective surface pad. Doing so could ensure a lasting finish by protecting your furniture from possible damage caused by pens and sharp objects.

Avoid exposing furniture to extreme heat and cold or to wide humidity variances. Avoid exposing furniture to strong sunlight. Do not use soaps, commercial cleaners or harsh solvents (nail polish remover, acetates, etc.) as they will cause finish deterioration. If using a protective glass top, place spacer pads under the glass top to allow the wood to breathe.

Care of Powder Coat Work Surfaces

Clean with warm water and mild soap and rinse with clean, warm water. Windex Multi-Surface Disinfectant and Windex All Purpose cleaner can be used for deep cleaning. Using a pump spray bottle, apply a normal amount of cleaner onto a clean microfiber or paper towel. Wipe the desired area until dry. Do not spray directly onto the surface or let sit un-wiped for an extended period.

Care of KrystalCast® Surfaces

Clean with a dish soap and water mixture in a spray bottle with a Green Scotch Brite 3M scrub pad to loosen all dirt and goo (including oil and wine stains, etc). Dry with a clean dry rag. Do not use solvents such as acetone, lacquer thinner, gasoline, undiluted alcohol or benzene.

Care of Powder Coat and Nickel

Clean with a mild soap solution and rinse with clean, clear water. Wipe the entire surface and follow with a clean, dry cloth to buff dry.

Care of Chrome Bases

Clean with a wet cloth or window cleaner. For scuff marks or heavy soiling, a non-abrasive automotive chrome polish can be applied as directed.

Objective

It is the objective of Versteel to adhere to Federal, State and local laws and codes, ordinances and regulations as may be applicable to control environmental risks, prevent harm to the public health and welfare, and to preserve our natural resources. Versteel acknowledges the necessity of commitment and hereby commits its resources of all levels of its management and all employees of the company to accomplish this objective.

Policy Statement

Each Versteel facility has the responsibility to:

- Develop environmental policies which implement regulatory compliance requirements and provide management guidance and support with applicable environmental laws.
- Train and motivate personnel to work in an environmentally acceptable manner and to understand and comply with government regulations within the scope of Versteel operations.
- Communicate the importance of personal responsibility protection to all employees through formal training. Each employee will be aware of the environmental regulations applicable to their job functions, including limitations and functional restrictions of permits, spill control, emergency response actions, proper waste handling procedures, etc.
- Communicate and continually assess relevant environmental developments on operations of the facilities and personnel.
- Require sub-contractors or contractors (third parties working for, with, or on behalf of Versteel) to follow Versteel's environmental procedures while working within their facilities.
- Make responsible personnel available at all times to carry out environmental procedures, especially under emergency situations.
- Apply sound management practices and operating procedures.

Implement appropriate control technologies and process guidelines for preventive and corrective maintenance systems to minimize actual and potential environmental harm and exposures.

Communicate effectively with government and the public regarding serious environmental incidents should they ever occur.

Minimize the generation, emission or discharge of waste, and harmful or regulated substances and pollutants from operations to the extent most practical with laws and regulations. Ensure proper disposal of all waste.

Substitute materials or processes to allow the use of less hazardous substances where feasible.

Secure and maintain all environmental permits required for operation. Maintain up-to-date files of all environmental reporting requirements and make this information available for easy access at each operating facility.

Evaluate the causes behind any serious environmental incidents and establish procedures to avoid recurrence.

There is a sincere effort at Versteel to maintain our responsibility to the environment and to our employees. We are mindful of the effectiveness and improvements required to ensure environmentally safe conditions and to preserve our natural resources.

We pride ourselves on exceeding the standards set forth by federal, state and local codes.

Our electroplating plant consistently earns local annual environmental awards, and all of our products have met the requirements for Intertek Green Leaf VOC/VOC+ certification.



At Versteel, we feel it is our responsibility as a manufacturer to build products in a manner that promotes a safe and healthy environment for everyone. We maintain detailed information regarding the environmental impact of all Versteel products. If you have questions regarding our environmental policy or would like more information, please contact Versteel Customer Service at 800.876.2120.

**Tops**

Laminate tables are available with square or radius corners. Veneer, powder coat MDF and KrystalCast® tops are standard with square corners. Powder coat tops are available with an etch design in the top when specified with electrical. All table tops are 1.25" thick.

Features

Table height is 29" with 1.5" diameter non-adjustable gripping pad glides. Flush mount electrical is available in the top.




Manufacturer certifies that products meet or exceed applicable ANSI/BIFMA standards and testing.

Quality Standards

All Versteel table bases are constructed to pass the industry test standards set forth by BIFMA. For more detailed specifications by series and base style, contact Versteel Customer Service at 800.876.2120.

Laminate and Veneer, Standard Core Construction

The standard top construction consists of a 45-50 pound particleboard, surfaced with a high pressure laminate or veneer face. A backer sheet is laminated to the under side of the top. Tops are shipped pre-drilled for field installation of bases and accessories.



Plain Sliced Veneer

Powder Coat Core Construction

The standard top construction consists of 46 pcf medium-density fiberboard with a 22.5 degree reverse bevel and an ultra matte finish. Tops are shipped predrilled for field installation of bases and accessories. Tops specified with power can be ordered with or without an etch design surface detail. Tables without power are not available with the etch design. Pricing for tables without the etch design can be found on pages 84 and 85. Pricing for tables with the etch design can be found on page 86.



No Etch Design



Etch Design

KrystalCast® Core Construction

The standard top construction consists of 1/4" KrystalCast® bonded to 1" MDF with a 60 degree black knife edge.

Alternate Core Construction

Alternate core constructions are available, including medium density fiberboard (MDF), honeycomb cores, and cores that contain no urea formaldehyde. Contact Versteel for pricing and availability.

PVC Flat or Fluted Edge



Edge of 2mm PVC hot melt banded to the top with 1/8" radius at the top and bottom.
Offered in twenty-one (21) standard colors.

Reverse Bevel Acrylic


Edge of 2mm acrylic edge banding hot melt banded to MDF core. A reverse bevel is then cut into the edge exposing the MDF on the reverse bevel. The MDF is then clear coated.

Wood Flat or Fluted Edge



Wood banding hot melt banded to the top with 1/8" radius at the top and bottom.
Offered in Ash, Cherry, Maple or Walnut materials.

Wood Reverse Bevel Edge - 2"



Edge of 2" wide solid wood designed with a reverse sloped edge with mitered corners.
Offered in Ash, Cherry, Maple or Walnut materials.

To Order, Specify...

- 1 Model Number, Include top and edge style
- 2 Top Material
 - a. Laminate
 1. Laminate manufacturer and color
 - b. Veneer
 1. Veneer species and finish color
 - c. Powder Coat
 1. Powder coat worksurface color
 - d. KrystalCast®
 1. KrystalCast® color
- 3 Edge style and thickness
- 4 Edge color
- 5 Base Color
- 6 Trough Color
- 7 Additional Options




An **AID 48120REFX VW2S** is an Aerie series 48" x 120" rectangle table with fixed bases, a veneer 1/4" thick top with a wood flat edge and square corners.

The codes **AP01 / VFOG / PSEA / PSEA** specify an Ash top with a Fog finish, Seaside base color and Seaside trough color.

APB4B / PSTO / WCC adds power, Stone for the bezel and door color and a cable coil.

Model Number **AID 48120REFX VW2S**



Orders may be sent via:

MAILING ADDRESS

Versteel
2332 Cathy Lane
Jasper, IN 47546

CONTACT VERSTEEL

EMAIL contact@versteel.com
TELEPHONE 800 876 2120
812 634 2120
FACSIMILE 812 482 9318

Top Material

Laminate

Versteel's standard offering of laminates includes over 900 laminates from Wilsonart, Formica, Nevamar and Pionite.

Laminate manufacturers change standard offerings frequently, and it is possible a standard product can become unavailable. Versteel cannot be responsible for any inconvenience this may cause.

Veneer

Aerie tables are available with plain sliced Ash, Cherry, Maple and Walnut veneers.

Veneer Species

Ash	AP01	Maple	MP01
Cherry	CP01	Walnut	WP01

Veneer Finish

Ash

Beach	VBEA	Fog	VFOG
Chestnut	VCHE	Pebble	VPEB
Drift	VDRI	Whisper	VWHI
Fawn	VFAW		

Cherry

Blossom Cherry . .	VBLC	Java Cherry	VJAC
Cordovan Cherry .	VCNC	Millwork Cherry . .	VMWC
Golden Cherry . . .	VGNC		

Maple

Caramel Maple . .	VCMM	Sugar Maple	VSUM
Solar Maple	VSLM		

Walnut

Brighton Walnut .	VBRW	Natural Walnut . .	VNAW
Espresso Walnut .	VESW		

Powder Coat MDF Worksurface

Offered in four standard colors, powder coated work surfaces are 100% recyclable with the lowest emissions of any surface in the industry. Since there is no edge banding all edges are seamless. Work surfaces with electrical can be specified with an etch design in the top.

Powder Coat Worksurface Colors

Coal	DCOA	Thunder	DTHU
Cotton	DCOT	Vapor	DVAP

Alternative colors may be specified. Contact Customer Service for quote.

KrystalCast®

KrystalCast® tops can be custom matched to over 3,500+ Benjamin Moore colors. With a conscious effort towards a more green product, KrystalCast® has focused its energy to create more sustainable and renewable products.

Table Top Alternatives

Table tops can be produced in alternative top material if desired. Contact Versteel Customer Service for pricing and availability.

Edges

Aerie table edges are available in PVC, reverse bevel acrylic and wood.

- PVC provides hot melt in a continuous band around the surface.
- Reverse bevel acrylic edge banding is hot melt banded to MDF core.
- Wood banding is a multi-ply wood band or miter-cornered solid in Ash, Cherry, Maple or Walnut.

PVC Edge Colors

Absolute Acajou	CABA	Nimbus	CNIM
Alloy	CALY	Pearl	CEAL
Carbon	CCAR	Platinum	CPLA
Champagne	CCHA	Pralines & Cream	CPRC
Coconut	CCOC	Shadow	CSHA
Ebony	CEBO	Snow	CSNO
Florence Walnut	CFLW	Stone	CSTO
Fossil	CFOS	Storm	CSTM
Graphite	CGRA	Whisper	CWHI
Grey	CGRE	White Linen	CWHL
Kensington	CKEM		
Maple			

Wood Edge Species

Ash	A01	Maple	M01
Cherry	C01	Walnut	W01

Wood Edge Finishes

Ash

Beach	WBEA	Fog	WFOG
Chestnut	WCHE	Pebble	WPEB
Drift	WDRI	Whisper	WWHI
Fawn	WFAW		

Cherry

Blossom Cherry . .	WBLC	Java Cherry	WJAC
Cordovan Cherry .	WCNC	Millwork Cherry . .	WMWC
Golden Cherry . .	WGNC		

Maple

Caramel Maple . . .	WCMM	Sugar Maple	WSUM
Solar Maple	WSLM		

Walnut

Brighton Walnut .	WBRW	Natural Walnut . .	WNAW
Espresso Walnut .	WESW		

Base Color**Powder Coat Finishes**

All powder coat finishes in the Versteel offering have been formulated with the use of epoxy, polyester or epoxy and polyester blends to maximize the finish durability.

Powder Coat Finish Options

Powder Coat - Standard	n/c
Powder Coat - Premium	\$147

Powder Coat Colors

Alloy	.PALY	Mint	.PMNT
Amethyst	.PAME	Navy	.PNAV
Anthracite	.PANT	Nimbus	.PNIM
Black Anodized	.PBLA	Nutmeg	.PNUT
Bronze	.PBRO	Obsidian	.POBS
Calypso	.PCAL	Pacific	.PPAC
Carbon	.PCAR	Pearl	.PPEA
Champagne	.PCHA	Pebble	.PPEB
Coconut	.PCOC	Poppy	.PPOP
Copper	.PCOP	Raven	.PRAV
Crimson	.PCRI	Royal	.PROY
Crystal	.PCRY	Satin	.PSAT
Daffodil	.PDAF	Seaside	.PSEA
Ebony	.PEBO	Shipyards	.PSHI
Forest	.PFOR	Silver	.PSIL
Fossil	.PFOS	Snow	.PSNO
Garnet	.PGAR	Stone	.PSTO
Gold	.PGOL	Storm	.PSTM
Graphite	.PGRA	Terra Cotta	.PTEC
Hope	.PHOP	Whisper	.PWHI
Kelly Green	.PKEG	White Linen	.PWHL
Matte	.PMAT	Powder Coat	
Mica	.PMIC	Alternative	.OPA

Transparent Powder Coats (indicated by ♦)

Please note that the transparent characteristics of these powders allow all natural welds and textures inherent to raw steel to be visible.

Premium Powder Coats (indicated by ⊕)

Versteel's premium process uses specially formulated powder coats for a truly unique color palette.

Chrome

Versteel applies a deep luster chrome plated finish. Chrome is the most durable finish available. Specify Chrome and add \$331 list per table up to 96" length. Add \$662 list per table over 96" length. Chrome is not available on the bezel, doors or trough. Chrome. .ECHR

Nickel

Versteel applies a nickel plated finish with a clear coat applied for durability. Specify Nickel and add \$441 list per table up to 96" length. Add \$882 list per table over 96" length. Nickel is not available on the bezel, doors or trough. Nickel. .ENKL

Bezel, Door & Trough Powder Coat Colors

Alloy	.PALY	Navy	.PNAV
Amethyst	.PAME	Nimbus	.PNIM
Anthracite	.PANT	Nutmeg	.PNUT
Black Anodized	.PBLA	Pearl	.PPEA
Bronze	.PBRO	Pebble	.PPEB
Calypso	.PCAL	Poppy	.PPOP
Carbon	.PCAR	Royal	.PROY
Champagne	.PCHA	Satin	.PSAT
Coconut	.PCOC	Seaside	.PSEA
Crimson	.PCRI	Shipyards	.PSHI
Daffodil	.PDAF	Silver	.PSIL
Ebony	.PEBO	Snow	.PSNO
Forest	.PFOR	Stone	.PSTO
Fossil	.PFOS	Storm	.PSTM
Graphite	.PGRA	Terra Cotta	.PTEC
Hope	.PHOP	Whisper	.PWHI
Kelly Green	.PKEG	White Linen	.PWHL
Mica	.PMIC	Powder Coat	
Mint	.PMNT	Alternative	.OPA

**Cable Coil™
\$100 / each**

Specify code **WCC** (Cable Coil), add \$100 list each

The Cable Coil conducts wires from the underside of the top to the power and data source. It is attached to the undersurface of the top and hooks under the base ring. Powder Coat color is the same as the base color. If Chrome or Nickel are specified for the base then the Cable Coil™ will be Ebony.

**Wire Management Clips
Standard / No Charge**

Specify code not applicable, standard / no charge

Two wire management clips are sent with every table that is ordered with electrical. Clips are mounted to the leg so wires can be held in place.

**Magnetic Cable Claw
\$28 / pair**

Specify model **AMCC** (Magnetic Cable Claw), add \$28 list per pair

Able to hold 2.5 pounds the Cable Claw with an anti-slip traction pad, attaches and grips bundles of cables to steel surfaces. The black plastic Cable Claws have a dimension of 0.75" x 0.65". Cable Claws should be ordered on a separate line item.



Powder Coat Alternative **Call for quotation**

Specify code **OPA** (Powder Coat Alternative), add cost from Versteel quotation

Powder Coat Alternative is available from Versteel. The entire RAL color reference along with hundreds of other colors and finishes are available.

For Powder Coat Alternative matching, you must supply a color reference sample, or an RAL number. Versteel will review the sample for possible existing colors available and send a sample for customer approval. If no color match exists, a custom match can be developed. Call Versteel Customer Service for associated upcharges on custom color development.

NOTE CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

Special Laminate **Call for quotation**

Specify code **TSP** (Special Laminate), indicate the quoted charges per table

Special laminates and patterns can be specified as an option on Sky. To specify, contact Versteel for availability and pricing.

NOTE LAMINATES IN STANDARD COLORS AND TEXTURES FROM FORMICA, NEVAMAR, PIONITE AND WILSONART ARE STANDARD

CAUTION Laminate manufacturers change standard offerings frequently, and it is possible that a standard product can become unavailable. Versteel cannot be responsible for any inconvenience this may cause.

Custom PVC Color Match **Call for quotation / one time charge per color, per order**

Specify code **PCP** (Custom PVC Color Match), add cost from Versteel quotation

PVC Color Match can be the selection of a color that is available from a Versteel supplier or a new custom color developed for the order. Minimum footage requirements mean that the amount of material needed for your order will effect the cost.

For PVC Color Matching you must supply a color reference sample. Versteel will review the sample for possible existing colors available and send a sample for customer approval. If no color match exists, a custom match will be developed and sampled for customer approval before a production schedule is established.

NOTE CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

Stain Finish Match **\$894 / one time charge per finish, per order**

Specify code **OSM** (Stain Finish Match), add \$894.00 list per finish, per order

Alternative Stain Finishes are available for veneer and wood edged tops.

For Stain Finish Matching you must supply two 4" x 4" finish color and grain reference samples. An expertly finish matched sample will be provided for customer approval.

NOTE CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

Veneer or Wood Edge Alternatives

For veneer or wood edge requirements other than our standard plain sliced Ash, Cherry, Maple or Walnut, contact Versteel Customer Service with the specifications of the materials you would like to specify.

NOTE VENEER OR WOOD EDGE ALTERNATIVES APPROVAL MAY AFFECT STANDARD PRODUCTION SCHEDULES

Wood Finish Alternatives

Versteel finish has a natural grain fill level finish appearance, contact Versteel Customer Service for alternative fill levels (Oak veneer's natural pore grain does not allow the application of a full-fill finish). Coarse grain will require additional application steps for a full-fill grain appearance and will require a quote.

NOTE WOOD FINISH ALTERNATIVE APPROVAL MAY AFFECT STANDARD PRODUCTION SCHEDULES

Aerie Power


The flush mount electrical units can be specified with any standard powder coat (excluding Platinum and transparent) for the bezel and doors.

SPECIFICATIONS

- One 15 amp circuit, power infeed cord with standard grounded plug
- Surge protection
- Simplex matches faceplate/bezel

Dark Blue Bezel

Light Blue Power Unit

48x96 Rectangle

Please select desired power & data configuration from the options below. Power and data selections will be applied to all units.

*Specify code **APB2A** add \$2633 list per table*


Consists of four (4) power and four (4) dual port USB A charging modules.

*Specify code **APB2B** add \$2633 list per table*

Consists of four (4) power and four (4) USB A + 10 watt USB C charging modules.

*Specify code **APB2C** add \$2498 list per table*

Consists of six (6) power and two (2) USB A + 10 watt USB C charging modules.

48x120 Rectangle

Please select desired power & data configuration from the options below. Power and data selections will be applied to all units.

*Specify code **APB4A** add \$5266 list per table*


Consists of eight (8) power and eight (8) dual port USB A charging modules.

*Specify code **APB4B** add \$5266 list per table*

Consists of eight (8) power and eight (8) USB A + 10 watt USB C charging modules.

*Specify code **APB4C** add \$4996 list per table*

Consists of twelve (12) power and four (4) USB A + 10 watt USB C charging modules per unit.

48x140 and 48x160 Rectangle

Please select desired power & data configuration from the options below. Power and data selections will be applied to all units.

*Specify code **APB2DA** add \$5266 list per table*


Consists of eight (8) power and eight (8) dual port USB A charging modules.

*Specify code **APB2DB** add \$5266 list per table*

Consists of eight (8) power and eight (8) USB A + 10 watt USB C charging modules.

*Specify code **APB2DC** add \$4996 list per table*

Consists of twelve (12) power and four (4) USB A + 10 watt USB C charging modules.

48x180 and 48x200 Rectangle

Please select desired power & data configuration from the options below. Power and data selections will be applied to all units.

*Specify code **APB3DA** add \$7899 list per table*

Consists of twelve (12) power and twelve (12) dual port USB A charging modules.

*Specify code **APB3DB** add \$7899 list per table*

Consists of twelve (12) power and twelve (12) USB A + 10 watt USB C charging modules.

*Specify code **APB3DC** add \$7492 list per table*

Consists of eighteen (18) power and six (6) USB A + 10 watt USB C charging modules.

Unit Color

MWCA	Matte White Faceplate, Clear AI Trim	n/c
MBCA	Matte Black Faceplate, Clear AI Trim	n/c

VERSTEEL



Questions?

1.800.876.2120

Black = Fixed Bases

Ⓢ = Indicates Number of Bases






	top > edge >	Laminate PVC	Laminate Wood	Laminate 2mm Acrylic	Laminate Wood
		Flat 	Flat 	Reverse Bevel 	Reverse Bevel
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LP2R or LP2S 1 1/4"	LW2R or LW2S 1 1/4"	LMRA2R or LMRA2S 1 1/4"	LWR2 1 1/4"
		Fluted 	Fluted 		
	edge ordering code (radius corner) > or edge ordering code (square corner) > top thickness >	LPF2R or LPF2S 1 1/4"	LWF2R or LWF2S 1 1/4"		
	top thickness price >	1 1/4"		1 1/4"	1 1/4"

Base Style	Table Description	Model #	Product Wt			
	48 x 96 Fix	AID 4896REFX	340	3557	4146	5746
	48 x 120 Fix	AID 48120REFX Ⓢ	480	5113	5719	7587
	48 x 140 Fix	AID 48140REFX Ⓢ	542	5847	6862	9481
	48 x 160 Fix	AID 48160REFX Ⓢ	603	6849	7890	10840
	48 x 180 Fix	AID 48180REFX Ⓢ	679	7056	8241	11439
	48 x 200 Fix	AID 48200REFX Ⓢ	741	7542	8862	12379

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Trough Color
- 7 Additional Options



Veneer Wood	Veneer Wood	Powder Coat MDF	KrystalCast®
Flat 	Reverse Bevel 	Reverse Bevel 	Knife 
VW2S 1 ¼"	VWR2 1 ¼"	PMR2S 1 ¼"	KMKB2S 1 ¼"
Fluted 			
VWF2S 1 ¼"			
1 ¼"	1 ¼"	1 ¼"	1 ¼"
6866	12761	5530	20183
9101	16109	7396	25625
11577	19617	8944	30982
12659	22725	9468	39765
13762	25694	10010	39836
14861	29528	10998	50009

Finish Options

	Code	Price
Chrome (to 96" length)		\$ 331
Chrome (over 96" length)		\$ 662
Nickel (to 96" length)		\$ 441
Nickel (over 96" length)		\$ 882
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 147

Top Options

2-Piece Top (120" length only)	T2P	\$ 564
Special Laminate	TSP	call
Custom Cutout (per cutout)	TCC	\$ 107

Power

Please reference the Power section (page 82)

Wire Management Options

Cable Coil	WCC	\$ 100
Magnetic Cable Claw (1 pair)	AMCC	\$ 28



Questions?

1.800.876.2120

top >
edge >

Powder Coat
MDF

Reverse Bevel



Black = Fixed Bases


Ⓢ = Indicates Number of Bases

edge ordering code (square corner) >
top thickness >

PMR2S
1 1/4"

top thickness price >

1 1/4"

Base Style	Table Description	Model #	Product Wt	Price
 AID	48 x 96 Fix	AID 4896REFX SD	340	7040
	48 x 120 Fix	AID 48120REFX SD Ⓢ	480	8967
	48 x 140 Fix	AID 48140REFX SD Ⓢ	542	10602
	48 x 160 Fix	AID 48160REFX SD Ⓢ	603	12027
	48 x 180 Fix	AID 48180REFX SD Ⓢ	679	12571
	48 x 200 Fix	AID 48200REFX SD Ⓢ	741	14916
	Above models only available when power is specified			

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Trough Color
- 7 Additional Options



Finish Options	Code	Price
Chrome (to 96" length)		\$ 331
Chrome (over 96" length)		\$ 662
Nickel (to 96" length)		\$ 441
Nickel (over 96" length)		\$ 882
Powder Coat - Standard		n/c
Powder Coat - Premium		\$ 147

Top Options	Code	Price
2-Piece Top (120" length only)	T2P	\$ 564
Custom Cutout (per cutout)	TCC	\$ 107

Power
Please reference the Power section (page 82)

Wire Management Options	Code	Price
Cable Coil	WCC	\$ 100
Magnetic Cable Claw (1 pair)	AMCC	\$ 28

All prices are delivered list price effective with date printed on cover and supersedes all other published price lists. Versteel reserves the right to change prices or specifications without prior notice. Orders are accepted subject to price prevailing at time of shipment.

versteel.com
Made in America
800 876 2120